

# City of Tacoma Public Utility Board Meeting April 25, 2018; 6:30 p.m. Tacoma Public Utilities – Ground Floor Auditorium 3628 S 35<sup>th</sup> Street, Tacoma WA 98409

# **Call to Order**

### Roll Call

- A. Approve Minutes of Previous Meetings
- B. Comments by the Public
- C. Consent Agenda
- D. Regular Agenda

# Departmental

- D-1 Resolution U-11003 Award contracts and approve purchases:
- 1. Award contract to Magnum Power, LLC for the removal and replacement of foundations, structures, and conductors associated with the Potlatch Transmission Lines Henderson Bay Crossing (\$3,171,105.64, plus applicable tax);
- 2. Award contract to G&J Logging, Inc., for thinning of 180 acres of merchantable timber to enhance wildlife habitat at Tacoma Power's Cowlitz wildlife area (\$397,190);
- 3. Award contract to RailWorks Track Systems, Inc., for railroad grade crossing signal system maintenance and inspections (\$1,853,540, plus applicable taxes. Includes option for three one-year renewal periods for a projected cumulative contract amount of \$4,668,195.97, plus applicable taxes).

# Tacoma Power

- D-2 Resolution U-11004 Approve Declaration of Surplus Utility Specific Equipment for 292 overhead and pad-mount transformers no longer needed for Tacoma Power's current or future needs and authorize the sale of equipment to the highest responsive bidder.
  - A public hearing will be held on the proposed sale in Resolution U-11004 of this surplus equipment per RCW 35.94.040.
- D-3 Resolution U-11005 Authorize execution of a supplemental bond ordinance and an extension of the short-term drawdown note purchase agreement with Wells Fargo Bank in the amount of \$100M.



The City of Tacoma does not discriminate on the basis of disability in any of its programs, activities, or services. To request this information in an alternative format or to request a reasonable accommodation, please contact the TPU Director's Office at 253-502-8201. TTY or speech to speech users please dial 711 to connect to Washington Relay services.