

NE2B
NE2D
NE2A
NE2C
NEW SHORT PLAT
WATCHTOWER HEIGHTS
NORTHSHORE PARKWAY
NORTHSHORE BOULEVARD
NORTHSHORE WAY N.E.
NORTHSHORE CIRCLE N.E.
NORMA ROAD
PARKVIEW DRIVE N.E.
PARKVIEW PLACE N.E.
PARKVIEW WAY N.E.
PARKVIEW LANE N.E.
PARKVIEW COURT N.E.
PARKVIEW CIRCLE N.E.
PARKVIEW AVENUE N.E.
PARKVIEW DRIVE
PARKVIEW WAY
PARKVIEW LANE
PARKVIEW COURT
PARKVIEW CIRCLE
PARKVIEW AVENUE
PARKVIEW PLACE
PARKVIEW BOULEVARD
PARKVIEW BOULEVARD N.E.
PARKVIEW BOULEVARD NE
PARKVIEW BLVD N.E.
PARKVIEW BLVD NE
PARKVIEW BLVD
PARKVIEW
PARKVIEW N.E.
PARKVIEW NE
PARKVIEW N
PARKVIEW
PARKVIEW
PARKVIEW



COUNT	SYMBOL	ANCHORING SYMBOLS
		GUY
		SIDEWALK GUY
		NEED GUY
		NEED SIDEWALK GUY
	//	OVERHEAD GUY
	>	POLE-TO-POLE GUY
		ROCK GUY
		BUILDING GUY
	◦	PUSH POLE

COUNT	SYMBOL	UNDERGROUND SYMBOLS
		SMALL PEDESTAL
		MEDIUM PEDESTAL
		LARGE PEDESTAL
		NODE PEDESTAL
		SMALL FLUSH MOUNT VAULT
		MEDIUM FLUSH MOUNT VAULT
		LARGE FLUSH MOUNT VAULT
		LARGE CONCRETE VAULT
		MDU LOCK BOX

COUNT	SYMBOL	POLE SYMBOLS
		POWER POLE
		POWER POLE w/ TRANSFORMER
		JOINT POLE
		JOINT POLE w/ TRANSFORMER
		TELCO POLE
		OTHER POLE
		CATV POLE
	R	RISER
		TOTAL POLES

SYMBOL	MAP SYMBOLS
LD:185'	AERIAL LONG DROP & LENGTH
LD	UNDERGROUND LONG DROP
	AERIAL HOUSE DROP
	UNDERGROUND DROP FROM POLE

CABLE SYMBOLS		
COAXIAL CABLE	STRAND	
CAN-WE-SERVE	0.75" CONDUIT	
FIBER OPTIC CABLE	1.25" CONDUIT	
NODE BOUNDARY	2.0" CONDUIT	
NODE LEG BOUNDARY	2.5" CONDUIT	
TERMINATED CABLE	4.0" CONDUIT	
SPARE CABLE		
COAXIAL SPLICE		
POWER BLOCK		

SYMBOL	DESIGN SYMBOLS	SYMBOL	DESIGN SYMBOLS
	HUB		.715 TO F
	HEADEND		CHASSIS TO F
OPTICAL RECEIVER	OPTICAL RECEIVER		STANDBY POWER SUPPLY
	FIBER SPLICE		POWER INSERTER
200	FIBER STORAGE		DIST. MINI-BRIDGER
	2 PORT TAP		LINE EXTENDER
	4 PORT TAP		DIRECTIONAL COUPLER
	8 PORT TAP		TWO WAY SPLITTER
	TELEPHONE TAP		THREE WAY SPLITTER
	HOT TAP		
*	INDICATES TAP VALUE		

COUNT	SYMBOL	UNITS PASSED
		TOTAL HOMES
		TOTAL COMMERCIALS
		TOTAL MDUs
		TOTAL INSTITUTIONS

NOTES:
- (C) CLEARANCE ISSUES
- (E) EASEMENT ISSUES
- (P) POLE CHANGE OUT
- (V) VACANT
- (NP) NO POTENTIAL
- (NB) NOT BUILDABLE

PLANT STATISTICS			
0.75" CONDUIT FOOTAGE		AERIAL FOOTAGE	
1.25" CONDUIT FOOTAGE		CAN-WE-SERVE FOOTAGE	
2" CONDUIT FOOTAGE			
2.5" CONDUIT FOOTAGE			
4" CONDUIT FOOTAGE			
UNDERGROUND FOOTAGE			
COAX FOOTAGE		ACBS TOTAL	
PLANT MILES		ACBC TOTAL	
FIBER FOOTAGE		HOUSE COUNT	

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

DESIGN	
SUBMITTED	
DATE	NO SCALE
SCALE	
SUPERVISING ENGINEER	
APPROVED	
MAP NUMBER	NE03
APPROVING ENGINEER	



COUNT	SYMBOL	ANCHORING SYMBOLS
		GUY
		SIDEWALK GUY
		NEED GUY
		NEED SIDEWALK GUY
	//	OVERHEAD GUY
	>	POLE-TO-POLE GUY
		ROCK GUY
		BUILDING GUY
	○	PUSH POLE

COUNT	SYMBOL	UNDERGROUND SYMBOLS
	○	SMALL PEDESTAL
	◓	MEDIUM PEDESTAL
	●	LARGE PEDESTAL
	⊗	NODE PEDESTAL
	□	SMALL FLUSH MOUNT VAULT
	▬	MEDIUM FLUSH MOUNT VAULT
	■	LARGE FLUSH MOUNT VAULT
	CV	LARGE CONCRETE VAULT
	▨	MDU LOCK BOX

COUNT	SYMBOL	POLE SYMBOLS
	⊗	POWER POLE
	⊠	POWER POLE w/ TRANSFORMER
	⊗	JOINT POLE
	⊠	JOINT POLE w/ TRANSFORMER
	○	TELCO POLE
	Ⓞ	OTHER POLE
	●	CATV POLE
	R	RISER
		TOTAL POLES

SYMBOL	MAP SYMBOLS
LD:185'	AERIAL LONG DROP & LENGTH
LD	UNDERGROUND LONG DROP
	AERIAL HOUSE DROP
	UNDERGROUND DROP FROM POLE

CABLE SYMBOLS			
COAXIAL CABLE		STRAND	
CAN-WE-SERVE		0.75" CONDUIT	
FIBER OPTIC CABLE		1.25" CONDUIT	
NODE BOUNDARY		2.0" CONDUIT	
NODE LEG BOUNDARY		2.5" CONDUIT	
TERMINATED CABLE		4.0" CONDUIT	
SPARE CABLE			
COAXIAL SPLICE			
POWER BLOCK			

SYMBOL	DESIGN SYMBOLS	SYMBOL	DESIGN SYMBOLS
	HUB		.715 TO F
	HEADEND		CHASSIS TO F
	OPTICAL RECEIVER		STANDBY POWER SUPPLY
	FIBER SPLICE		POWER INSERTER
200	FIBER STORAGE		DIST. MINI-BRIDGER
	2 PORT TAP		LINE EXTENDER
	4 PORT TAP		DIRECTIONAL COUPLER
	8 PORT TAP		TWO WAY SPLITTER
	TELEPHONE TAP		THREE WAY SPLITTER
HT	HOT TAP		
*	INDICATES TAP VALUE		

COUNT	SYMBOL	UNITS PASSED
	H	TOTAL HOMES
	C	TOTAL COMMERCIALS
	M	TOTAL MDUs
	I	TOTAL INSTITUTIONS

NOTES:
- (C) CLEARANCE ISSUES
- (E) EASEMENT ISSUES
- (P) POLE CHANGE OUT
- (V) VACANT
- (NP) NO POTENTIAL
- (NB) NOT BUILDABLE


PLANT STATISTICS			
0.75" CONDUIT FOOTAGE		AERIAL FOOTAGE	
1.25" CONDUIT FOOTAGE		CAN-WE-SERVE FOOTAGE	
2" CONDUIT FOOTAGE			
2.5" CONDUIT FOOTAGE			
4" CONDUIT FOOTAGE			
UNDERGROUND FOOTAGE			
COAX FOOTAGE		ACBS TOTAL	
PLANT MILES		ACBC TOTAL	
FIBER FOOTAGE		HOUSE COUNT	

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

DESIGN
SUBMITTED
DATE
SCALE: NO SCALE
SUPERVISING ENGINEER
APPROVED
MAP NUMBER: NE04
APPROVING ENGINEER



COUNT	SYMBOL	ANCHORING SYMBOLS
		GUY
		SIDEWALK GUY
		NEED GUY
		NEED SIDEWALK GUY
		OVERHEAD GUY
		POLE-TO-POLE GUY
		ROCK GUY
		BUILDING GUY
		PUSH POLE

COUNT	SYMBOL	UNDERGROUND SYMBOLS
		SMALL PEDESTAL
		MEDIUM PEDESTAL
		LARGE PEDESTAL
		NODE PEDESTAL
		SMALL FLUSH MOUNT VAULT
		MEDIUM FLUSH MOUNT VAULT
		LARGE FLUSH MOUNT VAULT
		LARGE CONCRETE VAULT
		MDU LOCK BOX

COUNT	SYMBOL	POLE SYMBOLS
		POWER POLE
		POWER POLE w/ TRANSFORMER
		JOINT POLE
		JOINT POLE w/ TRANSFORMER
		TELCO POLE
		OTHER POLE
		CATV POLE
		RISER
		TOTAL POLES

SYMBOL	MAP SYMBOLS
LD:185'	AERIAL LONG DROP & LENGTH
LD	UNDERGROUND LONG DROP
	AERIAL HOUSE DROP
	UNDERGROUND DROP FROM POLE

CABLE SYMBOLS			
COAXIAL CABLE		STRAND	
CAN-WE-SERVE		0.75" CONDUIT	
FIBER OPTIC CABLE		1.25" CONDUIT	
NODE BOUNDARY		2.0" CONDUIT	
NODE LEG BOUNDARY		2.5" CONDUIT	
TERMINATED CABLE		4.0" CONDUIT	
SPARE CABLE			
COAXIAL SPLICE			
POWER BLOCK			

SYMBOL	DESIGN SYMBOLS	SYMBOL	DESIGN SYMBOLS
	HUB		.715 TO F
	HEADEND		CHASSIS TO F
	OPTICAL RECEIVER		STANDBY POWER SUPPLY
	FIBER SPLICE		POWER INSERTER
200	FIBER STORAGE		DIST. MINI-BRIDGER
	2 PORT TAP		LINE EXTENDER
	4 PORT TAP		DIRECTIONAL COUPLER
	8 PORT TAP	2	TWO WAY SPLITTER
	TELEPHONE TAP	3	THREE WAY SPLITTER
	HOT TAP		
*	INDICATES TAP VALUE		

COUNT	SYMBOL	UNITS PASSED
		TOTAL HOMES
		TOTAL COMMERCIALS
		TOTAL MDUs
		TOTAL INSTITUTIONS

NOTES:

- (C) CLEARANCE ISSUES
- (E) EASEMENT ISSUES
- (P) POLE CHANGE OUT
- (V) VACANT
- (NP) NO POTENTIAL
- (NB) NOT BUILDABLE

PLANT STATISTICS			
0.75" CONDUIT FOOTAGE		AERIAL FOOTAGE	
1.25" CONDUIT FOOTAGE		CAN-WE-SERVE FOOTAGE	
2" CONDUIT FOOTAGE			
2.5" CONDUIT FOOTAGE			
4" CONDUIT FOOTAGE			
UNDERGROUND FOOTAGE			
COAX FOOTAGE		ACBS TOTAL	
PLANT MILES		ACBC TOTAL	
FIBER FOOTAGE		HOUSE COUNT	

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

DESIGN
SUBMITTED
DATE
NO SCALE
SCALE
SUPERVISING ENGINEER
MAP NUMBER
APPROVED
NE05
APPROVING ENGINEER



COUNT	SYMBOL	ANCHORING SYMBOLS
		GUY
		SIDEWALK GUY
		NEED GUY
		NEED SIDEWALK GUY
	//	OVERHEAD GUY
		POLE–TO–POLE GUY
		ROCK GUY
		BUILDING GUY
	○	PUSH POLE

COUNT	SYMBOL	UNDERGROUND SYMBOLS
		SMALL PEDESTAL
		MEDIUM PEDESTAL
		LARGE PEDESTAL
		NODE PEDESTAL
		SMALL FLUSH MOUNT VAULT
		MEDIUM FLUSH MOUNT VAULT
		LARGE FLUSH MOUNT VAULT
		LARGE CONCRETE VAULT
		MDU LOCK BOX

COUNT	SYMBOL	POLE SYMBOLS
		POWER POLE
		POWER POLE w/ TRANSFORMER
		JOINT POLE
		JOINT POLE w/ TRANSFORMER
		TELCO POLE
		OTHER POLE
		CATV POLE
	R	RISER
		TOTAL POLES

SYMBOL	MAP SYMBOLS
LD:185'	AERIAL LONG DROP & LENGTH
LD	UNDERGROUND LONG DROP
	AERIAL HOUSE DROP
	UNDERGROUND DROP FROM POLE

CABLE SYMBOLS			
COAXIAL CABLE		STRAND	
CAN–WE–SERVE		0.75" CONDUIT	
FIBER OPTIC CABLE		1.25" CONDUIT	
NODE BOUNDARY		2.0" CONDUIT	
NODE LEG BOUNDARY		2.5" CONDUIT	
TERMINATED CABLE		4.0" CONDUIT	
SPARE CABLE			
COAXIAL SPLICE			
POWER BLOCK			

SYMBOL	DESIGN SYMBOLS	SYMBOL	DESIGN SYMBOLS
	HUB		.715 TO F
	HEADEND		CHASSIS TO F
	OPTICAL RECEIVER	48	STANDBY POWER SUPPLY
	FIBER SPLICE		POWER INSERTER
200	FIBER STORAGE		DIST. MINI–BRIDGER
	2 PORT TAP		LINE EXTENDER
	4 PORT TAP		DIRECTIONAL COUPLER
	8 PORT TAP		TWO WAY SPLITTER
	TELEPHONE TAP		THREE WAY SPLITTER
VT	HOT TAP		
*	INDICATES TAP VALUE		

COUNT	SYMBOL	UNITS PASSED
	3	TOTAL HOMES
	4	TOTAL COMMERCIALS
	12	TOTAL MDUs
	13	TOTAL INSTITUTIONS

NOTES:
- C: CLEARANCE ISSUES
- E: EASEMENT ISSUES
- P: POLE CHANGE OUT
- V: VACANT
- NP: NO POTENTIAL
- NB: NOT BUILDABLE

PLANT STATISTICS			
0.75" CONDUIT FOOTAGE		AERIAL FOOTAGE	
1.25" CONDUIT FOOTAGE		CAN–WE–SERVE FOOTAGE	
2" CONDUIT FOOTAGE			
2.5" CONDUIT FOOTAGE			
4" CONDUIT FOOTAGE			
UNDERGROUND FOOTAGE			
COAX FOOTAGE		ACBS TOTAL	
PLANT MILES		ACBC TOTAL	
FIBER FOOTAGE		HOUSE COUNT	

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

SUBMITTED	DESIGN
SUPERVISING ENGINEER	DATE / SCALE: NO SCALE
APPROVED	MAP NUMBER: NE06
APPROVING ENGINEER	



COUNT	SYMBOL	ANCHORING SYMBOLS
		GUY
		SIDEWALK GUY
		NEED GUY
		NEED SIDEWALK GUY
		OVERHEAD GUY
		POLE-TO-POLE GUY
		ROCK GUY
		BUILDING GUY
		PUSH POLE

COUNT	SYMBOL	UNDERGROUND SYMBOLS
		SMALL PEDESTAL
		MEDIUM PEDESTAL
		LARGE PEDESTAL
		NODE PEDESTAL
		SMALL FLUSH MOUNT VAULT
		MEDIUM FLUSH MOUNT VAULT
		LARGE FLUSH MOUNT VAULT
		LARGE CONCRETE VAULT
	ZZZ	MDU LOCK BOX

COUNT	SYMBOL	POLE SYMBOLS
		POWER POLE
		POWER POLE w/ TRANSFORMER
		JOINT POLE
		JOINT POLE w/ TRANSFORMER
		TELCO POLE
		OTHER POLE
		CATV POLE
		RISER
		TOTAL POLES

SYMBOL	MAP SYMBOLS
LD:185'	AERIAL LONG DROP & LENGTH
LD	UNDERGROUND LONG DROP
	AERIAL HOUSE DROP
	UNDERGROUND DROP FROM POLE

CABLE SYMBOLS			
COAXIAL CABLE		STRAND	
CAN-WE-SERVE		0.75" CONDUIT	
FIBER OPTIC CABLE		1.25" CONDUIT	
NODE BOUNDARY		2.0" CONDUIT	
NODE LEG BOUNDARY		2.5" CONDUIT	
TERMINATED CABLE		4.0" CONDUIT	
SPARE CABLE			
COAXIAL SPLICE			
POWER BLOCK			

SYMBOL	DESIGN SYMBOLS
	HUB
	HEADEND
	OPTICAL RECEIVER
	FIBER SPLICE
200	FIBER STORAGE
	2 PORT TAP
	4 PORT TAP
	8 PORT TAP
	TELEPHONE TAP
HT	HOT TAP
*	INDICATES TAP VALUE

SYMBOL	DESIGN SYMBOLS
	.715 TO F
	CHASSIS TO F
	STANDBY POWER SUPPLY
	POWER INSERTER
	DIST. MINI-BRIDGER
	LINE EXTENDER
	DIRECTIONAL COUPLER
	TWO WAY SPLITTER
	THREE WAY SPLITTER

COUNT	SYMBOL	UNITS PASSED
		TOTAL HOMES
		TOTAL COMMERCIALS
		TOTAL MDUs
		TOTAL INSTITUTIONS

NOTES:
- (C) CLEARANCE ISSUES
- (E) EASEMENT ISSUES
- (P) POLE CHANGE OUT
- (V) VACANT
- (NP) NO POTENTIAL
- (NB) NOT BUILDABLE

PLANT STATISTICS			
0.75" CONDUIT FOOTAGE		AERIAL FOOTAGE	
1.25" CONDUIT FOOTAGE		CAN-WE-SERVE FOOTAGE	
2" CONDUIT FOOTAGE			
2.5" CONDUIT FOOTAGE			
4" CONDUIT FOOTAGE			
UNDERGROUND FOOTAGE			
COAX FOOTAGE		ACBS TOTAL	
PLANT MILES		ACBC TOTAL	
FIBER FOOTAGE		HOUSE COUNT	

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

SUBMITTED	DESIGN
SUPERVISING ENGINEER	DATE: NO SCALE
APPROVED	SCALE
APPROVING ENGINEER	MAP NUMBER: NE07



COUNT	SYMBOL	ANCHORING SYMBOLS
		GUY
		SIDEWALK GUY
		NEED GUY
		NEED SIDEWALK GUY
		OVERHEAD GUY
		POLE-TO-POLE GUY
		ROCK GUY
		BUILDING GUY
		PUSH POLE

COUNT	SYMBOL	UNDERGROUND SYMBOLS
		SMALL PEDESTAL
		MEDIUM PEDESTAL
		LARGE PEDESTAL
		NODE PEDESTAL
		SMALL FLUSH MOUNT VAULT
		MEDIUM FLUSH MOUNT VAULT
		LARGE FLUSH MOUNT VAULT
		LARGE CONCRETE VAULT
		MDU LOCK BOX

COUNT	SYMBOL	POLE SYMBOLS
		POWER POLE
		POWER POLE w/ TRANSFORMER
		JOINT POLE
		JOINT POLE w/ TRANSFORMER
		TELCO POLE
		OTHER POLE
		CATV POLE
		RISER
		TOTAL POLES

SYMBOL	MAP SYMBOLS
LD:185'	AERIAL LONG DROP & LENGTH
LD	UNDERGROUND LONG DROP
	AERIAL HOUSE DROP
	UNDERGROUND DROP FROM POLE

CABLE SYMBOLS		
COAXIAL CABLE	STRAND	
CAN-WE-SERVE	0.75" CONDUIT	
FIBER OPTIC CABLE	1.25" CONDUIT	
NODE BOUNDARY	2.0" CONDUIT	
NODE LEG BOUNDARY	2.5" CONDUIT	
TERMINATED CABLE	4.0" CONDUIT	
SPARE CABLE		
COAXIAL SPLICE		
POWER BLOCK		

SYMBOL	DESIGN SYMBOLS
	HUB
	HEADEND
OR	OPTICAL RECEIVER
	FIBER SPLICE
200'	FIBER STORAGE
	2 PORT TAP
	4 PORT TAP
	8 PORT TAP
	TELEPHONE TAP
HT	HOT TAP
*	INDICATES TAP VALUE

SYMBOL	DESIGN SYMBOLS
	.715 TO F
C	CHASSIS TO F
SP	STANDBY POWER SUPPLY
	POWER INSERTER
	DIST. MINI-BRIDGER
	LINE EXTENDER
	DIRECTIONAL COUPLER
2	TWO WAY SPLITTER
3	THREE WAY SPLITTER

COUNT	SYMBOL	UNITS PASSED
	H	TOTAL HOMES
	C	TOTAL COMMERCIALS
	MDU	TOTAL MDUs
	I	TOTAL INSTITUTIONS

NOTES:

- (C) CLEARANCE ISSUES
- (E) EASEMENT ISSUES
- (P) POLE CHANGE OUT
- (V) VACANT
- (NP) NO POTENTIAL
- (NB) NOT BUILDABLE

PLANT STATISTICS			
0.75" CONDUIT FOOTAGE		AERIAL FOOTAGE	
1.25" CONDUIT FOOTAGE		CAN-WE-SERVE FOOTAGE	
2" CONDUIT FOOTAGE			
2.5" CONDUIT FOOTAGE			
4" CONDUIT FOOTAGE			
UNDERGROUND FOOTAGE			
COAX FOOTAGE		ACBS TOTAL	
PLANT MILES		ACBC TOTAL	
FIBER FOOTAGE		HOUSE COUNT	

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

DESIGN	
SUBMITTED	
DATE	NO SCALE
SUPERVISING ENGINEER	SCALE
APPROVED	MAP NUMBER
APPROVING ENGINEER	NE08



COUNT	SYMBOL	ANCHORING SYMBOLS
		GUY
		SIDEWALK GUY
		NEED GUY
		NEED SIDEWALK GUY
		OVERHEAD GUY
		POLE-TO-POLE GUY
		ROCK GUY
		BUILDING GUY
		PUSH POLE

COUNT	SYMBOL	UNDERGROUND SYMBOLS
		SMALL PEDESTAL
		MEDIUM PEDESTAL
		LARGE PEDESTAL
		NODE PEDESTAL
		SMALL FLUSH MOUNT VAULT
		MEDIUM FLUSH MOUNT VAULT
		LARGE FLUSH MOUNT VAULT
		LARGE CONCRETE VAULT
		MDU LOCK BOX

COUNT	SYMBOL	POLE SYMBOLS
		POWER POLE
		POWER POLE w/ TRANSFORMER
		JOINT POLE
		JOINT POLE w/ TRANSFORMER
		TELCO POLE
		OTHER POLE
		CATV POLE
		RISER
		TOTAL POLES

SYMBOL	MAP SYMBOLS
LD:185'	AERIAL LONG DROP & LENGTH
LD	UNDERGROUND LONG DROP
	UNDERGROUND DROP FROM POLE

CABLE SYMBOLS			
COAXIAL CABLE		STRAND	
CAN-WE-SERVE		0.75" CONDUIT	
FIBER OPTIC CABLE		1.25" CONDUIT	
NODE BOUNDARY		2.0" CONDUIT	
NODE LEG BOUNDARY		2.5" CONDUIT	
TERMINATED CABLE		4.0" CONDUIT	
SPARE CABLE			
COAXIAL SPLICE			
POWER BLOCK			

SYMBOL	DESIGN SYMBOLS	SYMBOL	DESIGN SYMBOLS
	HUB		.715 TO F
	HEADEND		CHASSIS TO F
	OPTICAL RECEIVER		STANDBY POWER SUPPLY
	FIBER SPLICE		POWER INSERTER
200	FIBER STORAGE		DIST. MINI-BRIDGER
	2 PORT TAP		LINE EXTENDER
	4 PORT TAP		DIRECTIONAL COUPLER
	8 PORT TAP		TWO WAY SPLITTER
	TELEPHONE TAP		THREE WAY SPLITTER
HT	HOT TAP		
*	INDICATES TAP VALUE		

NOTES:

- (C) CLEARANCE ISSUES
- (E) EASEMENT ISSUES
- (P) POLE CHANGE OUT
- (V) VACANT
- (NP) NO POTENTIAL
- (NB) NOT BUILDABLE

COUNT	SYMBOL	UNITS PASSED
	3	TOTAL HOMES
	A	TOTAL COMMERCIALS
	B	TOTAL MDUs
	I	TOTAL INSTITUTIONS

PLANT STATISTICS		
0.75" CONDUIT FOOTAGE		AERIAL FOOTAGE
1.25" CONDUIT FOOTAGE		CAN-WE-SERVE FOOTAGE
2" CONDUIT FOOTAGE		
2.5" CONDUIT FOOTAGE		
4" CONDUIT FOOTAGE		
UNDERGROUND FOOTAGE		
COAX FOOTAGE		ACBS TOTAL
PLANT MILES		ACBC TOTAL
FIBER FOOTAGE		HOUSE COUNT

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

DESIGN	
SUBMITTED	
DATE	SCALE: NO SCALE
SUPERVISING ENGINEER	MAP NUMBER
APPROVED	NE09
APPROVING ENGINEER	



COUNT	SYMBOL	ANCHORING SYMBOLS
		GUY
		SIDEWALK GUY
		NEED GUY
		NEED SIDEWALK GUY
		OVERHEAD GUY
		POLE–TO–POLE GUY
		ROCK GUY
		BUILDING GUY
		PUSH POLE

COUNT	SYMBOL	UNDERGROUND SYMBOLS
		SMALL PEDESTAL
		MEDIUM PEDESTAL
		LARGE PEDESTAL
		NODE PEDESTAL
		SMALL FLUSH MOUNT VAULT
		MEDIUM FLUSH MOUNT VAULT
		LARGE FLUSH MOUNT VAULT
		LARGE CONCRETE VAULT
		MDU LOCK BOX

COUNT	SYMBOL	POLE SYMBOLS
		POWER POLE
		POWER POLE w/ TRANSFORMER
		JOINT POLE
		JOINT POLE w/ TRANSFORMER
		TELCO POLE
		OTHER POLE
		CATV POLE
		RISER
		TOTAL POLES

SYMBOL	MAP SYMBOLS
LD:185'	AERIAL LONG DROP & LENGTH
LD	UNDERGROUND LONG DROP
	AERIAL HOUSE DROP
	UNDERGROUND DROP FROM POLE

CABLE SYMBOLS			
COAXIAL CABLE		STRAND	
CAN–WE–SERVE		0.75" CONDUIT	
FIBER OPTIC CABLE		1.25" CONDUIT	
NODE BOUNDARY		2.0" CONDUIT	
NODE LEG BOUNDARY		2.5" CONDUIT	
TERMINATED CABLE		4.0" CONDUIT	
SPARE CABLE			
COAXIAL SPLICE			
POWER BLOCK			

SYMBOL	DESIGN SYMBOLS	SYMBOL	DESIGN SYMBOLS
	HUB		.715 TO F
	HEADEND		CHASSIS TO F
	OPTICAL RECEIVER		STANDBY POWER SUPPLY
	FIBER SPLICE		POWER INSERTER
200	FIBER STORAGE		DIST. MINI–BRIDGER
	2 PORT TAP		LINE EXTENDER
	4 PORT TAP		DIRECTIONAL COUPLER
	8 PORT TAP		TWO WAY SPLITTER
	TELEPHONE TAP		THREE WAY SPLITTER
	HOT TAP		
*	INDICATES TAP VALUE		

COUNT	SYMBOL	UNITS PASSED
	H	TOTAL HOMES
	C	TOTAL COMMERCIALS
	M	TOTAL MDUs
	I	TOTAL INSTITUTIONS

NOTES:

- (C) CLEARANCE ISSUES
- (E) EASEMENT ISSUES
- (P) POLE CHANGE OUT
- (V) VACANT
- (NP) NO POTENTIAL
- (NB) NOT BUILDABLE


PLANT STATISTICS			
0.75" CONDUIT FOOTAGE		AERIAL FOOTAGE	
1.25" CONDUIT FOOTAGE		CAN–WE–SERVE FOOTAGE	
2" CONDUIT FOOTAGE			
4" CONDUIT FOOTAGE			
UNDERGROUND FOOTAGE			
COAX FOOTAGE		ACBS TOTAL	
PLANT MILES		ACBC TOTAL	
FIBER FOOTAGE		HOUSE COUNT	

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

DESIGN	
SUBMITTED	
DATE	SCALE: NO SCALE
SUPERVISING ENGINEER	
APPROVED	MAP NUMBER: NE10
APPROVING ENGINEER	



COUNT	SYMBOL	ANCHORING SYMBOLS
		GUY
		SIDEWALK GUY
		NEED GUY
		NEED SIDEWALK GUY
		OVERHEAD GUY
		POLE-TO-POLE GUY
		ROCK GUY
		BUILDING GUY
		PUSH POLE

COUNT	SYMBOL	UNDERGROUND SYMBOLS
		SMALL PEDESTAL
		MEDIUM PEDESTAL
		LARGE PEDESTAL
		NODE PEDESTAL
		SMALL FLUSH MOUNT VAULT
		MEDIUM FLUSH MOUNT VAULT
		LARGE FLUSH MOUNT VAULT
		LARGE CONCRETE VAULT
		MDU LOCK BOX

COUNT	SYMBOL	POLE SYMBOLS
		POWER POLE
		POWER POLE w/ TRANSFORMER
		JOINT POLE
		JOINT POLE w/ TRANSFORMER
		TELCO POLE
		OTHER POLE
		CATV POLE
		RISER
		TOTAL POLES

SYMBOL	MAP SYMBOLS
LD:185'	AERIAL LONG DROP & LENGTH
LD	UNDERGROUND LONG DROP
	AERIAL HOUSE DROP
	UNDERGROUND DROP FROM POLE

CABLE SYMBOLS		
COAXIAL CABLE	STRAND	
CAN-WE-SERVE	0.75" CONDUIT	
FIBER OPTIC CABLE	1.25" CONDUIT	
NODE BOUNDARY	2.0" CONDUIT	
NODE LEG BOUNDARY	2.5" CONDUIT	
TERMINATED CABLE	4.0" CONDUIT	
SPARE CABLE		
COAXIAL SPLICE		
POWER BLOCK		

SYMBOL	DESIGN SYMBOLS	SYMBOL	DESIGN SYMBOLS
	HUB		.715 TO F
	HEADEND		CHASSIS TO F
	OPTICAL RECEIVER		STANDBY POWER SUPPLY
	FIBER SPLICE		POWER INSERTER
200	FIBER STORAGE		DIST. MINI-BRIDGER
	2 PORT TAP		LINE EXTENDER
	4 PORT TAP		DIRECTIONAL COUPLER
	8 PORT TAP		TWO WAY SPLITTER
	TELEPHONE TAP		THREE WAY SPLITTER
HT	HOT TAP		
*	INDICATES TAP VALUE		

COUNT	SYMBOL	UNITS PASSED
3		TOTAL HOMES
		TOTAL COMMERCIALS
2		TOTAL MDUs
		TOTAL INSTITUTIONS

NOTES:
- C: CLEARANCE ISSUES
- E: EASEMENT ISSUES
- P: POLE CHANGE OUT
- V: VACANT
- NP: NO POTENTIAL
- NB: NOT BUILDABLE


PLANT STATISTICS		
0.75" CONDUIT FOOTAGE		AERIAL FOOTAGE
1.25" CONDUIT FOOTAGE		CAN-WE-SERVE FOOTAGE
2" CONDUIT FOOTAGE		
2.5" CONDUIT FOOTAGE		
4" CONDUIT FOOTAGE		
UNDERGROUND FOOTAGE		
COAX FOOTAGE		ACBS TOTAL
PLANT MILES		ACBC TOTAL
FIBER FOOTAGE		HOUSE COUNT

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

DESIGN	
SUBMITTED	
DATE	NO SCALE
SCALE	
SUPERVISING ENGINEER	
APPROVED	
MAP NUMBER	NE11
APPROVING ENGINEER	



COUNT	SYMBOL	ANCHORING SYMBOLS
		GUY
		SIDEWALK GUY
		NEED GUY
		NEED SIDEWALK GUY
		OVERHEAD GUY
		POLE-TO-POLE GUY
		ROCK GUY
		BUILDING GUY
		PUSH POLE

COUNT	SYMBOL	UNDERGROUND SYMBOLS
		SMALL PEDESTAL
		MEDIUM PEDESTAL
		LARGE PEDESTAL
		NODE PEDESTAL
		SMALL FLUSH MOUNT VAULT
		MEDIUM FLUSH MOUNT VAULT
		LARGE FLUSH MOUNT VAULT
		LARGE CONCRETE VAULT
		MDU LOCK BOX

COUNT	SYMBOL	POLE SYMBOLS
		POWER POLE
		POWER POLE w/ TRANSFORMER
		JOINT POLE
		JOINT POLE w/ TRANSFORMER
		TELCO POLE
		OTHER POLE
		CATV POLE
		RISER
		TOTAL POLES

SYMBOL	MAP SYMBOLS
LD: 185'	AERIAL LONG DROP & LENGTH
LD	UNDERGROUND LONG DROP
	AERIAL HOUSE DROP
	UNDERGROUND DROP FROM POLE

CABLE SYMBOLS			
COAXIAL CABLE		STRAND	
CAN-WE-SERVE		0.75" CONDUIT	
FIBER OPTIC CABLE		1.25" CONDUIT	
NODE BOUNDARY		2.0" CONDUIT	
NODE LEG BOUNDARY		2.5" CONDUIT	
TERMINATED CABLE		4.0" CONDUIT	
SPARE CABLE			
COAXIAL SPLICE			
POWER BLOCK			

SYMBOL	DESIGN SYMBOLS	SYMBOL	DESIGN SYMBOLS
	HUB		.715 TO F
	HEADEND		CHASSIS TO F
OPTICAL RECEIVER	OPTICAL RECEIVER		STANDBY POWER SUPPLY
	FIBER SPLICE		POWER INSERTER
200	FIBER STORAGE		DIST. MINI-BRIDGER
	2 PORT TAP		LINE EXTENDER
	4 PORT TAP		DIRECTIONAL COUPLER
	8 PORT TAP		TWO WAY SPLITTER
	TELEPHONE TAP		THREE WAY SPLITTER
HT	HOT TAP		
*	INDICATES TAP VALUE		

COUNT	SYMBOL	UNITS PASSED
	3	TOTAL HOMES
	C	TOTAL COMMERCIALS
	D	TOTAL MDUs
	I	TOTAL INSTITUTIONS

NOTES:
- C: CLEARANCE ISSUES
- V: VACANT
- E: EASEMENT ISSUES
- NP: NO POTENTIAL
- P: POLE CHANGE OUT
- NB: NOT BUILDABLE


PLANT STATISTICS			
0.75" CONDUIT FOOTAGE		AERIAL FOOTAGE	
1.25" CONDUIT FOOTAGE		CAN-WE-SERVE FOOTAGE	
2" CONDUIT FOOTAGE			
2.5" CONDUIT FOOTAGE			
4" CONDUIT FOOTAGE			
UNDERGROUND FOOTAGE			
COAX FOOTAGE		ACBS TOTAL	
PLANT MILES		ACBC TOTAL	
FIBER FOOTAGE		HOUSE COUNT	

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

SUBMITTED	DESIGN
SUPERVISING ENGINEER	DATE / SCALE: NO SCALE
APPROVED	MAP NUMBER: NEC01
APPROVING ENGINEER	



COUNT	SYMBOL	ANCHORING SYMBOLS
		GUY
		SIDEWALK GUY
		NEED GUY
		NEED SIDEWALK GUY
		OVERHEAD GUY
		POLE-TO-POLE GUY
		ROCK GUY
		BUILDING GUY
		PUSH POLE

COUNT	SYMBOL	UNDERGROUND SYMBOLS
		SMALL PEDESTAL
		MEDIUM PEDESTAL
		LARGE PEDESTAL
		NODE PEDESTAL
		SMALL FLUSH MOUNT VAULT
		MEDIUM FLUSH MOUNT VAULT
		LARGE FLUSH MOUNT VAULT
		LARGE CONCRETE VAULT
		MDU LOCK BOX

COUNT	SYMBOL	POLE SYMBOLS
		POWER POLE
		POWER POLE w/ TRANSFORMER
		JOINT POLE
		JOINT POLE w/ TRANSFORMER
		TELCO POLE
		OTHER POLE
		CATV POLE
		RISER
		TOTAL POLES

SYMBOL	MAP SYMBOLS
LD:185'	AERIAL LONG DROP & LENGTH
LD	UNDERGROUND LONG DROP
	AERIAL HOUSE DROP
	UNDERGROUND DROP FROM POLE

CABLE SYMBOLS			
COAXIAL CABLE		STRAND	
CAN-WE-SERVE		0.75" CONDUIT	
FIBER OPTIC CABLE		1.25" CONDUIT	
NODE BOUNDARY		2.0" CONDUIT	
NODE LEG BOUNDARY		2.5" CONDUIT	
TERMINATED CABLE		4.0" CONDUIT	
SPARE CABLE			
COAXIAL SPLICE			
POWER BLOCK			

SYMBOL	DESIGN SYMBOLS
	HUB
	HEADEND
	OPTICAL RECEIVER
	FIBER SPLICE
288	FIBER STORAGE
	2 PORT TAP
	4 PORT TAP
	8 PORT TAP
	TELEPHONE TAP
HT	HOT TAP
*	INDICATES TAP VALUE

SYMBOL	DESIGN SYMBOLS
	.715 TO F
	CHASSIS TO F
48	STANDBY POWER SUPPLY
	POWER INSERTER
	DIST. MINI-BRIDGER
	LINE EXTENDER
	DIRECTIONAL COUPLER
	TWO WAY SPLITTER
	THREE WAY SPLITTER

NOTES:

- (C) CLEARANCE ISSUES
- (E) EASEMENT ISSUES
- (P) POLE CHANGE OUT
- (V) VACANT
- (NP) NO POTENTIAL
- (NB) NOT BUILDABLE

COUNT	SYMBOL	UNITS PASSED
	3	TOTAL HOMES
	1.25	TOTAL COMMERCIALS
	2	TOTAL MDUs
	2.5	TOTAL INSTITUTIONS


PLANT STATISTICS			
0.75" CONDUIT FOOTAGE		AERIAL FOOTAGE	
1.25" CONDUIT FOOTAGE		CAN-WE-SERVE FOOTAGE	
2" CONDUIT FOOTAGE			
2.5" CONDUIT FOOTAGE			
4" CONDUIT FOOTAGE			
UNDERGROUND FOOTAGE			
COAX FOOTAGE		ACBS TOTAL	
PLANT MILES		ACBC TOTAL	
FIBER FOOTAGE		HOUSE COUNT	

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

DESIGN
SUBMITTED
SUPERVISING ENGINEER
APPROVED
APPROVING ENGINEER
DATE
NO SCALE
SCALE
MAP NUMBER
NEC13



COUNT	SYMBOL	ANCHORING SYMBOLS
		GUY
		SIDEWALK GUY
		NEED GUY
		NEED SIDEWALK GUY
	//	OVERHEAD GUY
	>	POLE-TO-POLE GUY
		ROCK GUY
		BUILDING GUY
	○	PUSH POLE

COUNT	SYMBOL	UNDERGROUND SYMBOLS
		SMALL PEDESTAL
		MEDIUM PEDESTAL
		LARGE PEDESTAL
		NODE PEDESTAL
		SMALL FLUSH MOUNT VAULT
		MEDIUM FLUSH MOUNT VAULT
		LARGE FLUSH MOUNT VAULT
	LV	LARGE CONCRETE VAULT
		MDU LOCK BOX

COUNT	SYMBOL	POLE SYMBOLS
		POWER POLE
		POWER POLE w/ TRANSFORMER
		JOINT POLE
		JOINT POLE w/ TRANSFORMER
		TELCO POLE
		OTHER POLE
		CATV POLE
	R	RISER
		TOTAL POLES

SYMBOL	MAP SYMBOLS
LD:185'	AERIAL LONG DROP & LENGTH
LD	UNDERGROUND LONG DROP
	AERIAL HOUSE DROP
	UNDERGROUND DROP FROM POLE

CABLE SYMBOLS			
COAXIAL CABLE		STRAND	
CAN-WE-SERVE		0.75" CONDUIT	
FIBER OPTIC CABLE		1.25" CONDUIT	
NODE BOUNDARY		2.0" CONDUIT	
NODE LEG BOUNDARY		2.5" CONDUIT	
TERMINATED CABLE		4.0" CONDUIT	
SPARE CABLE			
COAXIAL SPLICE			
POWER BLOCK			

SYMBOL	DESIGN SYMBOLS	SYMBOL	DESIGN SYMBOLS
	HUB		.715 TO F
	HEADEND		CHASSIS TO F
	OPTICAL RECEIVER		STANDBY POWER SUPPLY
	FIBER SPLICE		POWER INSERTER
200	FIBER STORAGE		DIST. MINI-BRIDGER
	2 PORT TAP		LINE EXTENDER
	4 PORT TAP		DIRECTIONAL COUPLER
	8 PORT TAP	2	TWO WAY SPLITTER
	TELEPHONE TAP	3	THREE WAY SPLITTER
HT	HOT TAP		
*	INDICATES TAP VALUE		

NOTES:

- C — CLEARANCE ISSUES
- E — EASEMENT ISSUES
- P — POLE CHANGE OUT
- V — VACANT
- NP — NO POTENTIAL
- NB — NOT BUILDABLE

COUNT	SYMBOL	UNITS PASSED
	1	TOTAL HOMES
	2	TOTAL COMMERCIALS
	3	TOTAL MDUs
	4	TOTAL INSTITUTIONS


PLANT STATISTICS			
0.75" CONDUIT FOOTAGE		AERIAL FOOTAGE	
1.25" CONDUIT FOOTAGE		CAN-WE-SERVE FOOTAGE	
2" CONDUIT FOOTAGE			
2.5" CONDUIT FOOTAGE			
4" CONDUIT FOOTAGE			
UNDERGROUND FOOTAGE			
COAX FOOTAGE		ACBS TOTAL	
PLANT MILES		ACBC TOTAL	
FIBER FOOTAGE		HOUSE COUNT	

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

DESIGN	
SUBMITTED	
DATE	SCALE: NO SCALE
SUPERVISING ENGINEER	
APPROVED	MAP NUMBER: NEC14
APPROVING ENGINEER	



COUNT	SYMBOL	ANCHORING SYMBOLS
		GUY
		SIDEWALK GUY
		NEED GUY
		NEED SIDEWALK GUY
	//	OVERHEAD GUY
	>	POLE-TO-POLE GUY
		ROCK GUY
		BUILDING GUY
	○	PUSH POLE

COUNT	SYMBOL	UNDERGROUND SYMBOLS
		SMALL PEDESTAL
		MEDIUM PEDESTAL
		LARGE PEDESTAL
		NODE PEDESTAL
		SMALL FLUSH MOUNT VAULT
		MEDIUM FLUSH MOUNT VAULT
		LARGE FLUSH MOUNT VAULT
		LARGE CONCRETE VAULT
		MDU LOCK BOX

COUNT	SYMBOL	POLE SYMBOLS
		POWER POLE
		POWER POLE w/ TRANSFORMER
		JOINT POLE
		JOINT POLE w/ TRANSFORMER
		TELCO POLE
		OTHER POLE
		CATV POLE
	R	RISER
		TOTAL POLES

SYMBOL	MAP SYMBOLS
LD:185'	AERIAL LONG DROP & LENGTH
LD	UNDERGROUND LONG DROP
	AERIAL HOUSE DROP
	UNDERGROUND DROP FROM POLE

CABLE SYMBOLS			
COAXIAL CABLE		STRAND	
CAN-WE-SERVE		0.75" CONDUIT	
FIBER OPTIC CABLE		1.25" CONDUIT	
NODE BOUNDARY		2.0" CONDUIT	
NODE LEG BOUNDARY		2.5" CONDUIT	
TERMINATED CABLE		4.0" CONDUIT	
SPARE CABLE			
COAXIAL SPLICE			
POWER BLOCK			

SYMBOL	DESIGN SYMBOLS	SYMBOL	DESIGN SYMBOLS
	HUB		.715 TO F
	HEADEND		CHASSIS TO F
	OPTICAL RECEIVER		STANDBY POWER SUPPLY
	FIBER SPLICE		POWER INSERTER
200	FIBER STORAGE		DIST. MINI-BRIDGER
	2 PORT TAP		LINE EXTENDER
	4 PORT TAP		DIRECTIONAL COUPLER
	8 PORT TAP	2	TWO WAY SPLITTER
	TELEPHONE TAP	3	THREE WAY SPLITTER
HT	HOT TAP		
*	INDICATES TAP VALUE		

COUNT	SYMBOL	UNITS PASSED
	H	TOTAL HOMES
	C	TOTAL COMMERCIALS
	MDU	TOTAL MDUs
	I	TOTAL INSTITUTIONS

NOTES:
- C — CLEARANCE ISSUES
- E — EASEMENT ISSUES
- P — POLE CHANGE OUT
- V — VACANT
- NP — NO POTENTIAL
- NB — NOT BUILDABLE


PLANT STATISTICS			
0.75" CONDUIT FOOTAGE		AERIAL FOOTAGE	
1.25" CONDUIT FOOTAGE		CAN-WE-SERVE FOOTAGE	
2" CONDUIT FOOTAGE			
2.5" CONDUIT FOOTAGE			
4" CONDUIT FOOTAGE			
UNDERGROUND FOOTAGE			
COAX FOOTAGE		ACBS TOTAL	
PLANT MILES		ACBC TOTAL	
FIBER FOOTAGE		HOUSE COUNT	

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

DESIGN
SUBMITTED
DATE
SCALE: NO SCALE
SUPERVISING ENGINEER
APPROVED
APPROVING ENGINEER
MAP NUMBER
NEF15



COUNT	SYMBOL	ANCHORING SYMBOLS
		GUY
		SIDEWALK GUY
		NEED GUY
		NEED SIDEWALK GUY
		OVERHEAD GUY
		POLE-TO-POLE GUY
		ROCK GUY
		BUILDING GUY
		PUSH POLE

COUNT	SYMBOL	UNDERGROUND SYMBOLS
		SMALL PEDESTAL
		MEDIUM PEDESTAL
		LARGE PEDESTAL
		NODE PEDESTAL
		SMALL FLUSH MOUNT VAULT
		MEDIUM FLUSH MOUNT VAULT
		LARGE FLUSH MOUNT VAULT
		LARGE CONCRETE VAULT
		MDU LOCK BOX

COUNT	SYMBOL	POLE SYMBOLS
		POWER POLE
		POWER POLE w/ TRANSFORMER
		JOINT POLE
		JOINT POLE w/ TRANSFORMER
		TELCO POLE
		OTHER POLE
		CATV POLE
		RISER
		TOTAL POLES

SYMBOL	MAP SYMBOLS
LD:185'	AERIAL LONG DROP & LENGTH
LD	UNDERGROUND LONG DROP
	AERIAL HOUSE DROP
	UNDERGROUND DROP FROM POLE

CABLE SYMBOLS			
COAXIAL CABLE		STRAND	
CAN-WE-SERVE		0.75" CONDUIT	
FIBER OPTIC CABLE		1.25" CONDUIT	
NODE BOUNDARY		2.0" CONDUIT	
NODE LEG BOUNDARY		2.5" CONDUIT	
TERMINATED CABLE		4.0" CONDUIT	
SPARE CABLE			
COAXIAL SPLICE			
POWER BLOCK			

SYMBOL	DESIGN SYMBOLS	SYMBOL	DESIGN SYMBOLS
	HUB		.715 TO F
	HEADEND		CHASSIS TO F
	OPTICAL RECEIVER		STANDBY POWER SUPPLY
	FIBER SPLICE		POWER INSERTER
200	FIBER STORAGE		DIST. MINI-BRIDGER
	2 PORT TAP		LINE EXTENDER
	4 PORT TAP		DIRECTIONAL COUPLER
	8 PORT TAP		TWO WAY SPLITTER
	TELEPHONE TAP		THREE WAY SPLITTER
HT	HOT TAP		
*	INDICATES TAP VALUE		

COUNT	SYMBOL	UNITS PASSED
		TOTAL HOMES
		TOTAL COMMERCIALS
		TOTAL MDUs
		TOTAL INSTITUTIONS

NOTES:

- C — CLEARANCE ISSUES
- E — EASEMENT ISSUES
- P — POLE CHANGE OUT
- V — VACANT
- NP — NO POTENTIAL
- NB — NOT BUILDABLE

PLANT STATISTICS			
0.75" CONDUIT FOOTAGE		AERIAL FOOTAGE	
1.25" CONDUIT FOOTAGE		CAN-WE-SERVE FOOTAGE	
2" CONDUIT FOOTAGE			
2.5" CONDUIT FOOTAGE			
4" CONDUIT FOOTAGE			
UNDERGROUND FOOTAGE			
COAX FOOTAGE		ACBS TOTAL	
PLANT MILES		ACBC TOTAL	
FIBER FOOTAGE		HOUSE COUNT	

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

DESIGN
SUBMITTED
SUPERVISING ENGINEER
APPROVED
APPROVING ENGINEER
DATE
NO SCALE
SCALE
MAP NUMBER
NEF16



COUNT	SYMBOL	ANCHORING SYMBOLS
		GUY
		SIDEWALK GUY
		NEED GUY
		NEED SIDEWALK GUY
	//	OVERHEAD GUY
	>	POLE-TO-POLE GUY
		ROCK GUY
		BUILDING GUY
	◦	PUSH POLE

COUNT	SYMBOL	UNDERGROUND SYMBOLS
		SMALL PEDESTAL
		MEDIUM PEDESTAL
		LARGE PEDESTAL
		NODE PEDESTAL
		SMALL FLUSH MOUNT VAULT
		MEDIUM FLUSH MOUNT VAULT
		LARGE FLUSH MOUNT VAULT
		LARGE CONCRETE VAULT
		MDU LOCK BOX

COUNT	SYMBOL	POLE SYMBOLS
		POWER POLE
		POWER POLE w/ TRANSFORMER
		JOINT POLE
		JOINT POLE w/ TRANSFORMER
		TELCO POLE
		OTHER POLE
		CATV POLE
	R	RISER
		TOTAL POLES

SYMBOL	MAP SYMBOLS
LD:185'	AERIAL LONG DROP & LENGTH
LD	UNDERGROUND LONG DROP
	AERIAL HOUSE DROP
	UNDERGROUND DROP FROM POLE

CABLE SYMBOLS			
COAXIAL CABLE		STRAND	
CAN-WE-SERVE		0.75" CONDUIT	
FIBER OPTIC CABLE		1.25" CONDUIT	
NODE BOUNDARY		2.0" CONDUIT	
NODE LEG BOUNDARY		2.5" CONDUIT	
TERMINATED CABLE		4.0" CONDUIT	
SPARE CABLE			
COAXIAL SPLICE			
POWER BLOCK			

SYMBOL	DESIGN SYMBOLS
	HUB
	HEADEND
	OPTICAL RECEIVER
	FIBER SPLICE
200	FIBER STORAGE
	2 PORT TAP
	4 PORT TAP
	8 PORT TAP
	TELEPHONE TAP
HT	HOT TAP
*	INDICATES TAP VALUE

SYMBOL	DESIGN SYMBOLS
	.715 TO F
	CHASSIS TO F
	STANDBY POWER SUPPLY
	POWER INSERTER
	DIST. MINI-BRIDGER
	LINE EXTENDER
	DIRECTIONAL COUPLER
	TWO WAY SPLITTER
	THREE WAY SPLITTER

NOTES:

- C — CLEARANCE ISSUES
- E — EASEMENT ISSUES
- P — POLE CHANGE OUT
- V — VACANT
- NP — NO POTENTIAL
- NB — NOT BUILDABLE

COUNT	SYMBOL	UNITS PASSED
		TOTAL HOMES
		TOTAL COMMERCIALS
		TOTAL MDUs
		TOTAL INSTITUTIONS

PLANT STATISTICS			
0.75" CONDUIT FOOTAGE		AERIAL FOOTAGE	
1.25" CONDUIT FOOTAGE		CAN-WE-SERVE FOOTAGE	
2" CONDUIT FOOTAGE			
2.5" CONDUIT FOOTAGE			
4" CONDUIT FOOTAGE			
UNDERGROUND FOOTAGE			
COAX FOOTAGE		ACBS TOTAL	
PLANT MILES		ACBC TOTAL	
FIBER FOOTAGE		HOUSE COUNT	

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

DESIGN
SUBMITTED
SUPERVISING ENGINEER
APPROVED
APPROVING ENGINEER
DATE
SCALE: NO SCALE
MAP NUMBER: NEF17



COUNT	SYMBOL	ANCHORING SYMBOLS
		GUY
		SIDEWALK GUY
		NEED GUY
		NEED SIDEWALK GUY
		OVERHEAD GUY
		POLE-TO-POLE GUY
		ROCK GUY
		BUILDING GUY
		PUSH POLE

COUNT	SYMBOL	UNDERGROUND SYMBOLS
		SMALL PEDESTAL
		MEDIUM PEDESTAL
		LARGE PEDESTAL
		NODE PEDESTAL
		SMALL FLUSH MOUNT VAULT
		MEDIUM FLUSH MOUNT VAULT
		LARGE FLUSH MOUNT VAULT
		LARGE CONCRETE VAULT
		MDU LOCK BOX

COUNT	SYMBOL	POLE SYMBOLS
		POWER POLE
		POWER POLE w/ TRANSFORMER
		JOINT POLE
		JOINT POLE w/ TRANSFORMER
		TELCO POLE
		OTHER POLE
		CATV POLE
		RISER
		TOTAL POLES

SYMBOL	MAP SYMBOLS
LD:185'	AERIAL LONG DROP & LENGTH
LD	UNDERGROUND LONG DROP
	AERIAL HOUSE DROP
	UNDERGROUND DROP FROM POLE

CABLE SYMBOLS			
COAXIAL CABLE		STRAND	
CAN-WE-SERVE		0.75" CONDUIT	
FIBER OPTIC CABLE		1.25" CONDUIT	
NODE BOUNDARY		2.0" CONDUIT	
NODE LEG BOUNDARY		2.5" CONDUIT	
TERMINATED CABLE		4.0" CONDUIT	
SPARE CABLE			
COAXIAL SPLICE			
POWER BLOCK			

SYMBOL	DESIGN SYMBOLS
	HUB
	HEADEND
	OPTICAL RECEIVER
	FIBER SPLICE
200	FIBER STORAGE
	2 PORT TAP
	4 PORT TAP
	8 PORT TAP
	TELEPHONE TAP
HT	HOT TAP
*	INDICATES TAP VALUE

SYMBOL	DESIGN SYMBOLS
	.715 TO F
	CHASSIS TO F
	STANDBY POWER SUPPLY
	POWER INSERTER
	DIST. MINI-BRIDGER
	LINE EXTENDER
	DIRECTIONAL COUPLER
	TWO WAY SPLITTER
	THREE WAY SPLITTER

COUNT	SYMBOL	UNITS PASSED
		TOTAL HOMES
		TOTAL COMMERCIALS
		TOTAL MDUs
		TOTAL INSTITUTIONS

NOTES:
- C: CLEARANCE ISSUES
- E: EASEMENT ISSUES
- P: POLE CHANGE OUT
- V: VACANT
- NP: NO POTENTIAL
- NB: NOT BUILDABLE


PLANT STATISTICS			
0.75" CONDUIT FOOTAGE		AERIAL FOOTAGE	
1.25" CONDUIT FOOTAGE		CAN-WE-SERVE FOOTAGE	
2" CONDUIT FOOTAGE			
2.5" CONDUIT FOOTAGE			
4" CONDUIT FOOTAGE			
UNDERGROUND FOOTAGE			
COAX FOOTAGE		ACBS TOTAL	
PLANT MILES		ACBC TOTAL	
FIBER FOOTAGE		HOUSE COUNT	

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

DESIGN
SUBMITTED
SUPERVISING ENGINEER
APPROVED
APPROVING ENGINEER
DATE
NO SCALE
SCALE
MAP NUMBER
NEF18



COUNT	SYMBOL	ANCHORING SYMBOLS
		GUY
		SIDEWALK GUY
		NEED GUY
		NEED SIDEWALK GUY
		OVERHEAD GUY
		POLE-TO-POLE GUY
		ROCK GUY
		BUILDING GUY
		PUSH POLE

COUNT	SYMBOL	UNDERGROUND SYMBOLS
		SMALL PEDESTAL
		MEDIUM PEDESTAL
		LARGE PEDESTAL
		NODE PEDESTAL
		SMALL FLUSH MOUNT VAULT
		MEDIUM FLUSH MOUNT VAULT
		LARGE FLUSH MOUNT VAULT
		LARGE CONCRETE VAULT
		MDU LOCK BOX

COUNT	SYMBOL	POLE SYMBOLS
		POWER POLE
		POWER POLE w/ TRANSFORMER
		JOINT POLE
		JOINT POLE w/ TRANSFORMER
		TELCO POLE
		OTHER POLE
		CATV POLE
		RISER
		TOTAL POLES

SYMBOL	MAP SYMBOLS
LD:185'	AERIAL LONG DROP & LENGTH
LD	UNDERGROUND LONG DROP
	AERIAL HOUSE DROP
	UNDERGROUND DROP FROM POLE

CABLE SYMBOLS			
COAXIAL CABLE		STRAND	
CAN-WE-SERVE		0.75" CONDUIT	
FIBER OPTIC CABLE		1.25" CONDUIT	
NODE BOUNDARY		2.0" CONDUIT	
NODE LEG BOUNDARY		2.5" CONDUIT	
TERMINATED CABLE		4.0" CONDUIT	
SPARE CABLE			
COAXIAL SPLICE			
POWER BLOCK			

SYMBOL	DESIGN SYMBOLS	SYMBOL	DESIGN SYMBOLS
	HUB		.715 TO F
	HEADEND		CHASSIS TO F
	OPTICAL RECEIVER		STANDBY POWER SUPPLY
	FIBER SPLICE		POWER INSERTER
200	FIBER STORAGE		DIST. MINI-BRIDGER
	2 PORT TAP		LINE EXTENDER
	4 PORT TAP		DIRECTIONAL COUPLER
	8 PORT TAP		TWO WAY SPLITTER
	TELEPHONE TAP		THREE WAY SPLITTER
HT	HOT TAP		
*	INDICATES TAP VALUE		

NOTES:
- (C) CLEARANCE ISSUES
- (E) EASEMENT ISSUES
- (P) POLE CHANGE OUT
- (V) VACANT
- (NP) NO POTENTIAL
- (NB) NOT BUILDABLE

COUNT	SYMBOL	UNITS PASSED
		TOTAL HOMES
		TOTAL COMMERCIALS
		TOTAL MDUs
		TOTAL INSTITUTIONS

PLANT STATISTICS			
0.75" CONDUIT FOOTAGE		AERIAL FOOTAGE	
1.25" CONDUIT FOOTAGE		CAN-WE-SERVE FOOTAGE	
2" CONDUIT FOOTAGE			
2.5" CONDUIT FOOTAGE			
4" CONDUIT FOOTAGE			
UNDERGROUND FOOTAGE			
COAX FOOTAGE		ACBS TOTAL	
PLANT MILES		ACBC TOTAL	
FIBER FOOTAGE		HOUSE COUNT	

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

SUBMITTED	DESIGN
	DATE
SUPERVISING ENGINEER	SCALE: NO SCALE
APPROVED	MAP NUMBER: NEF19
APPROVING ENGINEER	



COUNT	SYMBOL	ANCHORING SYMBOLS
		GUY
		SIDEWALK GUY
		NEED GUY
		NEED SIDEWALK GUY
		OVERHEAD GUY
		POLE-TO-POLE GUY
		ROCK GUY
		BUILDING GUY
		PUSH POLE

COUNT	SYMBOL	UNDERGROUND SYMBOLS
		SMALL PEDESTAL
		MEDIUM PEDESTAL
		LARGE PEDESTAL
		NODE PEDESTAL
		SMALL FLUSH MOUNT VAULT
		MEDIUM FLUSH MOUNT VAULT
		LARGE FLUSH MOUNT VAULT
		LARGE CONCRETE VAULT
		MDU LOCK BOX

COUNT	SYMBOL	POLE SYMBOLS
		POWER POLE
		POWER POLE w/ TRANSFORMER
		JOINT POLE
		JOINT POLE w/ TRANSFORMER
		TELCO POLE
		OTHER POLE
		CATV POLE
		RISER
		TOTAL POLES

SYMBOL	MAP SYMBOLS
LD:185'	AERIAL LONG DROP & LENGTH
LD	UNDERGROUND LONG DROP
	AERIAL HOUSE DROP
	UNDERGROUND DROP FROM POLE

CABLE SYMBOLS			
COAXIAL CABLE		STRAND	
CAN-WE-SERVE		0.75" CONDUIT	
FIBER OPTIC CABLE		1.25" CONDUIT	
NODE BOUNDARY		2.0" CONDUIT	
NODE LEG BOUNDARY		2.5" CONDUIT	
TERMINATED CABLE		4.0" CONDUIT	
SPARE CABLE			
COAXIAL SPLICE			
POWER BLOCK			

SYMBOL	DESIGN SYMBOLS	SYMBOL	DESIGN SYMBOLS
	HUB		.715 TO F
	HEADEND		CHASSIS TO F
	OPTICAL RECEIVER		STANDBY POWER SUPPLY
	FIBER SPLICE		POWER INSERTER
	FIBER STORAGE		DIST. MINI-BRIDGER
	2 PORT TAP		LINE EXTENDER
	4 PORT TAP		DIRECTIONAL COUPLER
	8 PORT TAP		TWO WAY SPLITTER
	TELEPHONE TAP		THREE WAY SPLITTER
	HOT TAP		
*	INDICATES TAP VALUE		

COUNT	SYMBOL	UNITS PASSED
		TOTAL HOMES
		TOTAL COMMERCIALS
		TOTAL MDUs
		TOTAL INSTITUTIONS

NOTES:

- C — CLEARANCE ISSUES
- E — EASEMENT ISSUES
- P — POLE CHANGE OUT
- V — VACANT
- NP — NO POTENTIAL
- NB — NOT BUILDABLE

PLANT STATISTICS			
0.75" CONDUIT FOOTAGE		AERIAL FOOTAGE	
1.25" CONDUIT FOOTAGE		CAN-WE-SERVE FOOTAGE	
2" CONDUIT FOOTAGE			
2.5" CONDUIT FOOTAGE			
4" CONDUIT FOOTAGE			
UNDERGROUND FOOTAGE			
COAX FOOTAGE		ACBS TOTAL	
PLANT MILES		ACBC TOTAL	
FIBER FOOTAGE		HOUSE COUNT	

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

DESIGN
SUBMITTED
DATE
NO SCALE
SCALE
SUPERVISING ENGINEER
APPROVED
MAP NUMBER
APPROVING ENGINEER

NEF20