


| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | | OVERHEAD GUY |
| | | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | LARGE FLUSH MOUNT VAULT |
| | | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD:185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | | | |
|---|---|---|---|
| COAXIAL CABLE | | STRAND | |
| CAN-WE-SERVE | | 0.75" CONDUIT | |
| FIBER OPTIC CABLE | | 1.25" CONDUIT | |
| NODE BOUNDARY | | 2.0" CONDUIT | |
| NODE LEG BOUNDARY | | 2.5" CONDUIT | |
| TERMINATED CABLE | | 4.0" CONDUIT | |
| SPARE CABLE | | | |
| COAXIAL SPLICE | | | |
| POWER BLOCK | | | |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | HUB |
| | HEADEND |
| OPT RCVR | OPTICAL RECEIVER |
| | FIBER SPLICE |
| 250 | FIBER STORAGE |
| | 2 PORT TAP |
| | 4 PORT TAP |
| | 8 PORT TAP |
| | TELEPHONE TAP |
| HT | HOT TAP |
| * | INDICATES TAP VALUE |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | .715 TO F |
| | CHASSIS TO F |
| STBY PWR | STANDBY POWER SUPPLY |
| | POWER INSERTER |
| | DIST. MINI-BRIDGER |
| | LINE EXTENDER |
| | DIRECTIONAL COUPLER |
| | TWO WAY SPLITTER |
| | THREE WAY SPLITTER |

NOTES:
- C — CLEARANCE ISSUES
- E — EASEMENT ISSUES
- P — POLE CHANGE OUT
- V — VACANT
- NP — NO POTENTIAL
- NB — NOT BUILDABLE

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| | | TOTAL HOMES |
| | | TOTAL COMMERCIALS |
| | | TOTAL MDUs |
| | | TOTAL INSTITUTIONS |


| PLANT STATISTICS | | | |
|---|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE | |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE | |
| 2" CONDUIT FOOTAGE | | | |
| 2.5" CONDUIT FOOTAGE | | | |
| 4" CONDUIT FOOTAGE | | | |
| UNDERGROUND FOOTAGE | | | |
| | | | |
| COAX FOOTAGE | | ACBS TOTAL | |
| PLANT MILES | | ACBC TOTAL | |
| FIBER FOOTAGE | | HOUSE COUNT | |

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

| | |
|---|---|
| DESIGN | |
| SUBMITTED | |
| DATE | NO SCALE |
| SCALE | |
| SUPERVISING ENGINEER | MAP NUMBER |
| APPROVED | SE01 |
| APPROVING ENGINEER | |




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | | OVERHEAD GUY |
| | | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | V | LARGE FLUSH MOUNT VAULT |
| | | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | R | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD:185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | | | |
|---|---|---|---|
| COAXIAL CABLE | | STRAND | |
| CAN-WE-SERVE | | 0.75" CONDUIT | |
| FIBER OPTIC CABLE | | 1.25" CONDUIT | |
| NODE BOUNDARY | | 2.0" CONDUIT | |
| NODE LEG BOUNDARY | | 2.5" CONDUIT | |
| TERMINATED CABLE | | 4.0" CONDUIT | |
| SPARE CABLE | | | |
| COAXIAL SPLICE | | | |
| POWER BLOCK | | | |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | HUB |
| | HEADEND |
| OPT | OPTICAL RECEIVER |
| | FIBER SPLICE |
| 200 | FIBER STORAGE |
| | 2 PORT TAP |
| | 4 PORT TAP |
| | 8 PORT TAP |
| | TELEPHONE TAP |
| HT | HOT TAP |
| * | INDICATES TAP VALUE |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | .715 TO F |
| | CHASSIS TO F |
| SBP | STANDBY POWER SUPPLY |
| | POWER INSERTER |
| | DIST. MINI-BRIDGER |
| | LINE EXTENDER |
| | DIRECTIONAL COUPLER |
| | TWO WAY SPLITTER |
| | THREE WAY SPLITTER |

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| | H | TOTAL HOMES |
| | C | TOTAL COMMERCIALS |
| | M | TOTAL MDUs |
| | I | TOTAL INSTITUTIONS |

NOTES:

| | | | |
|---|---|---|---|
| C | CLEARANCE ISSUES | V | VACANT |
| E | EASEMENT ISSUES | NP | NO POTENTIAL |
| P | POLE CHANGE OUT | NB | NOT BUILDABLE |


| PLANT STATISTICS | | | |
|---|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE | |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE | |
| 2" CONDUIT FOOTAGE | | | |
| 2.5" CONDUIT FOOTAGE | | | |
| 4" CONDUIT FOOTAGE | | | |
| UNDERGROUND FOOTAGE | | | |
| | | | |
| COAX FOOTAGE | | ACBS TOTAL | |
| PLANT MILES | | ACBC TOTAL | |
| FIBER FOOTAGE | | HOUSE COUNT | |

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

| | |
|---|---|
| DESIGN | |
| SUBMITTED | |
| DATE | NO SCALE |
| SUPERVISING ENGINEER | SCALE |
| APPROVED | MAP NUMBER |
| APPROVING ENGINEER | SE02 |


SE3A
SE3B
SE3C
SE3D
WRIGHT AVENUE
SOUTH 34TH STREET
SOUTH 35TH STREET
SOUTH 36TH ST
SOUTH 37TH STREET
SOUTH 38TH ST
EAST 34TH STREET
EAST 35TH ST
EAST 36TH ST.
EAST 37TH ST.
EAST 38TH STREET
E 40TH ST
HARRISON ST
HARRISON STREET
DIVISION LANE
DIVISION COURT E
"A" STREET
"B" STREET
"C" STREET
"D" STREET
"G" STREET
PACIFIC AVENUE
FAWCETT AVENUE
TACOMA AVENUE SOUTH
CRANDALL LANE
3620 STONE NEW MEDICAL PLAZA
3629 TACOMA-PIERCE COUNTY HEALTH DEPARTMENT
3619 PIERCE COUNTY MEDICAL EXAMINER
3631 BAY HILL CREDIT UNION
3737 TACOMA REHABILITATION AND SPECIALTY CARE
3625 TACOMA REHABILITATION AND SPECIALTY CARE
3680 PIERCE COUNTY COMMUNICATIONS (911)
3739 PIERCE COUNTY COMMUNICATIONS (911)
3718 COMMUNITY ON MEDICAL BUILDING
3722 COMMUNITY ON MEDICAL BUILDING
3740 COMMUNITY ON MEDICAL BUILDING
3737 MEDICAL BUILDING
3818 MEDICAL BUILDING
3825 MEDICAL BUILDING
3850 MEDICAL BUILDING
3841 MEDICAL BUILDING
3845 MEDICAL BUILDING
3855 MEDICAL BUILDING
3737 ALBERTSONS GROCERY
3711 ALBERTSONS GROCERY
3711 ALBERTSONS GROCERY
3711




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | | OVERHEAD GUY |
| | | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | LARGE FLUSH MOUNT VAULT |
| | | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD 185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | | | |
|---|---|---|---|
| COAXIAL CABLE | | STRAND | |
| CAN-WE-SERVE | | 0.75" CONDUIT | |
| FIBER OPTIC CABLE | | 1.25" CONDUIT | |
| NODE BOUNDARY | | 2.0" CONDUIT | |
| NODE LEG BOUNDARY | | 2.5" CONDUIT | |
| TERMINATED CABLE | | 4.0" CONDUIT | |
| SPARE CABLE | | | |
| COAXIAL SPLICE | | | |
| POWER BLOCK | | | |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | HUB |
| | HEADEND |
| | OPTICAL RECEIVER |
| | FIBER SPLICE |
| 200 | FIBER STORAGE |
| | 2 PORT TAP |
| | 4 PORT TAP |
| | 8 PORT TAP |
| | TELEPHONE TAP |
| HT | HOT TAP |
| * | INDICATES TAP VALUE |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | .715 TO F |
| | CHASSIS TO F |
| | STANDBY POWER SUPPLY |
| | POWER INSERTER |
| | DIST. MINI-BRIDGER |
| | LINE EXTENDER |
| | DIRECTIONAL COUPLER |
| | TWO WAY SPLITTER |
| | THREE WAY SPLITTER |

NOTES:
- C CLEARANCE ISSUES
- E EASEMENT ISSUES
- P POLE CHANGE OUT
- V VACANT
- NP NO POTENTIAL
- NB NOT BUILDABLE

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| | | TOTAL HOMES |
| | | TOTAL COMMERCIALS |
| | | TOTAL MDUs |
| | | TOTAL INSTITUTIONS |


| PLANT STATISTICS | | | |
|---|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE | |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE | |
| 2" CONDUIT FOOTAGE | | | |
| 2.5" CONDUIT FOOTAGE | | | |
| 4" CONDUIT FOOTAGE | | | |
| UNDERGROUND FOOTAGE | | | |
| | | | |
| COAX FOOTAGE | | ACBS TOTAL | |
| PLANT MILES | | ACBC TOTAL | |
| FIBER FOOTAGE | | HOUSE COUNT | |

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

| | |
|---|---|
| DESIGN | |
| SUBMITTED | |
| SUPERVISING ENGINEER | |
| APPROVED | |
| APPROVING ENGINEER | |
| DATE | NO SCALE |
| SCALE | |
| MAP NUMBER | SE04 |




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | | OVERHEAD GUY |
| | | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | LARGE FLUSH MOUNT VAULT |
| | V | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD:185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | | | |
|---|---|---|---|
| COAXIAL CABLE | | STRAND | |
| CAN-WE-SERVE | | 0.75" CONDUIT | |
| FIBER OPTIC CABLE | | 1.25" CONDUIT | |
| NODE BOUNDARY | | 2.0" CONDUIT | |
| NODE LEG BOUNDARY | | 2.5" CONDUIT | |
| TERMINATED CABLE | | 4.0" CONDUIT | |
| SPARE CABLE | | DIRECTIONAL COUPLER | |
| COAXIAL SPLICE | | | |
| POWER BLOCK | | | |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | HUB |
| | HEADEND |
| | OPTICAL RECEIVER |
| | FIBER SPLICE |
| 200 | FIBER STORAGE |
| | 2 PORT TAP |
| | 4 PORT TAP |
| | 8 PORT TAP |
| | TELEPHONE TAP |
| HT | HOT TAP |
| * | INDICATES TAP VALUE |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | .715 TO F |
| | CHASSIS TO F |
| | STANDBY POWER SUPPLY |
| | POWER INSERTER |
| | LINE EXTENDER |
| | TWO WAY SPLITTER |
| | THREE WAY SPLITTER |

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| | H | TOTAL HOMES |
| | C | TOTAL COMMERCIALS |
| | M | TOTAL MDUs |
| | I | TOTAL INSTITUTIONS |

NOTES:
- C CLEARANCE ISSUES
- V VACANT
- E EASEMENT ISSUES
- NP NO POTENTIAL
- P POLE CHANGE OUT
- NB NOT BUILDABLE

| PLANT STATISTICS | | | |
|---|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE | |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE | |
| 2" CONDUIT FOOTAGE | | | |
| 2.5" CONDUIT FOOTAGE | | | |
| 4" CONDUIT FOOTAGE | | | |
| UNDERGROUND FOOTAGE | | | |
| | | | |
| COAX FOOTAGE | | ACBS TOTAL | |
| PLANT MILES | | ACBC TOTAL | |
| FIBER FOOTAGE | | HOUSE COUNT | |

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

DESIGN
SUBMITTED
DATE
NO SCALE
SCALE
SUPERVISING ENGINEER
APPROVED
APPROVING ENGINEER
MAP NUMBER
SE05




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | | OVERHEAD GUY |
| | | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | LARGE FLUSH MOUNT VAULT |
| | | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD:185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | | | |
|---|---|---|---|
| COAXIAL CABLE | | STRAND | |
| CAN-WE-SERVE | | 0.75" CONDUIT | |
| FIBER OPTIC CABLE | | 1.25" CONDUIT | |
| NODE BOUNDARY | | 2.0" CONDUIT | |
| NODE LEG BOUNDARY | | 2.5" CONDUIT | |
| TERMINATED CABLE | | 4.0" CONDUIT | |
| SPARE CABLE | | | |
| COAXIAL SPLICE | | | |
| POWER BLOCK | | | |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | HUB |
| | HEADEND |
| OPT | OPTICAL RECEIVER |
| | FIBER SPLICE |
| 200 | FIBER STORAGE |
| | 2 PORT TAP |
| | 4 PORT TAP |
| | 8 PORT TAP |
| | TELEPHONE TAP |
| HT | HOT TAP |
| * | INDICATES TAP VALUE |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | .715 TO F |
| | CHASSIS TO F |
| SPS | STANDBY POWER SUPPLY |
| | POWER INSERTER |
| | DIST. MIN-BRIDGER |
| | LINE EXTENDER |
| | DIRECTIONAL COUPLER |
| | TWO WAY SPLITTER |
| | THREE WAY SPLITTER |

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| 3 | | TOTAL HOMES |
| 1 | | TOTAL COMMERCIALS |
| 0 | | TOTAL MDUs |
| 0 | | TOTAL INSTITUTIONS |

NOTES:

C) CLEARANCE ISSUES
E) EASEMENT ISSUES
P) POLE CHANGE OUT
V) VACANT
NP) NO POTENTIAL
NB) NOT BUILDABLE

| PLANT STATISTICS | | | |
|---|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE | |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE | |
| 2" CONDUIT FOOTAGE | | | |
| 2.5" CONDUIT FOOTAGE | | | |
| 4" CONDUIT FOOTAGE | | | |
| UNDERGROUND FOOTAGE | | | |
| | | | |
| COAX FOOTAGE | | ACBS TOTAL | |
| PLANT MILES | | ACBC TOTAL | |
| FIBER FOOTAGE | | HOUSE COUNT | |

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

DESIGN
SUBMITTED
DATE
NO SCALE
SCALE
SUPERVISING ENGINEER
APPROVED
APPROVING ENGINEER
MAP NUMBER
SE06




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | | OVERHEAD GUY |
| | | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | LARGE FLUSH MOUNT VAULT |
| | | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD:185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | | |
|---|---|---|
| COAXIAL CABLE | | STRAND |
| CAN-WE-SERVE | | 0.75" CONDUIT |
| FIBER OPTIC CABLE | | 1.25" CONDUIT |
| NODE BOUNDARY | | 2.0" CONDUIT |
| NODE LEG BOUNDARY | | 2.5" CONDUIT |
| TERMINATED CABLE | | 4.0" CONDUIT |
| SPARE CABLE | | |
| COAXIAL SPLICE | | |
| POWER BLOCK | | |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | HUB |
| | HEADEND |
| OR | OPTICAL RECEIVER |
| | FIBER SPLICE |
| | FIBER STORAGE |
| | 2 PORT TAP |
| | 4 PORT TAP |
| | 8 PORT TAP |
| | TELEPHONE TAP |
| HT | HOT TAP |
| * | INDICATES TAP VALUE |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | .715 TO F |
| | CHASSIS TO F |
| SB | STANDBY POWER SUPPLY |
| | POWER INSERTER |
| | DIST. MINI-BRIDGER |
| | LINE EXTENDER |
| | DIRECTIONAL COUPLER |
| | TWO WAY SPLITTER |
| | THREE WAY SPLITTER |

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| | | TOTAL HOMES |
| | | TOTAL COMMERCIALS |
| | | TOTAL MDUs |
| | | TOTAL INSTITUTIONS |

NOTES:
- C: CLEARANCE ISSUES
- E: EASEMENT ISSUES
- P: POLE CHANGE OUT
- V: VACANT
- NP: NO POTENTIAL
- NB: NOT BUILDABLE

| PLANT STATISTICS | | |
|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE |
| 2" CONDUIT FOOTAGE | | |
| 2.5" CONDUIT FOOTAGE | | |
| 4" CONDUIT FOOTAGE | | |
| UNDERGROUND FOOTAGE | | |
| COAX FOOTAGE | | ACBS TOTAL |
| PLANT MILES | | ACBC TOTAL |
| FIBER FOOTAGE | | HOUSE COUNT |

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

| | |
|---|---|
| DESIGN | |
| SUBMITTED | |
| DATE | NO SCALE |
| SUPERVISING ENGINEER | SCALE |
| APPROVED | MAP NUMBER |
| APPROVING ENGINEER | SE07 |




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | | OVERHEAD GUY |
| | | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | LARGE FLUSH MOUNT VAULT |
| | | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD:185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | | |
|---|---|---|
| COAXIAL CABLE | | STRAND |
| CAN-WE-SERVE | | 0.75" CONDUIT |
| FIBER OPTIC CABLE | | 1.25" CONDUIT |
| NODE BOUNDARY | | 2.0" CONDUIT |
| NODE LEG BOUNDARY | | 2.5" CONDUIT |
| TERMINATED CABLE | | 4.0" CONDUIT |
| SPARE CABLE | | |
| COAXIAL SPLICE | | |
| POWER BLOCK | | |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | HUB |
| | HEADEND |
| OPTICAL RECEIVER | |
| | FIBER SPLICE |
| 200 | FIBER STORAGE |
| | 2 PORT TAP |
| | 4 PORT TAP |
| | 8 PORT TAP |
| | TELEPHONE TAP |
| HT | HOT TAP |
| * | INDICATES TAP VALUE |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | .715 TO F |
| | CHASSIS TO F |
| | STANDBY POWER SUPPLY |
| | POWER INSERTER |
| | DIST. MINI-BRIDGER |
| | LINE EXTENDER |
| | DIRECTIONAL COUPLER |
| | TWO WAY SPLITTER |
| | THREE WAY SPLITTER |

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| | C | CLEARANCE ISSUES |
| | E | EASEMENT ISSUES |
| | P | POLE CHANGE OUT |
| | V | VACANT |
| | NP | NO POTENTIAL |
| | NB | NOT BUILDABLE |
| | T | TOTAL HOMES |
| | | TOTAL COMMERCIALS |
| | | TOTAL MDUs |
| | | TOTAL INSTITUTIONS |

NOTES:

| PLANT STATISTICS | | | |
|---|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE | |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE | |
| 2" CONDUIT FOOTAGE | | | |
| 2.5" CONDUIT FOOTAGE | | | |
| 4" CONDUIT FOOTAGE | | | |
| UNDERGROUND FOOTAGE | | | |
| | | | |
| COAX FOOTAGE | | ACBS TOTAL | |
| PLANT MILES | | ACBC TOTAL | |
| FIBER FOOTAGE | | HOUSE COUNT | |

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

| | |
|---|---|
| DESIGN | |
| SUBMITTED | |
| DATE | NO SCALE |
| SUPERVISING ENGINEER | SCALE |
| APPROVED | MAP NUMBER |
| APPROVING ENGINEER | SE08 |




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | | OVERHEAD GUY |
| | | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | LARGE FLUSH MOUNT VAULT |
| | | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD:185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | | | |
|---|---|---|---|
| COAXIAL CABLE | | STRAND | |
| CAN-WE-SERVE | | 0.75" CONDUIT | |
| FIBER OPTIC CABLE | | 1.25" CONDUIT | |
| NODE BOUNDARY | | 2.0" CONDUIT | |
| NODE LEG BOUNDARY | | 2.5" CONDUIT | |
| TERMINATED CABLE | | 4.0" CONDUIT | |
| SPARE CABLE | | | |
| COAXIAL SPLICE | | | |
| POWER BLOCK | | | |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | HUB |
| | HEADEND |
| | OPTICAL RECEIVER |
| | FIBER SPLICE |
| 200 | FIBER STORAGE |
| | 2 PORT TAP |
| | 4 PORT TAP |
| | 8 PORT TAP |
| | TELEPHONE TAP |
| HT | HOT TAP |
| * | INDICATES TAP VALUE |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | .715 TO F |
| | CHASSIS TO F |
| | STANDBY POWER SUPPLY |
| | POWER INSERTER |
| | DIST. MINI-BRIDGER |
| | LINE EXTENDER |
| | DIRECTIONAL COUPLER |
| | TWO WAY SPLITTER |
| | THREE WAY SPLITTER |

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| | 3 | TOTAL HOMES |
| | A | TOTAL COMMERCIALS |
| | B | TOTAL MDUs |
| | I | TOTAL INSTITUTIONS |

NOTES:

| | | | |
|---|---|---|---|
| C | CLEARANCE ISSUES | V | VACANT |
| E | EASEMENT ISSUES | NP | NO POTENTIAL |
| P | POLE CHANGE OUT | NB | NOT BUILDABLE |

| PLANT STATISTICS | | | |
|---|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE | |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE | |
| 2" CONDUIT FOOTAGE | | | |
| 2.5" CONDUIT FOOTAGE | | | |
| 4" CONDUIT FOOTAGE | | | |
| UNDERGROUND FOOTAGE | | | |
| | | | |
| COAX FOOTAGE | | ACBS TOTAL | |
| PLANT MILES | | ACBC TOTAL | |
| FIBER FOOTAGE | | HOUSE COUNT | |

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

DESIGN
SUBMITTED
SUPERVISING ENGINEER
APPROVED
APPROVING ENGINEER
DATE
NO SCALE
SCALE
MAP NUMBER
SE09




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | | OVERHEAD GUY |
| | | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | LARGE FLUSH MOUNT VAULT |
| | | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD-185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | |
|---|---|
| COAXIAL CABLE | STRAND |
| CAN-WE-SERVE | 0.75" CONDUIT |
| FIBER OPTIC CABLE | 1.25" CONDUIT |
| NODE BOUNDARY | 2.0" CONDUIT |
| NODE LEG BOUNDARY | 2.5" CONDUIT |
| TERMINATED CABLE | 4.0" CONDUIT |
| SPARE CABLE | |
| COAXIAL SPLICE | |
| POWER BLOCK | |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | HUB |
| | HEADEND |
| | OPTICAL RECEIVER |
| | FIBER SPLICE |
| 200 | FIBER STORAGE |
| | 2 PORT TAP |
| | 4 PORT TAP |
| | 8 PORT TAP |
| | TELEPHONE TAP |
| HT | HOT TAP |
| * | INDICATES TAP VALUE |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | .715 TO F |
| | CHASSIS TO F |
| | STANDBY POWER SUPPLY |
| | POWER INSERTER |
| | DIST. MINI-BRIDGER |
| | LINE EXTENDER |
| | DIRECTIONAL COUPLER |
| 2 | TWO WAY SPLITTER |
| 3 | THREE WAY SPLITTER |

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| | H | TOTAL HOMES |
| | C | TOTAL COMMERCIALS |
| | U | TOTAL MDUs |
| | I | TOTAL INSTITUTIONS |

NOTES:

- C — CLEARANCE ISSUES
- E — EASEMENT ISSUES
- P — POLE CHANGE OUT
- V — VACANT
- NP — NO POTENTIAL
- NB — NOT BUILDABLE

| PLANT STATISTICS | | | |
|---|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE | |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE | |
| 2" CONDUIT FOOTAGE | | | |
| 2.5" CONDUIT FOOTAGE | | | |
| 4" CONDUIT FOOTAGE | | | |
| UNDERGROUND FOOTAGE | | | |
| | | | |
| COAX FOOTAGE | | ACBS TOTAL | |
| PLANT MILES | | ACBC TOTAL | |
| FIBER FOOTAGE | | HOUSE COUNT | |

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

| | |
|---|---|
| DESIGN | |
| SUBMITTED | |
| DATE | SCALE: NO SCALE |
| SUPERVISING ENGINEER | MAP NUMBER |
| APPROVED | SE10 |
| APPROVING ENGINEER | |




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | | OVERHEAD GUY |
| | | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | LARGE FLUSH MOUNT VAULT |
| | | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD:185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | | |
|---|---|---|
| COAXIAL CABLE | | STRAND |
| CAN-WE-SERVE | | 0.75" CONDUIT |
| FIBER OPTIC CABLE | | 1.25" CONDUIT |
| NODE BOUNDARY | | 2.0" CONDUIT |
| NODE LEG BOUNDARY | | 2.5" CONDUIT |
| TERMINATED CABLE | | 4.0" CONDUIT |
| SPARE CABLE | | |
| COAXIAL SPLICE | | |
| POWER BLOCK | | |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | HUB |
| | HEADEND |
| OPT REC | OPTICAL RECEIVER |
| | FIBER SPLICE |
| 200 | FIBER STORAGE |
| | 2 PORT TAP |
| | 4 PORT TAP |
| | 8 PORT TAP |
| | TELEPHONE TAP |
| HT | HOT TAP |
| * | INDICATES TAP VALUE |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | .715 TO F |
| | CHASSIS TO F |
| STBY PWR | STANDBY POWER SUPPLY |
| PI | POWER INSERTER |
| | DIST. MINI-BRIDGER |
| | LINE EXTENDER |
| | DIRECTIONAL COUPLER |
| | TWO WAY SPLITTER |
| | THREE WAY SPLITTER |

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| | H | TOTAL HOMES |
| | C | TOTAL COMMERCIALS |
| | D | TOTAL MDUs |
| | I | TOTAL INSTITUTIONS |

NOTES:

C) CLEARANCE ISSUES
E) EASEMENT ISSUES
P) POLE CHANGE OUT
V) VACANT
NP) NO POTENTIAL
NB) NOT BUILDABLE

| PLANT STATISTICS | | | |
|---|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE | |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE | |
| 2" CONDUIT FOOTAGE | | | |
| 2.5" CONDUIT FOOTAGE | | | |
| 4" CONDUIT FOOTAGE | | | |
| UNDERGROUND FOOTAGE | | | |
| | | | |
| COAX FOOTAGE | | ACBS TOTAL | |
| PLANT MILES | | ACBC TOTAL | |
| FIBER FOOTAGE | | HOUSE COUNT | |

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

DESIGN
SUBMITTED
SUPERVISING ENGINEER
APPROVED
APPROVING ENGINEER
DATE
NO SCALE
SCALE
MAP NUMBER
SE11




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | | OVERHEAD GUY |
| | | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | LARGE FLUSH MOUNT VAULT |
| | | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD:185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | | | |
|---|---|---|---|
| COAXIAL CABLE | | STRAND | |
| CAN-WE-SERVE | | 0.75" CONDUIT | |
| FIBER OPTIC CABLE | | 1.25" CONDUIT | |
| NODE BOUNDARY | | 2.0" CONDUIT | |
| NODE LEG BOUNDARY | | 2.5" CONDUIT | |
| TERMINATED CABLE | | 4.0" CONDUIT | |
| SPARE CABLE | | DIRECTIONAL COUPLER | |
| COAXIAL SPLICE | | TWO WAY SPLITTER | |
| POWER BLOCK | | THREE WAY SPLITTER | |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | HUB |
| | HEADEND |
| OPT | OPTICAL RECEIVER |
| | FIBER SPLICE |
| 200 | FIBER STORAGE |
| | 2 PORT TAP |
| | 4 PORT TAP |
| | 8 PORT TAP |
| | TELEPHONE TAP |
| HT | HOT TAP |
| * | INDICATES TAP VALUE |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | .715 TO F |
| | CHASSIS TO F |
| SPS | STANDBY POWER SUPPLY |
| | POWER INSERTER |
| | DIST. MINI-BRIDGER |
| | LINE EXTENDER |
| | DIRECTIONAL COUPLER |
| | TWO WAY SPLITTER |
| | THREE WAY SPLITTER |

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| | 3 | TOTAL HOMES |
| | 4 | TOTAL COMMERCIALS |
| | 84 | TOTAL MDUs |
| | 4 | TOTAL INSTITUTIONS |

NOTES:

| | | | |
|---|---|---|---|
| C | CLEARANCE ISSUES | V | VACANT |
| E | EASEMENT ISSUES | NP | NO POTENTIAL |
| P | POLE CHANGE OUT | NB | NOT BUILDABLE |

| PLANT STATISTICS | | | |
|---|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE | |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE | |
| 2" CONDUIT FOOTAGE | | | |
| 2.5" CONDUIT FOOTAGE | | | |
| 4" CONDUIT FOOTAGE | | | |
| UNDERGROUND FOOTAGE | | | |
| | | | |
| COAX FOOTAGE | | ACBS TOTAL | |
| PLANT MILES | | ACBC TOTAL | |
| FIBER FOOTAGE | | HOUSE COUNT | |

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

DESIGN
SUBMITTED
SUPERVISING ENGINEER
APPROVED
APPROVING ENGINEER
DATE
NO SCALE
SCALE
MAP NUMBER
SE12




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | // | OVERHEAD GUY |
| | > | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | + | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | LARGE FLUSH MOUNT VAULT |
| | V | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | S | OTHER POLE |
| | | CATV POLE |
| | R | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD-185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | | | |
|---|---|---|---|
| COAXIAL CABLE | | STRAND | |
| CAN-WE-SERVE | | 0.75" CONDUIT | |
| FIBER OPTIC CABLE | | 1.25" CONDUIT | |
| NODE BOUNDARY | | 2.0" CONDUIT | |
| NODE LEG BOUNDARY | | 2.5" CONDUIT | |
| TERMINATED CABLE | | 4.0" CONDUIT | |
| SPARE CABLE | | | |
| COAXIAL SPLICE | | | |
| POWER BLOCK | | | |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| HUB | |
| HEADEND | |
| OPTICAL RECEIVER | |
| FIBER SPLICE | |
| 200 | FIBER STORAGE |
| | 2 PORT TAP |
| | 4 PORT TAP |
| | 8 PORT TAP |
| | TELEPHONE TAP |
| HT | HOT TAP |
| * | INDICATES TAP VALUE |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | .715 TO F |
| | CHASSIS TO F |
| | STANDBY POWER SUPPLY |
| | POWER INSERTER |
| | DIST. MINI-BRIDGER |
| | LINE EXTENDER |
| | DIRECTIONAL COUPLER |
| | TWO WAY SPLITTER |
| | THREE WAY SPLITTER |

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| | | TOTAL HOMES |
| | | TOTAL COMMERCIALS |
| | | TOTAL MDUs |
| | | TOTAL INSTITUTIONS |

NOTES:

- C — CLEARANCE ISSUES
- V — VACANT
- E — EASEMENT ISSUES
- NP — NO POTENTIAL
- P — POLE CHANGE OUT
- NB — NOT BUILDABLE

| PLANT STATISTICS | | | |
|---|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE | |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE | |
| 2" CONDUIT FOOTAGE | | | |
| 2.5" CONDUIT FOOTAGE | | | |
| 4" CONDUIT FOOTAGE | | | |
| UNDERGROUND FOOTAGE | | | |
| COAX FOOTAGE | | ACBS TOTAL | |
| PLANT MILES | | ACBC TOTAL | |
| FIBER FOOTAGE | | HOUSE COUNT | |

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

DESIGN
SUBMITTED
DATE
NO SCALE
SCALE
SUPERVISING ENGINEER
APPROVED
MAP NUMBER
SE13
APPROVING ENGINEER




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | | OVERHEAD GUY |
| | | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | LARGE FLUSH MOUNT VAULT |
| | | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD:185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | |
|---|---|
| COAXIAL CABLE | STRAND |
| CAN-WE-SERVE | 0.75" CONDUIT |
| FIBER OPTIC CABLE | 1.25" CONDUIT |
| NODE BOUNDARY | 2.0" CONDUIT |
| NODE LEG BOUNDARY | 2.5" CONDUIT |
| TERMINATED CABLE | 4.0" CONDUIT |
| SPARE CABLE | |
| COAXIAL SPLICE | |
| POWER BLOCK | |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | HUB |
| | HEADEND |
| | OPTICAL RECEIVER |
| | FIBER SPLICE |
| | FIBER STORAGE |
| | 2 PORT TAP |
| | 4 PORT TAP |
| | 8 PORT TAP |
| | TELEPHONE TAP |
| HT | HOT TAP |
| * | INDICATES TAP VALUE |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | .715 TO F |
| | CHASSIS TO F |
| | STANDBY POWER SUPPLY |
| | POWER INSERTER |
| | DIST. MINI-BRIDGER |
| | LINE EXTENDER |
| | DIRECTIONAL COUPLER |
| | TWO WAY SPLITTER |
| | THREE WAY SPLITTER |

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| | H | TOTAL HOMES |
| | C | TOTAL COMMERCIALS |
| | MDU | TOTAL MDUs |
| | I | TOTAL INSTITUTIONS |

NOTES:

- (C) CLEARANCE ISSUES
- (E) EASEMENT ISSUES
- (P) POLE CHANGE OUT
- (V) VACANT
- (NP) NO POTENTIAL
- (NB) NOT BUILDABLE

| PLANT STATISTICS | | | |
|---|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE | |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE | |
| 2" CONDUIT FOOTAGE | | | |
| 2.5" CONDUIT FOOTAGE | | | |
| 4" CONDUIT FOOTAGE | | | |
| UNDERGROUND FOOTAGE | | | |
| | | | |
| COAX FOOTAGE | | ACBS TOTAL | |
| PLANT MILES | | ACBC TOTAL | |
| FIBER FOOTAGE | | HOUSE COUNT | |

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

DESIGN
SUBMITTED
DATE
SCALE: NO SCALE
SUPERVISING ENGINEER
MAP NUMBER
APPROVED
APPROVING ENGINEER

SE14




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | | OVERHEAD GUY |
| | | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | LARGE FLUSH MOUNT VAULT |
| | | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD-185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | |
|---|---|
| COAXIAL CABLE | STRAND |
| CAN-WE-SERVE | 0.75" CONDUIT |
| FIBER OPTIC CABLE | 1.25" CONDUIT |
| NODE BOUNDARY | 2.0" CONDUIT |
| NODE LEG BOUNDARY | 2.5" CONDUIT |
| TERMINATED CABLE | 4.0" CONDUIT |
| SPARE CABLE | |
| COAXIAL SPLICE | |
| POWER BLOCK | |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | HUB |
| | HEADEND |
| | OPTICAL RECEIVER |
| | FIBER SPLICE |
| 200 | FIBER STORAGE |
| | 2 PORT TAP |
| | 4 PORT TAP |
| | 8 PORT TAP |
| | TELEPHONE TAP |
| HT | HOT TAP |
| * | INDICATES TAP VALUE |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | .75 TO F |
| | CHASSIS TO F |
| | STANDBY POWER SUPPLY |
| | POWER INSERTER |
| | DIST. MIN-BRIDGER |
| | LINE EXTENDER |
| | DIRECTIONAL COUPLER |
| | TWO WAY SPLITTER |
| | THREE WAY SPLITTER |

NOTES:
- C — CLEARANCE ISSUES
- E — EASEMENT ISSUES
- P — POLE CHANGE OUT
- V — VACANT
- NP — NO POTENTIAL
- NB — NOT BUILDABLE

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| | | TOTAL HOMES |
| | | TOTAL COMMERCIALS |
| | | TOTAL MDUs |
| | | TOTAL INSTITUTIONS |


| PLANT STATISTICS | | | |
|---|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE | |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE | |
| 2" CONDUIT FOOTAGE | | | |
| 2.5" CONDUIT FOOTAGE | | | |
| 4" CONDUIT FOOTAGE | | | |
| UNDERGROUND FOOTAGE | | | |
| | | | |
| COAX FOOTAGE | | ACBS TOTAL | |
| PLANT MILES | | ACBC TOTAL | |
| FIBER FOOTAGE | | HOUSE COUNT | |

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

DESIGN
SUBMITTED
SUPERVISING ENGINEER
APPROVED
APPROVING ENGINEER
DATE
NO SCALE
SCALE
MAP NUMBER
SE15




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | | OVERHEAD GUY |
| | | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | TELCO POLE |
| | | OTHER POLE |
| | | LARGE FLUSH MOUNT VAULT |
| | | CATV POLE |
| | | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD:185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | | | |
|---|---|---|---|
| COAXIAL CABLE | | STRAND | |
| CAN-WE-SERVE | | 0.75" CONDUIT | |
| FIBER OPTIC CABLE | | 1.25" CONDUIT | |
| NODE BOUNDARY | | 2.0" CONDUIT | |
| NODE LEG BOUNDARY | | 2.5" CONDUIT | |
| TERMINATED CABLE | | 4.0" CONDUIT | |
| SPARE CABLE | | | |
| COAXIAL SPLICE | | | |
| POWER BLOCK | | | |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | HUB |
| | HEADEND |
| | OPTICAL RECEIVER |
| | FIBER SPLICE |
| 200 | FIBER STORAGE |
| | 2 PORT TAP |
| | 4 PORT TAP |
| | 8 PORT TAP |
| | TELEPHONE TAP |
| HT | HOT TAP |
| * | INDICATES TAP VALUE |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | .715 TO F |
| | CHASSIS TO F |
| | STANDBY POWER SUPPLY |
| | POWER INSERTER |
| | DIST. MINI-BRIDGER |
| | LINE EXTENDER |
| | DIRECTIONAL COUPLER |
| | TWO WAY SPLITTER |
| | THREE WAY SPLITTER |

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| | S | TOTAL HOMES |
| | C | TOTAL COMMERCIALS |
| | M | TOTAL MDUs |
| | I | TOTAL INSTITUTIONS |

NOTES:
- C: CLEARANCE ISSUES
- E: EASEMENT ISSUES
- P: POLE CHANGE OUT
- V: VACANT
- NP: NO POTENTIAL
- NB: NOT BUILDABLE

| PLANT STATISTICS | | | |
|---|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE | |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE | |
| 2.5" CONDUIT FOOTAGE | | | |
| 2" CONDUIT FOOTAGE | | | |
| 4" CONDUIT FOOTAGE | | | |
| UNDERGROUND FOOTAGE | | | |
| | | | |
| COAX FOOTAGE | | ACBS TOTAL | |
| PLANT MILES | | ACBC TOTAL | |
| FIBER FOOTAGE | | HOUSE COUNT | |

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

DESIGN
SUBMITTED
DATE
SUPERVISING ENGINEER
APPROVED
APPROVING ENGINEER
NO SCALE
SCALE
MAP NUMBER
SE16




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | | OVERHEAD GUY |
| | | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | LARGE FLUSH MOUNT VAULT |
| | | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD-185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | | | |
|---|---|---|---|
| COAXIAL CABLE | | STRAND | |
| CAN-WE-SERVE | | 0.75" CONDUIT | |
| FIBER OPTIC CABLE | | 1.25" CONDUIT | |
| NODE BOUNDARY | | 2.0" CONDUIT | |
| NODE LEG BOUNDARY | | 2.5" CONDUIT | |
| TERMINATED CABLE | | 4.0" CONDUIT | |
| SPARE CABLE | | | |
| COAXIAL SPLICE | | | |
| POWER BLOCK | | | |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | HUB |
| | HEADEND |
| | OPTICAL RECEIVER |
| | FIBER SPLICE |
| 200 | FIBER STORAGE |
| | 2 PORT TAP |
| | 4 PORT TAP |
| | 8 PORT TAP |
| | TELEPHONE TAP |
| HT | HOT TAP |
| * | INDICATES TAP VALUE |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | .715 TO F |
| | CHASSIS TO F |
| | STANDBY POWER SUPPLY |
| | POWER INSERTER |
| | DIST. MINI-BRIDGER |
| | LINE EXTENDER |
| | DIRECTIONAL COUPLER |
| | TWO WAY SPLITTER |
| | THREE WAY SPLITTER |

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| | | TOTAL HOMES |
| | | TOTAL COMMERCIALS |
| | | TOTAL MDUs |
| | | TOTAL INSTITUTIONS |

NOTES:

- C — CLEARANCE ISSUES
- E — EASEMENT ISSUES
- P — POLE CHANGE OUT
- V — VACANT
- NP — NO POTENTIAL
- NB — NOT BUILDABLE

| PLANT STATISTICS | | | |
|---|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE | |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE | |
| 2" CONDUIT FOOTAGE | | | |
| 4" CONDUIT FOOTAGE | | | |
| 2.5" CONDUIT FOOTAGE | | | |
| UNDERGROUND FOOTAGE | | | |
| | | | |
| COAX FOOTAGE | | ACBS TOTAL | |
| PLANT MILES | | ACBC TOTAL | |
| FIBER FOOTAGE | | HOUSE COUNT | |

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

| | |
|---|---|
| DESIGN | |
| SUBMITTED | |
| DATE | NO SCALE |
| SCALE | |
| SUPERVISING ENGINEER | MAP NUMBER |
| APPROVED | SE17 |
| APPROVING ENGINEER | |




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | | OVERHEAD GUY |
| | | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | LARGE FLUSH MOUNT VAULT |
| | | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD:185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | | | |
|---|---|---|---|
| COAXIAL CABLE | | STRAND | |
| CAN-WE-SERVE | | 0.75" CONDUIT | |
| FIBER OPTIC CABLE | | 1.25" CONDUIT | |
| NODE BOUNDARY | | 2.0" CONDUIT | |
| NODE LEG BOUNDARY | | 2.5" CONDUIT | |
| TERMINATED CABLE | | 4.0" CONDUIT | |
| SPARE CABLE | | | |
| COAXIAL SPLICE | | | |
| POWER BLOCK | | | |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | HUB |
| | HEADEND |
| | OPTICAL RECEIVER |
| | FIBER SPLICE |
| 250 | FIBER STORAGE |
| | 2 PORT TAP |
| | 4 PORT TAP |
| | 8 PORT TAP |
| | TELEPHONE TAP |
| HT | HOT TAP |
| * | INDICATES TAP VALUE |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | .715 TO F |
| | CHASSIS TO F |
| | STANDBY POWER SUPPLY |
| | POWER INSERTER |
| | LINE EXTENDER |
| | DIRECTIONAL COUPLER |
| | TWO WAY SPLITTER |
| | THREE WAY SPLITTER |

NOTES:
- C — CLEARANCE ISSUES
- E — EASEMENT ISSUES
- P — POLE CHANGE OUT
- V — VACANT
- NP — NO POTENTIAL
- NB — NOT BUILDABLE

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| | | TOTAL HOMES |
| | | TOTAL COMMERCIALS |
| | | TOTAL MDUs |
| | | TOTAL INSTITUTIONS |

| PLANT STATISTICS | | | |
|---|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE | |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE | |
| 2" CONDUIT FOOTAGE | | | |
| 2.5" CONDUIT FOOTAGE | | | |
| 4" CONDUIT FOOTAGE | | | |
| UNDERGROUND FOOTAGE | | | |
| | | | |
| COAX FOOTAGE | | ACBS TOTAL | |
| PLANT MILES | | ACBC TOTAL | |
| FIBER FOOTAGE | | HOUSE COUNT | |

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

| | |
|---|---|
| DESIGN | |
| SUBMITTED | |
| DATE | NO SCALE |
| SCALE | |
| SUPERVISING ENGINEER | MAP NUMBER |
| APPROVED | SE18 |
| APPROVING ENGINEER | |




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | | OVERHEAD GUY |
| | | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | LARGE FLUSH MOUNT VAULT |
| | | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD.185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | | SYMBOL | DESIGN SYMBOLS | SYMBOL | DESIGN SYMBOLS |
|---|---|---|---|---|---|
| COAXIAL CABLE | STRAND | | HUB | | .715 TO F |
| CAN-WE-SERVE | 0.75" CONDUIT | | HEADEND | | CHASSIS TO F |
| FIBER OPTIC CABLE | 1.25" CONDUIT | | OPTICAL RECEIVER | | STANDBY POWER SUPPLY |
| NODE BOUNDARY | 2.0" CONDUIT | | FIBER SPLICE | | POWER INSERTER |
| NODE LEG BOUNDARY | 2.5" CONDUIT | | FIBER STORAGE | | DIST. MINI-BRIDGER |
| TERMINATED CABLE | 4.0" CONDUIT | | 2 PORT TAP | | LINE EXTENDER |
| SPARE CABLE | | | 4 PORT TAP | | DIRECTIONAL COUPLER |
| COAXIAL SPLICE | | | 8 PORT TAP | | TWO WAY SPLITTER |
| POWER BLOCK | | | TELEPHONE TAP | | THREE WAY SPLITTER |
| | | | HOT TAP | | |
| | | | INDICATES TAP VALUE | | |

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| | | TOTAL HOMES |
| | | TOTAL COMMERCIALS |
| | | TOTAL MDUs |
| | | TOTAL INSTITUTIONS |

NOTES:
- C — CLEARANCE ISSUES
- E — EASEMENT ISSUES
- P — POLE CHANGE OUT
- V — VACANT
- NP — NO POTENTIAL
- NB — NOT BUILDABLE


| PLANT STATISTICS | | | |
|---|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE | |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE | |
| 2" CONDUIT FOOTAGE | | | |
| 4" CONDUIT FOOTAGE | | | |
| UNDERGROUND FOOTAGE | | | |
| | | | |
| COAX FOOTAGE | | ACBS TOTAL | |
| PLANT MILES | | ACBC TOTAL | |
| FIBER FOOTAGE | | HOUSE COUNT | |

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

| | |
|---|---|
| DESIGN | |
| SUBMITTED | |
| DATE | SCALE: NO SCALE |
| SUPERVISING ENGINEER | MAP NUMBER: SE19 |
| APPROVED | |
| APPROVING ENGINEER | |




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | | OVERHEAD GUY |
| | | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | LARGE FLUSH MOUNT VAULT |
| | | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD 185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | | |
|---|---|---|
| COAXIAL CABLE | | STRAND |
| CAN-WE-SERVE | | 0.75" CONDUIT |
| FIBER OPTIC CABLE | | 1.25" CONDUIT |
| NODE BOUNDARY | | 2.0" CONDUIT |
| NODE LEG BOUNDARY | | 2.5" CONDUIT |
| TERMINATED CABLE | | 4.0" CONDUIT |
| SPARE CABLE | | |
| COAXIAL SPLICE | | |
| POWER BLOCK | | |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | HUB |
| | HEADEND |
| OPTICAL RECEIVER | OPTICAL RECEIVER |
| | FIBER SPLICE |
| 250 | FIBER STORAGE |
| | 2 PORT TAP |
| | 4 PORT TAP |
| | 8 PORT TAP |
| | TELEPHONE TAP |
| HOT | HOT TAP |
| | INDICATES TAP VALUE |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | .715 TO F |
| | CHASSIS TO F |
| | STANDBY POWER SUPPLY |
| | POWER INSERTER |
| | DIST. MINI-BRIDGER |
| | LINE EXTENDER |
| | DIRECTIONAL COUPLER |
| | TWO WAY SPLITTER |
| | THREE WAY SPLITTER |

NOTES:
- (C) CLEARANCE ISSUES
- (E) EASEMENT ISSUES
- (P) POLE CHANGE OUT
- (V) VACANT
- (NP) NO POTENTIAL
- (NB) NOT BUILDABLE

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| | | TOTAL HOMES |
| | | TOTAL COMMERCIALS |
| | | TOTAL MDUs |
| | | TOTAL INSTITUTIONS |

| PLANT STATISTICS | | | |
|---|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE | |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE | |
| 2" CONDUIT FOOTAGE | | | |
| 2.5" CONDUIT FOOTAGE | | | |
| 4" CONDUIT FOOTAGE | | | |
| UNDERGROUND FOOTAGE | | | |
| | | | |
| COAX FOOTAGE | | ACBS TOTAL | |
| PLANT MILES | | ACBC TOTAL | |
| FIBER FOOTAGE | | HOUSE COUNT | |

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

| | |
|---|---|
| DESIGN | |
| SUBMITTED | |
| DATE | NO SCALE |
| SUPERVISING ENGINEER | SCALE |
| APPROVED | MAP NUMBER |
| APPROVING ENGINEER | SE20 |




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | | OVERHEAD GUY |
| | | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | LARGE FLUSH MOUNT VAULT |
| | | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | | RISER |
| 6 | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD:185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | | | |
|---|---|---|---|
| COAXIAL CABLE | | STRAND | |
| FIBER OPTIC CABLE | | 1.25" CONDUIT | |
| NODE BOUNDARY | | 2.0" CONDUIT | |
| NODE LEG BOUNDARY | | 2.5" CONDUIT | |
| TERMINATED CABLE | | 4.0" CONDUIT | |
| SPARE CABLE | | | |
| COAXIAL SPLICE | | | |
| POWER BLOCK | | | |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | HUB |
| | HEADEND |
| OPTICAL RECEIVER | OPTICAL RECEIVER |
| | FIBER SPLICE |
| .200 | FIBER STORAGE |
| | 2 PORT TAP |
| | 4 PORT TAP |
| | 8 PORT TAP |
| | TELEPHONE TAP |
| HT | HOT TAP |
| * | INDICATES TAP VALUE |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | .715 TO F |
| | CHASSIS TO F |
| | STANDBY POWER SUPPLY |
| | POWER INSERTER |
| | DIST. MINI-BRIDGER |
| | LINE EXTENDER |
| | DIRECTIONAL COUPLER |
| | TWO WAY SPLITTER |
| | THREE WAY SPLITTER |

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| 3 | | TOTAL HOMES |
| | | TOTAL COMMERCIALS |
| | | TOTAL MDUs |
| | | TOTAL INSTITUTIONS |

NOTES:
- C — CLEARANCE ISSUES
- E — EASEMENT ISSUES
- P — POLE CHANGE OUT
- V — VACANT
- NP — NO POTENTIAL
- NB — NOT BUILDABLE


| PLANT STATISTICS | | | |
|---|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE | |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE | |
| 2" CONDUIT FOOTAGE | | | |
| 2.5" CONDUIT FOOTAGE | | | |
| 4" CONDUIT FOOTAGE | | | |
| UNDERGROUND FOOTAGE | | | |
| | | | |
| COAX FOOTAGE | | ACBS TOTAL | |
| PLANT MILES | | ACBC TOTAL | |
| FIBER FOOTAGE | | HOUSE COUNT | |

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

DESIGN
SUBMITTED
DATE
SCALE NO SCALE
SUPERVISING ENGINEER
APPROVED
MAP NUMBER SE22
APPROVING ENGINEER




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | | OVERHEAD GUY |
| | | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | LARGE FLUSH MOUNT VAULT |
| | | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD:185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | | | |
|---|---|---|---|
| COAXIAL CABLE | | STRAND | |
| CAN-WE-SERVE | | 0.75" CONDUIT | |
| FIBER OPTIC CABLE | | 1.25" CONDUIT | |
| NODE BOUNDARY | | 2.0" CONDUIT | |
| NODE LEG BOUNDARY | | 2.5" CONDUIT | |
| TERMINATED CABLE | | 4.0" CONDUIT | |
| SPARE CABLE | | | |
| COAXIAL SPLICE | | | |
| POWER BLOCK | | | |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | HUB |
| | HEADEND |
| OPT RCVR | OPTICAL RECEIVER |
| | FIBER SPLICE |
| 200 | FIBER STORAGE |
| | 2 PORT TAP |
| | 4 PORT TAP |
| | 8 PORT TAP |
| | TELEPHONE TAP |
| HT | HOT TAP |
| * | INDICATES TAP VALUE |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | .715 TO F |
| | CHASSIS TO F |
| STBY PS | STANDBY POWER SUPPLY |
| | POWER INSERTER |
| | LINE EXTENDER |
| | DIRECTIONAL COUPLER |
| | TWO WAY SPLITTER |
| | THREE WAY SPLITTER |

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| | H | TOTAL HOMES |
| | C | TOTAL COMMERCIALS |
| | MDU | TOTAL MDUs |
| | I | TOTAL INSTITUTIONS |

NOTES:
- (C) CLEARANCE ISSUES
- (E) EASEMENT ISSUES
- (P) POLE CHANGE OUT
- (V) VACANT
- (NP) NO POTENTIAL
- (NB) NOT BUILDABLE


| PLANT STATISTICS | | | |
|---|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE | |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE | |
| 2" CONDUIT FOOTAGE | | | |
| 2.5" CONDUIT FOOTAGE | | | |
| 4" CONDUIT FOOTAGE | | | |
| UNDERGROUND FOOTAGE | | | |
| | | | |
| COAX FOOTAGE | | ACBS TOTAL | |
| PLANT MILES | | ACBC TOTAL | |
| FIBER FOOTAGE | | HOUSE COUNT | |

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

| | |
|---|---|
| DESIGN | |
| SUBMITTED | |
| DATE | SCALE: NO SCALE |
| SUPERVISING ENGINEER | MAP NUMBER: SE23 |
| APPROVED | |
| APPROVING ENGINEER | |




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | | OVERHEAD GUY |
| | | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | LARGE FLUSH MOUNT VAULT |
| | | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD:185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | | | |
|---|---|---|---|
| COAXIAL CABLE | | STRAND | |
| CAN-WE-SERVE | | 0.75" CONDUIT | |
| FIBER OPTIC CABLE | | 1.25" CONDUIT | |
| NODE BOUNDARY | | 2.0" CONDUIT | |
| NODE LEG BOUNDARY | | 2.5" CONDUIT | |
| TERMINATED CABLE | | 4.0" CONDUIT | |
| SPARE CABLE | | | |
| COAXIAL SPLICE | | | |
| POWER BLOCK | | | |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | HUB |
| | HEADEND |
| | OPTICAL RECEIVER |
| | FIBER SPLICE |
| 200 | FIBER STORAGE |
| | 2 PORT TAP |
| | 4 PORT TAP |
| | 8 PORT TAP |
| | TELEPHONE TAP |
| HT | HOT TAP |
| * | INDICATES TAP VALUE |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | .715 TO F |
| | CHASSIS TO F |
| | STANDBY POWER SUPPLY |
| | POWER INSERTER |
| | DIST. MINI-BRIDGER |
| | LINE EXTENDER |
| | DIRECTIONAL COUPLER |
| | TWO WAY SPLITTER |
| | THREE WAY SPLITTER |

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| | | TOTAL HOMES |
| | | TOTAL COMMERCIALS |
| | | TOTAL MDUs |
| | | TOTAL INSTITUTIONS |

NOTES:
- C — CLEARANCE ISSUES
- E — EASEMENT ISSUES
- P — POLE CHANGE OUT
- V — VACANT
- NP — NO POTENTIAL
- NB — NOT BUILDABLE


| PLANT STATISTICS | | | |
|---|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE | |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE | |
| 2" CONDUIT FOOTAGE | | | |
| 2.5" CONDUIT FOOTAGE | | | |
| 4" CONDUIT FOOTAGE | | | |
| UNDERGROUND FOOTAGE | | | |
| | | | |
| COAX FOOTAGE | | ACBS TOTAL | |
| PLANT MILES | | ACBC TOTAL | |
| FIBER FOOTAGE | | HOUSE COUNT | |

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

DESIGN
SUBMITTED
DATE
SUPERVISING ENGINEER
APPROVED
APPROVING ENGINEER
NO SCALE
SCALE
MAP NUMBER
SE24




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | | OVERHEAD GUY |
| | | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | LARGE FLUSH MOUNT VAULT |
| | | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD-185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | |
|---|---|
| COAXIAL CABLE | STRAND |
| CAN-WE-SERVE | 0.75" CONDUIT |
| FIBER OPTIC CABLE | 1.25" CONDUIT |
| NODE BOUNDARY | 2.0" CONDUIT |
| NODE LEG BOUNDARY | 2.5" CONDUIT |
| TERMINATED CABLE | 4.0" CONDUIT |
| SPARE CABLE | |
| COAXIAL SPLICE | |
| POWER BLOCK | |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | HUB |
| | HEADEND |
| | OPTICAL RECEIVER |
| | FIBER SPLICE |
| 288 | FIBER STORAGE |
| | 2 PORT TAP |
| | 4 PORT TAP |
| | 8 PORT TAP |
| | TELEPHONE TAP |
| HT | HOT TAP |
| * | INDICATES TAP VALUE |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | .715 TO F |
| | CHASSIS TO F |
| | STANDBY POWER SUPPLY |
| | POWER INSERTER |
| | DIST. MINI-BRIDGER |
| | LINE EXTENDER |
| | DIRECTIONAL COUPLER |
| | TWO WAY SPLITTER |
| | THREE WAY SPLITTER |

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| | | TOTAL HOMES |
| | | TOTAL COMMERCIALS |
| | | TOTAL MDUs |
| | | TOTAL INSTITUTIONS |

NOTES:

- C — CLEARANCE ISSUES
- V — VACANT
- E — EASEMENT ISSUES
- NP — NO POTENTIAL
- P — POLE CHANGE OUT
- NB — NOT BUILDABLE

| PLANT STATISTICS | | | |
|---|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE | |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE | |
| 2" CONDUIT FOOTAGE | | | |
| 2.5" CONDUIT FOOTAGE | | | |
| 4" CONDUIT FOOTAGE | | | |
| UNDERGROUND FOOTAGE | | | |
| COAX FOOTAGE | | ACBS TOTAL | |
| PLANT MILES | | ACBC TOTAL | |
| FIBER FOOTAGE | | HOUSE COUNT | |

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

| | |
|---|---|
| DESIGN | |
| SUBMITTED | |
| DATE | NO SCALE |
| SUPERVISING ENGINEER | SCALE |
| APPROVED | MAP NUMBER |
| APPROVING ENGINEER | SE25 |




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | | OVERHEAD GUY |
| | | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | LARGE FLUSH MOUNT VAULT |
| | | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD:185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | | | |
|---|---|---|---|
| COAXIAL CABLE | | STRAND | |
| CAN-WE-SERVE | | 0.75" CONDUIT | |
| FIBER OPTIC CABLE | | 1.25" CONDUIT | |
| NODE BOUNDARY | | 2.0" CONDUIT | |
| NODE LEG BOUNDARY | | 2.5" CONDUIT | |
| TERMINATED CABLE | | 4.0" CONDUIT | |
| SPARE CABLE | | | |
| COAXIAL SPLICE | | | |
| POWER BLOCK | | | |

| SYMBOL | DESIGN SYMBOLS | SYMBOL | DESIGN SYMBOLS |
|---|---|---|---|
| | HUB | | .715 TO F |
| | HEADEND | | CHASSIS TO F |
| SPEC 1550 | OPTICAL RECEIVER | | STANDBY POWER SUPPLY |
| | FIBER SPLICE | | POWER INSERTER |
| 200 | FIBER STORAGE | | DIST. MINI-BRIDGER |
| | 2 PORT TAP | | LINE EXTENDER |
| | 4 PORT TAP | | DIRECTIONAL COUPLER |
| | 8 PORT TAP | 2 | TWO WAY SPLITTER |
| | TELEPHONE TAP | 3 | THREE WAY SPLITTER |
| HT | HOT TAP | | |
| * | INDICATES TAP VALUE | | |

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| | T | TOTAL HOMES |
| | C | TOTAL COMMERCIALS |
| | D | TOTAL MDUs |
| | I | TOTAL INSTITUTIONS |

NOTES:
- C — CLEARANCE ISSUES
- E — EASEMENT ISSUES
- P — POLE CHANGE OUT
- V — VACANT
- NP — NO POTENTIAL
- NB — NOT BUILDABLE


| PLANT STATISTICS | | | |
|---|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE | |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE | |
| 2" CONDUIT FOOTAGE | | | |
| 2.5" CONDUIT FOOTAGE | | | |
| 4" CONDUIT FOOTAGE | | | |
| UNDERGROUND FOOTAGE | | | |
| | | | |
| COAX FOOTAGE | | ACBS TOTAL | |
| PLANT MILES | | ACBC TOTAL | |
| FIBER FOOTAGE | | HOUSE COUNT | |

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

DESIGN
SUBMITTED
SUPERVISING ENGINEER
APPROVED
APPROVING ENGINEER
DATE
NO SCALE
SCALE
MAP NUMBER
SEC26




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | | OVERHEAD GUY |
| | | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | LARGE FLUSH MOUNT VAULT |
| | | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD:185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | | | |
|---|---|---|---|
| COAXIAL CABLE | | STRAND | |
| CAN-WE-SERVE | | 0.75" CONDUIT | |
| FIBER OPTIC CABLE | | 1.25" CONDUIT | |
| NODE BOUNDARY | | 2.0" CONDUIT | |
| NODE LEG BOUNDARY | | 2.5" CONDUIT | |
| TERMINATED CABLE | | 4.0" CONDUIT | |
| SPARE CABLE | | | |
| COAXIAL SPLICE | | | |
| POWER BLOCK | | | |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | HUB |
| | HEADEND |
| | OPTICAL RECEIVER |
| | FIBER SPLICE |
| 200 | FIBER STORAGE |
| | 2 PORT TAP |
| | 4 PORT TAP |
| | 8 PORT TAP |
| | TELEPHONE TAP |
| HT | HOT TAP |
| * | INDICATES TAP VALUE |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | .715 TO F |
| | CHASSIS TO F |
| | STANDBY POWER SUPPLY |
| | POWER INSERTER |
| | DIST. MINI-BRIDGER |
| | LINE EXTENDER |
| | DIRECTIONAL COUPLER |
| | TWO WAY SPLITTER |
| | THREE WAY SPLITTER |

NOTES:
- (C) CLEARANCE ISSUES
- (E) EASEMENT ISSUES
- (P) POLE CHANGE OUT
- (V) VACANT
- (NP) NO POTENTIAL
- (NB) NOT BUILDABLE

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| | 3 | TOTAL HOMES |
| | | TOTAL COMMERCIALS |
| | 24 | TOTAL MDUs |
| | | TOTAL INSTITUTIONS |


| PLANT STATISTICS | | |
|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE |
| 2" CONDUIT FOOTAGE | | |
| 2.5" CONDUIT FOOTAGE | | |
| 4" CONDUIT FOOTAGE | | |
| UNDERGROUND FOOTAGE | | |
| | | |
| COAX FOOTAGE | | ACBS TOTAL |
| PLANT MILES | | ACBC TOTAL |
| FIBER FOOTAGE | | HOUSE COUNT |

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

| | |
|---|---|
| DESIGN | |
| SUBMITTED | |
| DATE | SCALE: NO SCALE |
| SUPERVISING ENGINEER | MAP NUMBER |
| APPROVED | SEC27 |
| APPROVING ENGINEER | |




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | // | OVERHEAD GUY |
| | > | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | ○ | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | LARGE FLUSH MOUNT VAULT |
| | | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD:185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | | | |
|---|---|---|---|
| COAXIAL CABLE | | STRAND | |
| CAN-WE-SERVE | | 0.75" CONDUIT | |
| FIBER OPTIC CABLE | | 1.25" CONDUIT | |
| NODE BOUNDARY | | 2.0" CONDUIT | |
| NODE LEG BOUNDARY | | 2.5" CONDUIT | |
| TERMINATED CABLE | | 4.0" CONDUIT | |
| SPARE CABLE | | | |
| COAXIAL SPLICE | | | |
| POWER BLOCK | | | |

| SYMBOL | DESIGN SYMBOLS | SYMBOL | DESIGN SYMBOLS |
|---|---|---|---|
| | HUB | | .715 TO F |
| | HEADEND | | CHASSIS TO F |
| | OPTICAL RECEIVER | | STANDBY POWER SUPPLY |
| | FIBER SPLICE | | POWER INSERTER |
| 200 | FIBER STORAGE | | DIST. MINI-BRIDGER |
| | 2 PORT TAP | | LINE EXTENDER |
| | 4 PORT TAP | | DIRECTIONAL COUPLER |
| | 8 PORT TAP | | TWO WAY SPLITTER |
| | TELEPHONE TAP | | THREE WAY SPLITTER |
| HT | HOT TAP | | |
| * | INDICATES TAP VALUE | | |

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| | H | TOTAL HOMES |
| | C | TOTAL COMMERCIALS |
| | B | TOTAL MDUs |
| | I | TOTAL INSTITUTIONS |

NOTES:
- C: CLEARANCE ISSUES
- E: EASEMENT ISSUES
- P: POLE CHANGE OUT
- V: VACANT
- NP: NO POTENTIAL
- NB: NOT BUILDABLE

| PLANT STATISTICS | | | |
|---|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE | |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE | |
| 2" CONDUIT FOOTAGE | | | |
| 2.5" CONDUIT FOOTAGE | | | |
| 4" CONDUIT FOOTAGE | | | |
| UNDERGROUND FOOTAGE | | | |
| | | | |
| COAX FOOTAGE | | ACBS TOTAL | |
| PLANT MILES | | ACBC TOTAL | |
| FIBER FOOTAGE | | HOUSE COUNT | |

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

| | |
|---|---|
| DESIGN | |
| SUBMITTED | |
| DATE | NO SCALE |
| SCALE | |
| SUPERVISING ENGINEER | |
| APPROVED | MAP NUMBER |
| APPROVING ENGINEER | SEC28 |




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | | OVERHEAD GUY |
| | | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | LARGE FLUSH MOUNT VAULT |
| | | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD: 185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | | | |
|---|---|---|---|
| COAXIAL CABLE | | STRAND | |
| CAN-WE-SERVE | | 0.75" CONDUIT | |
| FIBER OPTIC CABLE | | 1.25" CONDUIT | |
| NODE BOUNDARY | | 2.0" CONDUIT | |
| NODE LEG BOUNDARY | | 2.5" CONDUIT | |
| TERMINATED CABLE | | 4.0" CONDUIT | |
| SPARE CABLE | | | |
| COAXIAL SPLICE | | | |
| POWER BLOCK | | | |

| SYMBOL | DESIGN SYMBOLS | SYMBOL | DESIGN SYMBOLS |
|---|---|---|---|
| | HUB | | .715 TO F |
| | HEADEND | | CHASSIS TO F |
| OPR | OPTICAL RECEIVER | | STANDBY POWER SUPPLY |
| | FIBER SPLICE | | POWER INSERTER |
| 200 | FIBER STORAGE | | DIST. MINI-BRIDGER |
| | 2 PORT TAP | | LINE EXTENDER |
| | 4 PORT TAP | | DIRECTIONAL COUPLER |
| | 8 PORT TAP | | TWO WAY SPLITTER |
| | TELEPHONE TAP | | THREE WAY SPLITTER |
| HT | HOT TAP | | |
| * | INDICATES TAP VALUE | | |

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| | | TOTAL HOMES |
| | | TOTAL COMMERCIALS |
| | | TOTAL MDUs |
| | | TOTAL INSTITUTIONS |

NOTES:
- C: CLEARANCE ISSUES
- V: VACANT
- E: EASEMENT ISSUES
- NP: NO POTENTIAL
- P: POLE CHANGE OUT
- NB: NOT BUILDABLE

| PLANT STATISTICS | | | |
|---|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE | |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE | |
| 2" CONDUIT FOOTAGE | | | |
| 2.5" CONDUIT FOOTAGE | | | |
| 4" CONDUIT FOOTAGE | | | |
| UNDERGROUND FOOTAGE | | | |
| COAX FOOTAGE | | ACBS TOTAL | |
| PLANT MILES | | ACBC TOTAL | |
| FIBER FOOTAGE | | HOUSE COUNT | |

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

SUBMITTED
SUPERVISING ENGINEER
APPROVED
APPROVING ENGINEER

DESIGN
DATE
NO SCALE
SCALE
MAP NUMBER
SEC29




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | | OVERHEAD GUY |
| | | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | LARGE FLUSH MOUNT VAULT |
| | | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD:185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | |
|---|---|
| COAXIAL CABLE | STRAND |
| CAN-WE-SERVE | 0.75" CONDUIT |
| FIBER OPTIC CABLE | 1.25" CONDUIT |
| NODE BOUNDARY | 2.0" CONDUIT |
| NODE LEG BOUNDARY | 2.5" CONDUIT |
| TERMINATED CABLE | 4.0" CONDUIT |
| SPARE CABLE | |
| COAXIAL SPLICE | |
| POWER BLOCK | |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | HUB |
| | HEADEND |
| | OPTICAL RECEIVER |
| | FIBER SPLICE |
| 288 | FIBER STORAGE |
| | 2 PORT TAP |
| | 4 PORT TAP |
| | 8 PORT TAP |
| | TELEPHONE TAP |
| HT | HOT TAP |
| * | INDICATES TAP VALUE |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | .715 TO F |
| | CHASSIS TO F |
| 48 | STANDBY POWER SUPPLY |
| | POWER INSERTER |
| | DIST. MINI-BRIDGER |
| | LINE EXTENDER |
| | DIRECTIONAL COUPLER |
| 2 | TWO WAY SPLITTER |
| 3 | THREE WAY SPLITTER |

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| | S | TOTAL HOMES |
| | C | TOTAL COMMERCIALS |
| | MDU | TOTAL MDUs |
| | I | TOTAL INSTITUTIONS |

NOTES:

- (C) CLEARANCE ISSUES
- (E) EASEMENT ISSUES
- (P) POLE CHANGE OUT
- (V) VACANT
- (NP) NO POTENTIAL
- (NB) NOT BUILDABLE


| PLANT STATISTICS | | | |
|---|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE | |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE | |
| 2" CONDUIT FOOTAGE | | | |
| 2.5" CONDUIT FOOTAGE | | | |
| 4" CONDUIT FOOTAGE | | | |
| UNDERGROUND FOOTAGE | | | |
| | | | |
| COAX FOOTAGE | | ACBS TOTAL | |
| PLANT MILES | | ACBC TOTAL | |
| FIBER FOOTAGE | | HOUSE COUNT | |

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

| | |
|---|---|
| DESIGN | |
| SUBMITTED | |
| DATE | NO SCALE |
| SUPERVISING ENGINEER | MAP NUMBER |
| APPROVED | SEC30 |
| APPROVING ENGINEER | |




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | | OVERHEAD GUY |
| | | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | LARGE FLUSH MOUNT VAULT |
| | | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD:185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | | | |
|---|---|---|---|
| COAXIAL CABLE | | STRAND | |
| CAN-WE-SERVE | | 0.75" CONDUIT | |
| FIBER OPTIC CABLE | | 1.25" CONDUIT | |
| NODE BOUNDARY | | 2.0" CONDUIT | |
| NODE LEG BOUNDARY | | 2.5" CONDUIT | |
| TERMINATED CABLE | | 4.0" CONDUIT | |
| SPARE CABLE | | | |
| COAXIAL SPLICE | | | |
| POWER BLOCK | | | |

| SYMBOL | DESIGN SYMBOLS | SYMBOL | DESIGN SYMBOLS |
|---|---|---|---|
| | HUB | | .715 TO F |
| | HEADEND | | CHASSIS TO F |
| | OPTICAL RECEIVER | | STANDBY POWER SUPPLY |
| | FIBER SPLICE | | POWER INSERTER |
| 200 | FIBER STORAGE | | DIST. MINI-BRIDGER |
| | 2 PORT TAP | | LINE EXTENDER |
| | 4 PORT TAP | | DIRECTIONAL COUPLER |
| | 8 PORT TAP | 2 | TWO WAY SPLITTER |
| | TELEPHONE TAP | 3 | THREE WAY SPLITTER |
| HT | HOT TAP | | |
| * | INDICATES TAP VALUE | | |

NOTES:
- (C) CLEARANCE ISSUES
- (E) EASEMENT ISSUES
- (P) POLE CHANGE OUT
- (V) VACANT
- (NP) NO POTENTIAL
- (NB) NOT BUILDABLE

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| | 3 | TOTAL HOMES |
| | A | TOTAL COMMERCIALS |
| | B | TOTAL MDUs |
| | I | TOTAL INSTITUTIONS |


| PLANT STATISTICS | | | |
|---|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE | |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE | |
| 2" CONDUIT FOOTAGE | | | |
| 2.5" CONDUIT FOOTAGE | | | |
| 4" CONDUIT FOOTAGE | | | |
| UNDERGROUND FOOTAGE | | | |
| | | | |
| COAX FOOTAGE | | ACBS TOTAL | |
| PLANT MILES | | ACBC TOTAL | |
| FIBER FOOTAGE | | HOUSE COUNT | |

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

| | |
|---|---|
| DESIGN | |
| SUBMITTED | |
| DATE | SCALE: NO SCALE |
| SUPERVISING ENGINEER | |
| APPROVED | MAP NUMBER: SEC31 |
| APPROVING ENGINEER | |




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | | OVERHEAD GUY |
| | | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | LARGE FLUSH MOUNT VAULT |
| | | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD:185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | | |
|---|---|---|
| COAXIAL CABLE | STRAND | |
| CAN-WE-SERVE | 0.75" CONDUIT | |
| FIBER OPTIC CABLE | 1.25" CONDUIT | |
| NODE BOUNDARY | 2.0" CONDUIT | |
| NODE LEG BOUNDARY | 2.5" CONDUIT | |
| TERMINATED CABLE | 4.0" CONDUIT | |
| SPARE CABLE | | |
| COAXIAL SPLICE | | |
| POWER BLOCK | | |

| SYMBOL | DESIGN SYMBOLS | SYMBOL | DESIGN SYMBOLS |
|---|---|---|---|
| | HUB | | .715 TO F |
| | HEADEND | | CHASSIS TO F |
| | OPTICAL RECEIVER | | STANDBY POWER SUPPLY |
| | FIBER SPLICE | | POWER INSERTER |
| 200 | FIBER STORAGE | | DIST. MINI-BRIDGER |
| | 2 PORT TAP | | LINE EXTENDER |
| | 4 PORT TAP | | DIRECTIONAL COUPLER |
| | 8 PORT TAP | | TWO WAY SPLITTER |
| | TELEPHONE TAP | | THREE WAY SPLITTER |
| HT | HOT TAP | | |
| * | INDICATES TAP VALUE | | |

NOTES:
- (C) CLEARANCE ISSUES
- (E) EASEMENT ISSUES
- (P) POLE CHANGE OUT
- (V) VACANT
- (NP) NO POTENTIAL
- (NB) NOT BUILDABLE

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| | | TOTAL HOMES |
| | | TOTAL COMMERCIALS |
| | | TOTAL MDUs |
| | | TOTAL INSTITUTIONS |

| PLANT STATISTICS | | |
|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE |
| 2" CONDUIT FOOTAGE | | |
| 2.5" CONDUIT FOOTAGE | | |
| 4" CONDUIT FOOTAGE | | |
| UNDERGROUND FOOTAGE | | |
| | | |
| COAX FOOTAGE | | ACBS TOTAL |
| PLANT MILES | | ACBC TOTAL |
| FIBER FOOTAGE | | HOUSE COUNT |

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

| | |
|---|---|
| DESIGN | |
| SUBMITTED | |
| DATE | NO SCALE |
| SCALE | |
| SUPERVISING ENGINEER | |
| APPROVED | |
| MAP NUMBER | SEC32 |
| APPROVING ENGINEER | |


SEC33A
SEC33A
SEC33A
SEC33A
SEC33B
SEC33C
SEC33D
SEC33D
SEC33D
PSE
PSE
128 ST E
129 ST E
130 ST E
131 ST E
132 ST E
133 ST E
134 ST E
135 ST E
136 ST E
137 ST E
138 ST E
139 ST E
140 ST E
141 ST E
142 ST E
143 ST E
144 ST E
126 ST CT E
127 ST CT E
128 ST CT E
132 ST CT E
133 ST CT E
134 ST CT E
135 ST CT E
136 ST CT E
137 ST CT E
138 ST CT E
139 ST CT E
140 ST CT E
141 ST CT E
142 ST CT E
143 ST CT E
144 ST CT E
99 AVE E
100 AVE E
101 AVE E
102 AVE E
103 AVE E
104 AVE E
105 AVE E
106 AVE E
107 AVE E
108 AVE E
109 AVE E
110 AVE E
111 AVE E
112 AVE E
113 AVE E
114 AVE E
115 AVE E
116 AVE E
117 AVE E
118 AVE E
119 AVE E
120 AVE E
121 AVE E
122 AVE E
123 AVE E
124 AVE E
125 AVE E
126 AVE E
127 AVE E
128 AVE E
129 AVE E
130 AVE E
131 AVE E
132 AVE E
133 AVE E
134 AVE E
135 AVE E
136 AVE E
137 AVE E
138 AVE E
139 AVE E
140 AVE E
141 AVE E
142 AVE E
143 AVE E
144 AVE E
ARIZONA AVE E
ARIZONA PL E
ARIZONA WAY E
ARIZONA CT E
ARIZONA DR E
ARIZONA LOOP E
ARIZONA RD E
ARIZONA TER E
ARIZONA CIR E
ARIZONA PKWY E
ARIZONA ST E
ARIZONA BLVD E
ARIZONA PL CT E
ARIZONA WAY CT E
ARIZONA CT CT E
ARIZONA DR CT E
ARIZONA LOOP CT E
ARIZONA RD CT E
ARIZONA TER CT E
ARIZONA CIR CT E
ARIZONA PKWY CT E
ARIZONA ST CT E
ARIZONA BLVD CT E
PRIVATE
PRIVATE
PRIVATE




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | | OVERHEAD GUY |
| | | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | LARGE FLUSH MOUNT VAULT |
| | | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD:185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | | |
|---|---|---|
| COAXIAL CABLE | STRAND | |
| CAN-WE-SERVE | 0.75" CONDUIT | |
| FIBER OPTIC CABLE | 1.25" CONDUIT | |
| NODE BOUNDARY | 2.0" CONDUIT | |
| NODE LEG BOUNDARY | 2.5" CONDUIT | |
| TERMINATED CABLE | 4.0" CONDUIT | |
| SPARE CABLE | | |
| COAXIAL SPLICE | | |
| POWER BLOCK | | |

| SYMBOL | DESIGN SYMBOLS | SYMBOL | DESIGN SYMBOLS |
|---|---|---|---|
| | HUB | | .715 TO F |
| | HEADEND | | CHASSIS TO F |
| | OPTICAL RECEIVER | | STANDBY POWER SUPPLY |
| | FIBER SPLICE | | POWER INSERTER |
| 200 | FIBER STORAGE | | DIST. MINI-BRIDGER |
| | 2 PORT TAP | | LINE EXTENDER |
| | 4 PORT TAP | | DIRECTIONAL COUPLER |
| | 8 PORT TAP | 2 | TWO WAY SPLITTER |
| | TELEPHONE TAP | 3 | THREE WAY SPLITTER |
| HT | HOT TAP | | |
| * | INDICATES TAP VALUE | | |

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| | 3 | TOTAL HOMES |
| | C | TOTAL COMMERCIALS |
| | B | TOTAL MDUs |
| | I | TOTAL INSTITUTIONS |

NOTES:
- C: CLEARANCE ISSUES
- E: EASEMENT ISSUES
- P: POLE CHANGE OUT
- V: VACANT
- NP: NO POTENTIAL
- NB: NOT BUILDABLE


| PLANT STATISTICS | | | |
|---|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE | |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE | |
| 2" CONDUIT FOOTAGE | | | |
| 2.5" CONDUIT FOOTAGE | | | |
| 4" CONDUIT FOOTAGE | | | |
| UNDERGROUND FOOTAGE | | | |
| | | | |
| COAX FOOTAGE | | ACBS TOTAL | |
| PLANT MILES | | ACBC TOTAL | |
| FIBER FOOTAGE | | HOUSE COUNT | |

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

DESIGN
SUBMITTED
DATE
NO SCALE
SCALE
SUPERVISING ENGINEER
APPROVED
MAP NUMBER
SEC34
APPROVING ENGINEER




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | // | OVERHEAD GUY |
| | > | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | ◦ | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | LARGE FLUSH MOUNT VAULT |
| | | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD:185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | | | |
|---|---|---|---|
| COAXIAL CABLE | | STRAND | |
| CAN-WE-SERVE | | 0.75" CONDUIT | |
| FIBER OPTIC CABLE | | 1.25" CONDUIT | |
| NODE BOUNDARY | | 2.0" CONDUIT | |
| NODE LEG BOUNDARY | | 2.5" CONDUIT | |
| SPARE CABLE | | 4.0" CONDUIT | |
| COAXIAL SPLICE | | | |
| POWER BLOCK | | | |

| SYMBOL | DESIGN SYMBOLS | SYMBOL | DESIGN SYMBOLS |
|---|---|---|---|
| | HUB | | .715 TO F |
| | HEADEND | | CHASSIS TO F |
| | OPTICAL RECEIVER | | STANDBY POWER SUPPLY |
| | FIBER SPLICE | | POWER INSERTER |
| 200 | FIBER STORAGE | | DIST. MINI-BRIDGER |
| | 2 PORT TAP | | LINE EXTENDER |
| | 4 PORT TAP | | DIRECTIONAL COUPLER |
| | 8 PORT TAP | | TWO WAY SPLITTER |
| | TELEPHONE TAP | | THREE WAY SPLITTER |
| HT | HOT TAP | | |
| * | INDICATES TAP VALUE | | |

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| | 3 | TOTAL HOMES |
| | C | TOTAL COMMERCIALS |
| | D | TOTAL MDUs |
| | I | TOTAL INSTITUTIONS |

NOTES:
- C: CLEARANCE ISSUES
- E: EASEMENT ISSUES
- P: POLE CHANGE OUT
- V: VACANT
- NP: NO POTENTIAL
- NB: NOT BUILDABLE

| PLANT STATISTICS | | | |
|---|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE | |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE | |
| 2" CONDUIT FOOTAGE | | | |
| 2.5" CONDUIT FOOTAGE | | | |
| 4" CONDUIT FOOTAGE | | | |
| UNDERGROUND FOOTAGE | | | |
| | | | |
| COAX FOOTAGE | | ACBS TOTAL | |
| PLANT MILES | | ACBC TOTAL | |
| FIBER FOOTAGE | | HOUSE COUNT | |

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

| | |
|---|---|
| DESIGN | |
| SUBMITTED | |
| DATE | SCALE: NO SCALE |
| SUPERVISING ENGINEER | MAP NUMBER |
| APPROVED | SEC35 |
| APPROVING ENGINEER | |




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | | OVERHEAD GUY |
| | | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | LARGE FLUSH MOUNT VAULT |
| | | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD:185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | | | |
|---|---|---|---|
| COAXIAL CABLE | | STRAND | |
| CAN-WE-SERVE | | 0.75" CONDUIT | |
| FIBER OPTIC CABLE | | 1.25" CONDUIT | |
| NODE BOUNDARY | | 2.0" CONDUIT | |
| NODE LEG BOUNDARY | | 2.5" CONDUIT | |
| TERMINATED CABLE | | 4.0" CONDUIT | |
| SPARE CABLE | | | |
| COAXIAL SPLICE | | | |
| POWER BLOCK | | | |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | HUB |
| | HEADEND |
| | OPTICAL RECEIVER |
| | FIBER SPLICE |
| | FIBER STORAGE |
| | 2 PORT TAP |
| | 4 PORT TAP |
| | 8 PORT TAP |
| | TELEPHONE TAP |
| HT | HOT TAP |
| * | INDICATES TAP VALUE |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | .75 TO F |
| | CHASSIS TO F |
| | STANDBY POWER SUPPLY |
| | POWER INSERTER |
| | DIST. MINI-BRIDGER |
| | LINE EXTENDER |
| | DIRECTIONAL COUPLER |
| | TWO WAY SPLITTER |
| | THREE WAY SPLITTER |

NOTES:
- (C) CLEARANCE ISSUES
- (E) EASEMENT ISSUES
- (P) POLE CHANGE OUT
- (V) VACANT
- (NP) NO POTENTIAL
- (NB) NOT BUILDABLE

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| | | TOTAL HOMES |
| | | TOTAL COMMERCIALS |
| | | TOTAL MDUs |
| | | TOTAL INSTITUTIONS |


| PLANT STATISTICS | | |
|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE |
| 2" CONDUIT FOOTAGE | | |
| 2.5" CONDUIT FOOTAGE | | |
| 4" CONDUIT FOOTAGE | | |
| UNDERGROUND FOOTAGE | | |
| | | |
| COAX FOOTAGE | | ACBS TOTAL |
| PLANT MILES | | ACBC TOTAL |
| FIBER FOOTAGE | | HOUSE COUNT |

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

DESIGN
SUBMITTED
DATE
NO SCALE
SCALE
SUPERVISING ENGINEER
APPROVED
MAP NUMBER
SEC36
APPROVING ENGINEER




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | | OVERHEAD GUY |
| | | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | LARGE FLUSH MOUNT VAULT |
| | | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD:185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | | | |
|---|---|---|---|
| COAXIAL CABLE | | STRAND | |
| CAN-WE-SERVE | | 0.75" CONDUIT | |
| FIBER OPTIC CABLE | | 1.25" CONDUIT | |
| NODE BOUNDARY | | 2.0" CONDUIT | |
| NODE LEG BOUNDARY | | 2.5" CONDUIT | |
| TERMINATED CABLE | | 4.0" CONDUIT | |
| SPARE CABLE | | | |
| COAXIAL SPLICE | | | |
| POWER BLOCK | | | |

| SYMBOL | DESIGN SYMBOLS | SYMBOL | DESIGN SYMBOLS |
|---|---|---|---|
| | HUB | | .715 TO F |
| | HEADEND | | CHASSIS TO F |
| OPT RCVR | OPTICAL RECEIVER | | STANDBY POWER SUPPLY |
| | FIBER SPLICE | | POWER INSERTER |
| 200 | FIBER STORAGE | | DIST. MINI-BRIDGER |
| | 2 PORT TAP | | LINE EXTENDER |
| | 4 PORT TAP | | DIRECTIONAL COUPLER |
| | 8 PORT TAP | | TWO WAY SPLITTER |
| | TELEPHONE TAP | | THREE WAY SPLITTER |
| HT | HOT TAP | | |
| * | INDICATES TAP VALUE | | |

NOTES:
- C — CLEARANCE ISSUES
- E — EASEMENT ISSUES
- P — POLE CHANGE OUT
- V — VACANT
- NP — NO POTENTIAL
- NB — NOT BUILDABLE

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| | | TOTAL HOMES |
| | | TOTAL COMMERCIALS |
| | | TOTAL MDUs |
| | | TOTAL INSTITUTIONS |


| PLANT STATISTICS | | | |
|---|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE | |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE | |
| 2" CONDUIT FOOTAGE | | | |
| 2.5" CONDUIT FOOTAGE | | | |
| 4" CONDUIT FOOTAGE | | | |
| UNDERGROUND FOOTAGE | | | |
| | | | |
| COAX FOOTAGE | | ACBS TOTAL | |
| PLANT MILES | | ACBC TOTAL | |
| FIBER FOOTAGE | | HOUSE COUNT | |

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

| | |
|---|---|
| DESIGN | |
| SUBMITTED | |
| DATE | NO SCALE |
| SCALE | |
| SUPERVISING ENGINEER | |
| APPROVED | MAP NUMBER |
| APPROVING ENGINEER | SEC37 |




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | | OVERHEAD GUY |
| | | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | LARGE FLUSH MOUNT VAULT |
| | | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD:185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | | | |
|---|---|---|---|
| COAXIAL CABLE | | STRAND | |
| CAN-WE-SERVE | | 0.75" CONDUIT | |
| FIBER OPTIC CABLE | | 1.25" CONDUIT | |
| NODE BOUNDARY | | 2.0" CONDUIT | |
| NODE LEG BOUNDARY | | 2.5" CONDUIT | |
| TERMINATED CABLE | | 4.0" CONDUIT | |
| SPARE CABLE | | | |
| COAXIAL SPLICE | | | |
| POWER BLOCK | | | |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | HUB |
| | HEADEND |
| | OPTICAL RECEIVER |
| | FIBER SPLICE |
| 200 | FIBER STORAGE |
| | 2 PORT TAP |
| | 4 PORT TAP |
| | 8 PORT TAP |
| | TELEPHONE TAP |
| HT | HOT TAP |
| * | INDICATES TAP VALUE |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | .715 TO F |
| | CHASSIS TO F |
| | STANDBY POWER SUPPLY |
| | POWER INSERTER |
| | DIST. MINI-BRIDGER |
| | LINE EXTENDER |
| | DIRECTIONAL COUPLER |
| | TWO WAY SPLITTER |
| | THREE WAY SPLITTER |

NOTES:

- (C) CLEARANCE ISSUES
- (E) EASEMENT ISSUES
- (P) POLE CHANGE OUT
- (V) VACANT
- (NP) NO POTENTIAL
- (NB) NOT BUILDABLE

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| | 3 | TOTAL HOMES |
| | C | TOTAL COMMERCIALS |
| | 2 | TOTAL MDUs |
| | I | TOTAL INSTITUTIONS |

| PLANT STATISTICS | | | |
|---|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE | |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE | |
| 2" CONDUIT FOOTAGE | | | |
| 2.5" CONDUIT FOOTAGE | | | |
| 4" CONDUIT FOOTAGE | | | |
| UNDERGROUND FOOTAGE | | | |
| | | | |
| COAX FOOTAGE | | ACBS TOTAL | |
| PLANT MILES | | ACBC TOTAL | |
| FIBER FOOTAGE | | HOUSE COUNT | |

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

| | |
|---|---|
| DESIGN | |
| SUBMITTED | |
| DATE | NO SCALE |
| SCALE | |
| SUPERVISING ENGINEER | MAP NUMBER |
| APPROVED | SEC38 |
| APPROVING ENGINEER | |




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NODE PEDESTAL |
| | | NEED SIDEWALK GUY |
| | | OVERHEAD GUY |
| | | SMALL FLUSH MOUNT VAULT |
| | | POLE-TO-POLE GUY |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | ROCK GUY |
| | | LARGE FLUSH MOUNT VAULT |
| | | BUILDING GUY |
| | | LARGE CONCRETE VAULT |
| | | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | LARGE FLUSH MOUNT VAULT |
| | | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD:185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | | | |
|---|---|---|---|
| COAXIAL CABLE | | STRAND | |
| CAN-WE-SERVE | | 0.75" CONDUIT | |
| FIBER OPTIC CABLE | | 1.25" CONDUIT | |
| NODE BOUNDARY | | 2.0" CONDUIT | |
| NODE LEG BOUNDARY | | 2.5" CONDUIT | |
| TERMINATED CABLE | | 4.0" CONDUIT | |
| SPARE CABLE | | | |
| COAXIAL SPLICE | | | |
| POWER BLOCK | | | |

| SYMBOL | DESIGN SYMBOLS | SYMBOL | DESIGN SYMBOLS |
|---|---|---|---|
| | HUB | | .715 TO F |
| | HEADEND | | CHASSIS TO F |
| | OPTICAL RECEIVER | | STANDBY POWER SUPPLY |
| | FIBER SPLICE | | POWER INSERTER |
| 200 | FIBER STORAGE | | DIST. MINI-BRIDGER |
| | 2 PORT TAP | | LINE EXTENDER |
| | 4 PORT TAP | | DIRECTIONAL COUPLER |
| | 8 PORT TAP | | TWO WAY SPLITTER |
| | TELEPHONE TAP | | THREE WAY SPLITTER |
| HT | HOT TAP | | |
| * | INDICATES TAP VALUE | | |

NOTES:
- (C) CLEARANCE ISSUES
- (E) EASEMENT ISSUES
- (P) POLE CHANGE OUT
- (V) VACANT
- (NP) NO POTENTIAL
- (NB) NOT BUILDABLE

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| | | TOTAL HOMES |
| | | TOTAL COMMERCIALS |
| | | TOTAL MDUs |
| | | TOTAL INSTITUTIONS |


| PLANT STATISTICS | | | |
|---|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE | |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE | |
| 2" CONDUIT FOOTAGE | | | |
| 2.5" CONDUIT FOOTAGE | | | |
| 4" CONDUIT FOOTAGE | | | |
| UNDERGROUND FOOTAGE | | | |
| | | | |
| COAX FOOTAGE | | ACBS TOTAL | |
| PLANT MILES | | ACBC TOTAL | |
| FIBER FOOTAGE | | HOUSE COUNT | |

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

| | |
|---|---|
| SUBMITTED | DESIGN |
| SUPERVISING ENGINEER | DATE: NO SCALE |
| APPROVED | SCALE |
| APPROVING ENGINEER | MAP NUMBER: SEC39 |




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | | OVERHEAD GUY |
| | | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | LARGE FLUSH MOUNT VAULT |
| | | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD:185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | | |
|---|---|---|
| COAXIAL CABLE | STRAND | |
| CAN-WE-SERVE | 0.75" CONDUIT | |
| FIBER OPTIC CABLE | 1.25" CONDUIT | |
| NODE BOUNDARY | 2.0" CONDUIT | |
| NODE LEG BOUNDARY | 2.5" CONDUIT | |
| TERMINATED CABLE | 4.0" CONDUIT | |
| SPARE CABLE | | |
| COAXIAL SPLICE | | |
| POWER BLOCK | | |

| SYMBOL | DESIGN SYMBOLS | SYMBOL | DESIGN SYMBOLS |
|---|---|---|---|
| | HUB | | .715 TO F |
| | HEADEND | | CHASSIS TO F |
| | OPTICAL RECEIVER | | STANDBY POWER SUPPLY |
| | FIBER SPLICE | | POWER INSERTER |
| 200 | FIBER STORAGE | | DIST. MINI-BRIDGER |
| | 2 PORT TAP | | LINE EXTENDER |
| | 4 PORT TAP | | DIRECTIONAL COUPLER |
| | 8 PORT TAP | | TWO WAY SPLITTER |
| | TELEPHONE TAP | | THREE WAY SPLITTER |
| HT | HOT TAP | | |
| * | INDICATES TAP VALUE | | |

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| | | TOTAL HOMES |
| | | TOTAL COMMERCIALS |
| | | TOTAL MDUs |
| | | TOTAL INSTITUTIONS |

NOTES:
- C: CLEARANCE ISSUES
- E: EASEMENT ISSUES
- P: POLE CHANGE OUT
- V: VACANT
- NP: NO POTENTIAL
- NB: NOT BUILDABLE

| PLANT STATISTICS | | | |
|---|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE | |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE | |
| 2" CONDUIT FOOTAGE | | | |
| 2.5" CONDUIT FOOTAGE | | | |
| 4" CONDUIT FOOTAGE | | | |
| UNDERGROUND FOOTAGE | | | |
| | | | |
| COAX FOOTAGE | | ACBS TOTAL | |
| PLANT MILES | | ACBC TOTAL | |
| FIBER FOOTAGE | | HOUSE COUNT | |

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

DESIGN
SUBMITTED
DATE
SCALE: NO SCALE
SUPERVISING ENGINEER
APPROVED
APPROVING ENGINEER
MAP NUMBER: SEC40




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | // | OVERHEAD GUY |
| | > | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | ○ | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | LARGE FLUSH MOUNT VAULT |
| | | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | R | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD:185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | | | |
|---|---|---|---|
| COAXIAL CABLE | | STRAND | |
| CAN-WE-SERVE | | 0.75" CONDUIT | |
| FIBER OPTIC CABLE | | 1.25" CONDUIT | |
| NODE BOUNDARY | | 2.0" CONDUIT | |
| NODE LEG BOUNDARY | | 2.5" CONDUIT | |
| TERMINATED CABLE | | 4.0" CONDUIT | |
| SPARE CABLE | | | |
| COAXIAL SPLICE | | | |
| POWER BLOCK | | | |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | HUB |
| | HEADEND |
| | OPTICAL RECEIVER |
| | FIBER SPLICE |
| 200 | FIBER STORAGE |
| | 2 PORT TAP |
| | 4 PORT TAP |
| | 8 PORT TAP |
| | TELEPHONE TAP |
| HT | HOT TAP |
| * | INDICATES TAP VALUE |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | .715 TO F |
| | CHASSIS TO F |
| | STANDBY POWER SUPPLY |
| | POWER INSERTER |
| | DIST. MINI-BRIDGER |
| | LINE EXTENDER |
| | DIRECTIONAL COUPLER |
| | TWO WAY SPLITTER |
| | THREE WAY SPLITTER |

NOTES:

- (C) CLEARANCE ISSUES
- (E) EASEMENT ISSUES
- (P) POLE CHANGE OUT
- (V) VACANT
- (NP) NO POTENTIAL
- (NB) NOT BUILDABLE

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| | | TOTAL HOMES |
| | | TOTAL COMMERCIALS |
| | | TOTAL MDUs |
| | | TOTAL INSTITUTIONS |


| PLANT STATISTICS | | |
|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE |
| 2" CONDUIT FOOTAGE | | |
| 2.5" CONDUIT FOOTAGE | | |
| 4" CONDUIT FOOTAGE | | |
| UNDERGROUND FOOTAGE | | |
| COAX FOOTAGE | | ACBS TOTAL |
| PLANT MILES | | ACBC TOTAL |
| FIBER FOOTAGE | | HOUSE COUNT |

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

| | |
|---|---|
| DESIGN | |
| SUBMITTED | |
| DATE | NO SCALE |
| SCALE | |
| SUPERVISING ENGINEER | MAP NUMBER |
| APPROVED | SEC41 |
| APPROVING ENGINEER | |




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | | OVERHEAD GUY |
| | | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | LARGE FLUSH MOUNT VAULT |
| | | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD:185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | | | |
|---|---|---|---|
| COAXIAL CABLE | | STRAND | |
| CAN-WE-SERVE | | 0.75" CONDUIT | |
| FIBER OPTIC CABLE | | 1.25" CONDUIT | |
| NODE BOUNDARY | | 2.0" CONDUIT | |
| NODE LEG BOUNDARY | | 2.5" CONDUIT | |
| TERMINATED CABLE | | 4.0" CONDUIT | |
| SPARE CABLE | | | |
| COAXIAL SPLICE | | | |
| POWER BLOCK | | | |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | HUB |
| | HEADEND |
| OPTICAL RECEIVER | |
| | FIBER SPLICE |
| 200' | FIBER STORAGE |
| | 2 PORT TAP |
| | 4 PORT TAP |
| | 8 PORT TAP |
| | TELEPHONE TAP |
| HOT | HOT TAP |
| * | INDICATES TAP VALUE |

| SYMBOL | DESIGN SYMBOLS |
|---|---|
| | .715 TO F |
| | CHASSIS TO F |
| | STANDBY POWER SUPPLY |
| | POWER INSERTER |
| | DIST. MINI-BRIDGER |
| | LINE EXTENDER |
| | DIRECTIONAL COUPLER |
| | TWO WAY SPLITTER |
| | THREE WAY SPLITTER |

NOTES:

- (C) CLEARANCE ISSUES
- (E) EASEMENT ISSUES
- (P) POLE CHANGE OUT
- (V) VACANT
- (NP) NO POTENTIAL
- (NB) NOT BUILDABLE

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| | 3 | TOTAL HOMES |
| | 4 | TOTAL COMMERCIALS |
| | 24 | TOTAL MDUs |
| | 4 | TOTAL INSTITUTIONS |


| PLANT STATISTICS | | | |
|---|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE | |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE | |
| 2" CONDUIT FOOTAGE | | | |
| 2.5" CONDUIT FOOTAGE | | | |
| 4" CONDUIT FOOTAGE | | | |
| UNDERGROUND FOOTAGE | | | |
| | | | |
| COAX FOOTAGE | | ACBS TOTAL | |
| PLANT MILES | | ACBC TOTAL | |
| FIBER FOOTAGE | | HOUSE COUNT | |

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

| | |
|---|---|
| SUBMITTED | DESIGN |
| SUPERVISING ENGINEER | DATE / SCALE: NO SCALE |
| APPROVED | MAP NUMBER: SEC42 |
| APPROVING ENGINEER | |




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | // | OVERHEAD GUY |
| | > | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | ◦ | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | LARGE FLUSH MOUNT VAULT |
| | | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD:185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | |
|---|---|
| COAXIAL CABLE | STRAND |
| CAN-WE-SERVE | 0.75" CONDUIT |
| FIBER OPTIC CABLE | 1.25" CONDUIT |
| NODE BOUNDARY | 2.0" CONDUIT |
| NODE LEG BOUNDARY | 2.5" CONDUIT |
| TERMINATED CABLE | 4.0" CONDUIT |
| SPARE CABLE | |
| COAXIAL SPLICE | |
| POWER BLOCK | |

| SYMBOL | DESIGN SYMBOLS | SYMBOL | DESIGN SYMBOLS |
|---|---|---|---|
| | HUB | | .715 TO F |
| | HEADEND | | CHASSIS TO F |
| | OPTICAL RECEIVER | | STANDBY POWER SUPPLY |
| | FIBER SPLICE | | POWER INSERTER |
| 200 | FIBER STORAGE | | DIST. MINI-BRIDGER |
| | 2 PORT TAP | | LINE EXTENDER |
| | 4 PORT TAP | | DIRECTIONAL COUPLER |
| | 8 PORT TAP | | TWO WAY SPLITTER |
| | TELEPHONE TAP | | THREE WAY SPLITTER |
| | HOT TAP | | |
| * | INDICATES TAP VALUE | | |

NOTES:
- (C) CLEARANCE ISSUES
- (E) EASEMENT ISSUES
- (P) POLE CHANGE OUT
- (V) VACANT
- (NP) NO POTENTIAL
- (NB) NOT BUILDABLE

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| 3 | | TOTAL HOMES |
| | | TOTAL COMMERCIALS |
| 2 | | TOTAL MDUs |
| 4 | | TOTAL INSTITUTIONS |

| PLANT STATISTICS | | | |
|---|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE | |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE | |
| 2" CONDUIT FOOTAGE | | | |
| 2.5" CONDUIT FOOTAGE | | | |
| 4" CONDUIT FOOTAGE | | | |
| UNDERGROUND FOOTAGE | | | |
| | | | |
| COAX FOOTAGE | | ACBS TOTAL | |
| PLANT MILES | | ACBC TOTAL | |
| FIBER FOOTAGE | | HOUSE COUNT | |

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

| | |
|---|---|
| DESIGN | |
| SUBMITTED | |
| DATE | NO SCALE |
| SCALE | |
| SUPERVISING ENGINEER | |
| APPROVED | |
| MAP NUMBER | SEC43 |
| APPROVING ENGINEER | |




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | | OVERHEAD GUY |
| | | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | LARGE FLUSH MOUNT VAULT |
| | | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD:185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | | |
|---|---|---|
| COAXIAL CABLE | | STRAND |
| CAN-WE-SERVE | | 0.75" CONDUIT |
| FIBER OPTIC CABLE | | 1.25" CONDUIT |
| NODE BOUNDARY | | 2.0" CONDUIT |
| NODE LEG BOUNDARY | | 2.5" CONDUIT |
| TERMINATED CABLE | | 4.0" CONDUIT |
| SPARE CABLE | | |
| COAXIAL SPLICE | | |
| POWER BLOCK | | |

| SYMBOL | DESIGN SYMBOLS | SYMBOL | DESIGN SYMBOLS |
|---|---|---|---|
| | HUB | | .715 TO F |
| | HEADEND | | CHASSIS TO F |
| | OPTICAL RECEIVER | | STANDBY POWER SUPPLY |
| | FIBER SPLICE | | POWER INSERTER |
| | FIBER STORAGE | | DIST. MINI-BRIDGER |
| | 2 PORT TAP | | LINE EXTENDER |
| | 4 PORT TAP | | DIRECTIONAL COUPLER |
| | 8 PORT TAP | | TWO WAY SPLITTER |
| | TELEPHONE TAP | | THREE WAY SPLITTER |
| | HOT TAP | | |
| * | INDICATES TAP VALUE | | |

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| | | TOTAL HOMES |
| | | TOTAL COMMERCIALS |
| | | TOTAL MDUs |
| | | TOTAL INSTITUTIONS |

NOTES:

- (C) CLEARANCE ISSUES
- (E) EASEMENT ISSUES
- (P) POLE CHANGE OUT
- (V) VACANT
- (NP) NO POTENTIAL
- (NB) NOT BUILDABLE

| PLANT STATISTICS | | | |
|---|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE | |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE | |
| 2" CONDUIT FOOTAGE | | | |
| 2.5" CONDUIT FOOTAGE | | | |
| 4" CONDUIT FOOTAGE | | | |
| UNDERGROUND FOOTAGE | | | |
| | | | |
| COAX FOOTAGE | | ACBS TOTAL | |
| PLANT MILES | | ACBC TOTAL | |
| FIBER FOOTAGE | | HOUSE COUNT | |

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

| | |
|---|---|
| SUBMITTED | DESIGN |
| SUPERVISING ENGINEER | DATE |
| APPROVED | SCALE: NO SCALE |
| APPROVING ENGINEER | MAP NUMBER: SEC44 |




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | | OVERHEAD GUY |
| | | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | LARGE FLUSH MOUNT VAULT |
| | | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD:185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | | |
|---|---|---|
| COAXIAL CABLE | STRAND | |
| CAN-WE-SERVE | 0.75" CONDUIT | |
| FIBER OPTIC CABLE | 1.25" CONDUIT | |
| NODE BOUNDARY | 2.0" CONDUIT | |
| NODE LEG BOUNDARY | 2.5" CONDUIT | |
| TERMINATED CABLE | 4.0" CONDUIT | |
| SPARE CABLE | | |
| COAXIAL SPLICE | | |
| POWER BLOCK | | |

| SYMBOL | DESIGN SYMBOLS | SYMBOL | DESIGN SYMBOLS |
|---|---|---|---|
| | HUB | | .715 TO F |
| | HEADEND | | CHASSIS TO F |
| | OPTICAL RECEIVER | | STANDBY POWER SUPPLY |
| | FIBER SPLICE | | POWER INSERTER |
| | FIBER STORAGE | | DIST. MINI-BRIDGER |
| | 2 PORT TAP | | LINE EXTENDER |
| | 4 PORT TAP | | DIRECTIONAL COUPLER |
| | 8 PORT TAP | | TWO WAY SPLITTER |
| | TELEPHONE TAP | | THREE WAY SPLITTER |
| | HOT TAP | | |
| * | INDICATES TAP VALUE | | |

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| | | TOTAL HOMES |
| | | TOTAL COMMERCIALS |
| | | TOTAL MDUs |
| | | TOTAL INSTITUTIONS |

NOTES:
- (C) CLEARANCE ISSUES
- (E) EASEMENT ISSUES
- (P) POLE CHANGE OUT
- (V) VACANT
- (NP) NO POTENTIAL
- (NB) NOT BUILDABLE


| PLANT STATISTICS | | |
|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE |
| 2" CONDUIT FOOTAGE | | |
| 2.5" CONDUIT FOOTAGE | | |
| 4" CONDUIT FOOTAGE | | |
| UNDERGROUND FOOTAGE | | |
| COAX FOOTAGE | | ACBS TOTAL |
| PLANT MILES | | ACBC TOTAL |
| FIBER FOOTAGE | | HOUSE COUNT |

N

CONFIDENTIAL
DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

DESIGN
SUBMITTED
DATE
NO SCALE
SCALE
SUPERVISING ENGINEER
APPROVED
APPROVING ENGINEER
MAP NUMBER
SEC45




| COUNT | SYMBOL | ANCHORING SYMBOLS |
|---|---|---|
| | | GUY |
| | | SIDEWALK GUY |
| | | NEED GUY |
| | | NEED SIDEWALK GUY |
| | | OVERHEAD GUY |
| | | POLE-TO-POLE GUY |
| | | ROCK GUY |
| | | BUILDING GUY |
| | | PUSH POLE |

| COUNT | SYMBOL | UNDERGROUND SYMBOLS |
|---|---|---|
| | | SMALL PEDESTAL |
| | | MEDIUM PEDESTAL |
| | | LARGE PEDESTAL |
| | | NODE PEDESTAL |
| | | SMALL FLUSH MOUNT VAULT |
| | | MEDIUM FLUSH MOUNT VAULT |
| | | LARGE FLUSH MOUNT VAULT |
| | | LARGE CONCRETE VAULT |
| | | MDU LOCK BOX |

| COUNT | SYMBOL | POLE SYMBOLS |
|---|---|---|
| | | POWER POLE |
| | | POWER POLE w/ TRANSFORMER |
| | | JOINT POLE |
| | | JOINT POLE w/ TRANSFORMER |
| | | TELCO POLE |
| | | OTHER POLE |
| | | CATV POLE |
| | | RISER |
| | | TOTAL POLES |

| SYMBOL | MAP SYMBOLS |
|---|---|
| LD:185' | AERIAL LONG DROP & LENGTH |
| LD | UNDERGROUND LONG DROP |
| | AERIAL HOUSE DROP |
| | UNDERGROUND DROP FROM POLE |

| CABLE SYMBOLS | | | |
|---|---|---|---|
| COAXIAL CABLE | | STRAND | |
| CAN-WE-SERVE | | 0.75" CONDUIT | |
| FIBER OPTIC CABLE | | 1.25" CONDUIT | |
| NODE BOUNDARY | | 2.0" CONDUIT | |
| NODE LEG BOUNDARY | | 2.5" CONDUIT | |
| TERMINATED CABLE | | 4.0" CONDUIT | |
| SPARE CABLE | | | |
| COAXIAL SPLICE | | | |
| POWER BLOCK | | | |

| SYMBOL | DESIGN SYMBOLS | SYMBOL | DESIGN SYMBOLS |
|---|---|---|---|
| | HUB | | .715 TO F |
| | HEADEND | | CHASSIS TO F |
| | OPTICAL RECEIVER | | STANDBY POWER SUPPLY |
| | FIBER SPLICE | | POWER INSERTER |
| 200 | FIBER STORAGE | | DIST. MINI-BRIDGER |
| | 2 PORT TAP | | LINE EXTENDER |
| | 4 PORT TAP | | DIRECTIONAL COUPLER |
| | 8 PORT TAP | | TWO WAY SPLITTER |
| | TELEPHONE TAP | | THREE WAY SPLITTER |
| HT | HOT TAP | | |
| * | INDICATES TAP VALUE | | |

NOTES:

- (C) CLEARANCE ISSUES
- (E) EASEMENT ISSUES
- (P) POLE CHANGE OUT
- (V) VACANT
- (NP) NO POTENTIAL
- (NB) NOT BUILDABLE

| COUNT | SYMBOL | UNITS PASSED |
|---|---|---|
| | 3 | TOTAL HOMES |
| | | TOTAL COMMERCIALS |
| | | TOTAL MDUs |
| | | TOTAL INSTITUTIONS |

| PLANT STATISTICS | | | |
|---|---|---|---|
| 0.75" CONDUIT FOOTAGE | | AERIAL FOOTAGE | |
| 1.25" CONDUIT FOOTAGE | | CAN-WE-SERVE FOOTAGE | |
| 2" CONDUIT FOOTAGE | | | |
| 2.5" CONDUIT FOOTAGE | | | |
| 4" CONDUIT FOOTAGE | | | |
| UNDERGROUND FOOTAGE | | | |
| | | | |
| COAX FOOTAGE | | ACBS TOTAL | |
| PLANT MILES | | ACBC TOTAL | |
| FIBER FOOTAGE | | HOUSE COUNT | |

N

CONFIDENTIAL

DISCLOSE AND DISTRIBUTE SOLELY TO EMPLOYEES OF CLICK! NETWORK AND ITS AFFILIATES HAVING A NEED TO KNOW

TACOMA POWER
TACOMA PUBLIC UTILITIES

| | |
|---|---|
| DESIGN | |
| SUBMITTED | |
| DATE | NO SCALE |
| SUPERVISING ENGINEER | SCALE |
| APPROVED | MAP NUMBER |
| APPROVING ENGINEER | SEC46 |