



RESOLUTION NO. U-11593

1 A RESOLUTION relating to the Department of Public Utilities, Light Division;
2 approving an update to the Light Division's Customer Service Policies to
3 include clarifications, correction of administrative errors, fixed fee
4 adjustments, and other general updates.

5 WHEREAS, the Department of Public Utilities, Light Division ("Tacoma
6 Power") recommends approval of proposed updates to its Customer Service
7 Policies, and

8 WHEREAS the last full review and update to the Tacoma Power
9 Customer Service Policies occurred in December 2024, receiving Board
10 approval through resolution U-11501, and

11 WHEREAS a complete review of the Tacoma Power Customer Service
12 Policies was completed in 2026, and staff is proposing various updates,
13 clarifications, and corrections, and

14 WHEREAS substantive changes include the following:

- 15 • Updated application process and contact information (Section 2.0
16 Electrical Service)
- 17 • Clarification of costs to Customer (Section 2.5 General Conditions
18 for Services, A.3)
- 19 • Updated load reporting thresholds (Section 2.5 General Conditions
20 for Services, D)
- 21 • Clarification of transformer ownership and management (Section
22 2.5 General Conditions for Services, E)
- 23 • Clarification of overhead service connections (Section 5.0 Single-
24 Family Dwelling Units, Mobile Homes, and Duplexes)
- 25 • Removed language due to redundancy with Section 2.5 A.3
26 (Section 7.0 Residential Developments Primary Voltage System)
- Clarified Tacoma Power right under Washington State Law
concerning Local Improvement Districts (Section 9.0 Overhead-to-
Underground Conversion by L.I.D., H)
- Clarification of meter locations on structures (Section 13.0 Meters,
A)



1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26

- Updated new or modified service fixed fees (Section 17.0 New or Modified Service Fees); Now, therefore,

BE IT RESOLVED BY THE PUBLIC UTILITY BOARD OF THE CITY OF TACOMA:

That the proposed updates to the Department of Public Utilities, Light Division's Customer Service Policies as on file with the Clerk of the Board are hereby approved.

Approved as to form:

_____ Chair

/s/
Chief Deputy City Attorney

_____ Secretary

Clerk

Adopted _____



Board Action Memorandum

TO: Jackie Flowers, Director of Utilities
COPY: Charleen Jacobs, Director and Board Offices
FROM: Tosha Siebert, Transmission & Distribution Section Manager
MEETING DATE: March 11, 2026
DATE: February 19, 2026

GUIDING PRINCIPLE ALIGNMENT (select as many that apply):

Please indicate which of the Public Utility Board's Guiding Principle(s) is supported by this action.

- Customer and Community
- Resource Sustainability and Stewardship
- Employees and Culture

SUMMARY: This is a request to consider a resolution to update the Tacoma Power Customer Service Policies. The summary of changes to the policies includes clarifications, correction of administrative errors, fixed fee adjustments, additions, and other general updates.

BACKGROUND: The last full review and update of the Tacoma Power Customer Service Policies occurred in December 2024, receiving Board approval through resolution U-11501. A complete review of the Tacoma Power Customer Service Policies was completed in 2026, and staff is proposing various updates, clarifications, and corrections. There are 9 proposed substantive changes and various clean up items. Substantive changes include the following:

- Updated application process and contact information (**Section 2.0 Electrical Service**)
- Clarification of costs to Customer (**Section 2.5 General Conditions for Services, A.3**)
- Updated load reporting thresholds (**Section 2.5 General Conditions for Services, D**)
- Clarification of transformer ownership and management (**Section 2.5 General Conditions for Services, E**)
- Clarification of overhead service connections (**Section 5.0 Singel-Family Dwelling Units, Mobile Homes, and Duplexes**)
- Removed language due to redundancy with Section 2.5 A.3 (**Section 7.0 Residential Developments Primary Voltage System**)
- Clarified Tacoma Power rights under Washington State Law concerning Local Improvement Districts (**Section 9.0 Overhead-to-Underground Conversion by L.I.D, H**)
- Clarification of meter locations on structures (**Section 13.0 Meters, A**)
- Updated new or modified service fixed fees (**Section 17.0 New or Modified Service Fees**)

ARE THE EXPENDITURES AND REVENUES PLANNED AND BUDGETED? No

IF THE EXPENSE IS NOT BUDGETED, PLEASE EXPLAIN HOW IT IS TO BE COVERED.

Expenses are expected to be offset by revenues generated by fixed fees.



Board Action Memorandum

IF THE ACTION REQUESTED IS APPROVAL OF A CONTRACT, INCLUDE LANGUAGE IN RESOLUTION AUTHORIZING \$200,000 INCREASE IN ADMINISTRATIVE AUTHORITY TO DIRECTOR? No

ATTACHMENTS: Tacoma Power Customer Service Policies final
Tacoma Power Customer Service Policies redline version
Board Resolution U-11501

CONTACT:

Primary Contact: Chad Edinger, Electrical Services Manager, 253-381-9151
Supervisor's Name: Tosha Siebert



RESOLUTION NO. U-11501

1 A RESOLUTION relating to the Department of Public Utilities, Light Division;
2 authorizing updates to the Division's Customer Service Policies.

3 WHEREAS the City of Tacoma, Department of Public Utilities, Light
4 Division ("Tacoma Power"), desires to update its Customer Service Policies
5 which were last updated and approved by the Public Utility Board through
6 Resolution No. U-11380, and

7 WHEREAS commencing in 2023, a complete review of the Tacoma
8 Power Customer Service Policies has been undertaken and staff are proposing
9 certain updates, clarifications, and corrections which include:

- 10 • Clarification of ownership (**Section 2.5 General Conditions for Service, E**)
- 11 • Correction of when a refund may be applied for (**Section 2.5 General Conditions for Service, F3**)
- 12 • Requiring default design to be an underground service (**Section 5.0 Single Family Dwelling Units, Mobile Homes, and Duplexes**)
- 13 • Clarification of location of an SSB (**Section 5.0 Single-Family Dwelling Units, Mobile Home, and Duplexes, A1**)
- 14 • Clarification that Tacoma Power cannot make repairs on customer owned equipment (**Section 5.0 Single-Family Dwelling Units, Mobile Home, and Duplexes, A2**)
- 15 • Clarification of Service Point location when service is connected to multiple buildings (**Section 5.0 Single-Family Dwelling Units, Mobile Home, and Duplexes, B1**)
- 16 • Removal of credit for transformers sized 500 kVA and lower (**Section 6.0 Multi-Family, Commercial, and Industrial Services, C5**)
- 17 • Clarification of Service Point location for mobile and factory-built home developments (**Section 11.0 Mobile and Factory-Built Home Developments**)
- 18 • Restated that each dwelling unit shall be independently metered (**Section 13.0 Meters, A**)
- 19 • Added requirements pertaining to installation of meter socket adaptors (**Section 13.0 Meters, F**)
- 20
- 21
- 22
- 23
- 24
- 25
- 26



1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26

- Corrected language concerning application of taxes (**Section 17.0 New or Modified Service Fees**)
- Included two existing fees into Table A (**Section 17.0 New or Modified Service Fees, Table A**), and
- Minor edits to two definitions (**Definitions**).

WHEREAS Tacoma Power recommends the proposed revisions and believes it is in the best interest of the public for the Board to approve said revisions; Now, Therefore,

BE IT RESOLVED BY THE PUBLIC UTILITY BOARD OF THE CITY OF TACOMA:

That pursuant to Tacoma Municipal Code § 12.06.330, the proposed revisions to Tacoma Power’s Customer Service Policies on file with the Clerk of the Board are approved, and the Director of Utilities is authorized to direct appropriate staff to implement and enforce the same.

Approved as to form:

<p>_____ /s/ Chief Deputy City Attorney</p>	<p>_____ Chair</p>
<p>_____ Clerk</p>	<p>_____ Secretary</p>
	<p>Adopted _____</p>

CUSTOMER SERVICE POLICIES



Effective ~~December~~April 12, 2024~~26~~;
Resolution U-11501~~xxxxx~~

CUSTOMER SERVICE POLICY

CONTENTS

<u>1.0 STATEMENT OF GENERAL POLICY</u>	<u>- 4 -</u>
<u>2.0 ELECTRICAL SERVICE</u>	<u>- 5 -</u>
<u>2.1 ELECTRICAL SERVICE AVAILABILITY AND CHARACTERISTICS</u>	<u>- 6 -</u>
<u>2.2 LOAD ADDITIONS REQUIRING A SYSTEM IMPACT STUDY</u>	<u>- 6 -</u>
<u>2.3 LARGE-LOAD REQUIREMENT</u>	<u>- 6 -</u>
<u>2.4 ELECTRICAL SERVICE IN DOWNTOWN TACOMA</u>	<u>- 8 -</u>
<u>2.5 GENERAL CONDITIONS FOR SERVICES</u>	<u>- 8 -</u>
<u>2.6 LIMITATIONS</u>	<u>- 11 -</u>
<u>3.0 TEMPORARY SERVICE</u>	<u>- 11 -</u>
<u>4.0 SHORT-TERM SERVICE CONNECTIONS</u>	<u>- 11 -</u>
<u>5.0 SINGLE-FAMILY DWELLING UNITS, MOBILE HOMES AND DUPLEXES</u>	<u>- 11 -</u>
<u>6.0 MULTI-FAMILY, COMMERCIAL, AND INDUSTRIAL SERVICES</u>	<u>- 12 -</u>
<u>7.0 RESIDENTIAL DEVELOPMENTS PRIMARY VOLTAGE SYSTEM</u>	<u>- 15 -</u>
<u>8.0 RESIDENTIAL DEVELOPMENTS BY LOCAL IMPROVEMENT DISTRICT</u>	<u>- 15 -</u>
<u>9.0 OVERHEAD-TO-UNDERGROUND CONVERSION BY L.I.D.</u>	<u>- 15 -</u>
<u>10.0 PREPAID OVERHEAD-TO-UNDERGROUND PRIMARY LINE CONVERSION</u>	<u>- 17 -</u>
<u>11.0 MOBILE AND FACTORY-BUILT HOME DEVELOPMENTS</u>	<u>- 17 -</u>
<u>12.0 COMMERCIAL AND INDUSTRIAL PRIMARY-METERED SERVICE</u> <u>(12.5 kV and 13.8 kV)</u>	<u>- 18 -</u>
<u>13.0 METERS</u>	<u>- 19 -</u>
<u>13.1 SUB-METERING</u>	<u>- 20 -</u>
<u>13.2 METER ON PRIVATE POLE</u>	<u>- 21 -</u>
<u>13.3 METERING TRANSFORMER MINIMUM RATING REQUIREMENTS</u>	<u>- 21 -</u>
<u>13.4 TOTALIZED AND INTERVAL DATA METERING</u>	<u>- 21 -</u>
<u>13.5 PULSES</u>	<u>- 22 -</u>
<u>13.6 METER TAMPERING AND POWER DIVERSION</u>	<u>- 22 -</u>
<u>13.7 CUSTOMER-REQUESTED METER TEST</u>	<u>- 22 -</u>
<u>14.0 CUSTOMER OWNED GENERATION – UTILITY INTERCONNECTION</u>	<u>- 22 -</u>
<u>15.0 PUBLIC AGENCY REQUESTED INSPECTIONS</u>	<u>- 23 -</u>
<u>16.0 SCHEDULED SERVICE DISCONNECTS AND RECONNECTS</u>	<u>- 24 -</u>
<u>17.0 NEW SERVICE ENGINEERING FEES</u>	<u>- 24 -</u>

Tacoma Power

CUSTOMER SERVICE POLICY

DEFINITIONS

For the purposes of these policies, the words or phrases shall have the meaning set forth below:

Customer(s) – a person or entity legally responsible for payment of utility rates, charges, and fees pursuant to the TMC and/or applicable State law and includes, but is not necessarily limited to, any person or entity that uses or has contracted for electric Service from Tacoma Power and whether or not designated as a business partner in the business records of the Customer Services' Division.

Demand – the maximum average kilowatt power used by the Customer for a specific period of time during the billing period.

Distribution – that portion of an electrical system that delivers electric energy at less than 110 kV (nominal).

Dwelling Unit – a single unit, providing complete and independent living facilities for one or more persons, including permanent provisions for living, sleeping, cooking, and sanitation.

Electrical Code of the City of Tacoma – Chapter 12.06A of the Tacoma Municipal Code (TMC), entitled Electrical Code.

Electrical Services – electric power and energy available for use by the Customer.

Letter of Agreement – standard agreement executed primarily between developers and Tacoma Power outlining the responsibilities of each party, estimated costs, and the standards that electrical equipment and facilities must adhere to.

Primary Line Extension – extensions of Tacoma Power's distribution system.

Load – any device that consumes power including, but not limited to motors, lights and / or heating equipment.

NEC – National Electrical Code as adopted per Chapter 12.06A, TMC.

Policies – these Tacoma Power Customer Service Policies.

Public Utility Board – the Public Utility Board of the City of Tacoma.

Rate Schedules – Chapter 12.06 of the Tacoma Municipal Code (TMC) entitled Electric Energy – Rates and Regulations.

Tacoma Power

CUSTOMER SERVICE POLICY

RCW – Revised Code of Washington

Secondary Service Box (SBB) -- A vault designed to contain the service point for the electrical service. Also, an above ground metal connection box on a vault used for some large commercial services.

Service – by NEC definition, the service comprises the conductors and equipment for delivering electric energy from the serving utility to the wiring system of the premises served.

Primary Service – service with voltages greater than 600 volts.

Secondary Service – service with voltages less than or equal to 600 volts.

Overhead Service – conductors from Tacoma Power's pole to the connection point with the customer wires at the service mast.

Underground Service – cables and conduits from Tacoma Power's pole, transformer, or secondary service box to the source side of the meter socket lugs. Underground service includes both Customer's service conductors and Tacoma Power's utility conductors.

Single-phase Service – an alternating current supply system using one conductor. This type of service is usually used for residential loads.

Three-phase Service – an alternating current supply system comprising three or more conductors. This type of service usually feeds commercial and industrial loads.

Service Point – by NEC definition, the point of connection between the facilities of the serving utility and the premise wiring. It is the demarcation between where the serving utility ends, and the premises wiring begins. The serving utility generally specifies the location of the service point, as described herein.

Tacoma Power Standards – The City of Tacoma, Department of Public Utilities, Light Division's Transmission and Distribution Construction Standards, which authorize the design for engineering and construction.

TMC – Tacoma Municipal Code – The Municipal Code of the City of Tacoma.

Technical Connection Requirements – requirements that apply to any generation facility with a capacity exceeding 100 kW and end-use or wholesale Customers taking service at transmission voltage.

Tacoma Power

CUSTOMER SERVICE POLICY

Temporary Service – a short-term electrical service designed to provide power for construction or other short-term use. Short-term for the purpose of Temporary Service is a period of less than one year.

Transmission – that portion of an electrical system that delivers electric energy at voltages greater than 50 kV. For purposes of this document, transmission voltage is generally considered to be 115 kV (nominal).

Vault – a room or enclosure where switchgear, cables, transformers, and other devices are installed for an electrical system.

1.0 STATEMENT OF GENERAL POLICY

The Public Utility Board has adopted these Customer Service Policies in the interest of consistency, safety, efficiency, and economy in the distribution of electricity. The purpose of these policies is to help Customers obtain electrical service and to guide Tacoma Power employees in providing such service to Customers. These policies are subject to revision by the Public Utility Board to achieve these objectives and purposes.

The 2026~~3~~ revisions to these policies shall supersede and amend all previously adopted policies and shall become effective ~~May~~April 13, 2026~~3~~. These policies are adopted pursuant to the authority of Tacoma Municipal Code (TMC) Section 12.06.330.

If these policies conflict with Rate Schedules, the Electrical Code of the City of Tacoma, the TMC, or contract provisions, then the Rate Schedules, the Electrical Code of the City of Tacoma, the TMC, or contract provisions shall apply.

The table below provides a checklist of the sections of this document that generally apply to each major building category. The checklist is not intended to be a comprehensive guide that replaces a careful reading of the entire Customer Service Policies document. Rather, it is intended to aid users by highlighting the sections most generally applicable.

Tacoma Power

CUSTOMER SERVICE POLICY

SECTIONS APPLYING BY MAJOR BUILDING CATEGORY

Section	Single-Family Residential	Mobile Home Residential	Multi-Family Residential	Commercial	Industrial	Other
1.0	√	√	√	√	√	√
2.0	√	√	√	√	√	√
3.0	√	√	√	√	√	√
4.0				√		√
5.0	√	√				
6.0			√	√	√	√
7.0	√	√	√			
8.0	√	√	√			
9.0	√	√	√			
10.0	√	√	√			
11.0		√				√
12.0				√	√	√
13.0	√	√	√	√	√	√
14.0	√	√	√	√	√	√
15.0	√	√	√	√	√	√
16.0	√	√	√	√	√	√
17.0	√	√	√	√	√	√

Note that a number of terms used in this document are defined in the Definitions section of this policy.

2.0 ELECTRICAL SERVICE

Prospective Customers are required to ~~contact the submit a complete~~ Tacoma Power New Services ~~Engineering Office application~~ prior to construction for information on available voltages and for assistance in obtaining the desired type of electrical service. Existing Customers are required to ~~contact the obtain a~~ Tacoma Power Electrical ~~permit Inspection Office~~ prior to making any changes to their existing wiring. For load changes, existing Customers are required to ~~contact the submit a~~ Tacoma Power New Services ~~Engineering Office application and pay any applicable costs~~ prior to making changes. Electrical Services can be reached by phone at 253-502-8277 from ~~Office hours are~~ 7:30 a.m. to 5:00:30 p.m., Monday through Friday, excluding City holidays. ~~Walk in appointments are available 9 a.m. to 1 p.m. and can be made 24 hours in advance.~~

Most Tacoma Power Standards that apply to Customers, including information on electrical service and permit requirements, can be found on the Tacoma Power Website: [Electrical Construction Standards - Tacoma Public Utilities \(mytpu.org\)](http://mytpu.org)

Tacoma Power

CUSTOMER SERVICE POLICY

2.1 ELECTRICAL SERVICE AVAILABILITY AND CHARACTERISTICS

A. Electrical service is available at 60 hertz, single-phase and three-phase, and in delivery voltages up to 115,000 volts.

Tacoma Power

CUSTOMER SERVICE POLICY

- A. Tacoma Power will determine the service voltage to be furnished depending on the characteristics of the distribution system near the point of service and on the Customer's electrical needs.
- B. Service voltages will be provided within the acceptable range established by current American National Standards Institute (ANSI) Standard C84.1-2020.
- C. The quality of power supplied by Tacoma Power is in accordance with ANSI Standard C84.1-2020.

2.2 LOAD ADDITIONS REQUIRING A SYSTEM IMPACT STUDY

For load additions of 1 MW peak and greater or a requested interconnection that may accommodate 2 MW or greater may require a system study by Tacoma Power per ~~Power Policy A-18~~ and Transmission and Distribution Staff Procedure T&D-61. Contact Tacoma Power New Services Engineering to determine if a study will be required.

2.3 LARGE-LOAD REQUIREMENTS

- A. For the purpose of this section a large electrical load will be defined as any load of 8 Megavolt-amps (MVA) or greater. The following requirements will apply to new or expanded existing single loads equal to or greater than 8 MVA. Exceptions to these large electrical load requirements may be granted by Tacoma Power on a case by case basis depending on the Customer's property utilization and Tacoma Power's distribution system availability.
 - 1. The connection of large electrical loads to the electrical system must be at the transmission voltage level. Proposals for new or expanded loads of this magnitude will trigger a system impact study to be performed by Tacoma Power. An exception to the transmission connection requirement may be granted, but only if Tacoma Power determines through a ~~Customer~~customer-funded system impact study that connection can take place at distribution voltage without causing Tacoma Power to operate in violation of existing 12.5 kV or 13.8 kV ~~d~~Distribution standards, codes, planning and operation criteria, or regulations governing safe and prudent electric utility practices. If an exception is granted, the Customer will be required to participate in the funding of the installation or upgrading of distribution feeders, including feeders that will be used as redundant feeds to the Customer's load.

Tacoma Power

CUSTOMER SERVICE POLICY

2. Electrical Service requests that are required to be served at the Transmission voltage level will require negotiation of a power sales contract with Tacoma Power and approval of the power sales contract by the Public Utility Board.
 3. Service rates will be defined by the published Tacoma Power rate schedules, or as otherwise defined in the Customer's power sales contract.
 4. If an exception is granted to connect an 8 MVA or greater new or expanded service to Tacoma Power's 12.5 kV or 13.8 kV distribution system, the metering system can take the form of:
 - a. Primary metered: The number of metering points provided shall be minimized and Tacoma Power will make final determination on the number and location of metering points offered. Where the site is a secure facility, Tacoma Power may require the facility be primary metered. Applicable Primary Service rates will be defined by the published Tacoma Power rate schedules.
 - b. Secondary metered from multiple points: Applicable Secondary Service rates will be defined by the published Tacoma Power rate schedules.
 5. In either metering case as defined in section 4 above, a negotiated power sales contract will be required with Tacoma Power to clarify the Customer's costs for the distribution system and redundancy that is required by the Customer and Tacoma Power's planning and operational criteria. System capital and annual maintenance costs for transmission and substation capacity may apply. Annual maintenance contracts for Tacoma Power's owned and dedicated substation and distribution equipment may also apply.
- B. New and expanded existing loads less than 8 MVA may be required to connect to the electric system at the transmission level if Tacoma Power determines the Customer's load will cause Tacoma Power to operate in violation of existing 12.5 kV or 13.8 kV distribution standards, codes, planning and operational criteria, or regulations governing safe and prudent electric utility practices.
- C. All Customers taking service at transmission voltages through a Customer-owned switchyard and substation will be subject to Tacoma Power's current technical connection requirements for load delivery facilities, which define the responsibilities for furnishing, installing, owning, and maintaining the substation needed for operation, including structures

Tacoma Power

CUSTOMER SERVICE POLICY

required for metering transformers, conduits for metering, and Tacoma Power's protective relays.

2.4 ELECTRICAL SERVICE IN DOWNTOWN TACOMA

Special requirements apply to electrical Service in the downtown Tacoma area bounded approximately by South 7th Street to the north, South 17th Street to the south, Interstate 705 to the east, and Fawcett Avenue to the west. The Customer must contact the Tacoma Power Central Business District Engineering and Electrical Inspection Offices regarding all new or modified Service installations. Customers must submit an application for electrical service to the New Services Engineering Office early in the design phase of the project.

More information can be found on the Tacoma Power Web site:
[Electrical Construction Standards - Tacoma Public Utilities \(mytpu.org\)](http://mytpu.org)

Field Code Changed

2.5 GENERAL CONDITIONS FOR SERVICES

A. Electrical Services

1. All Electrical Services shall conform to current Tacoma Power requirements. Customers are required to properly maintain their equipment on a regular basis. Customers shall be held responsible if their lack of proper maintenance adversely affects Tacoma Power's facilities.
2. The Customer shall provide electric service equipment in accordance with current Tacoma Power Standards, the Electrical Code of the City of Tacoma, applicable city and State Codes, the NEC, and the Electric Utility Service Equipment Requirements Committee (EUSERC) requirements.
3. The Customer shall pay Tacoma Power the prescribed costs for the service prior to any construction by Tacoma Power. Costs to Customer shall include all onsite and offsite costs incurred by Tacoma Power, which are necessary for proper service to be supplied. Such costs shall be as determined in writing by the Director of Utilities per Chapters 12.01 and 12.06, TMC.
4. Only one single phase and/or three phase service per service voltage level will be supplied to each building. Any exceptions require the approval of Tacoma Power New Services Engineering.
5. When Tacoma Power identifies electrical installations as unsafe and

- 9 -

Effective December 12, 2024; Resolution U-44501xxxx

CUSTOMER SERVICE POLICY

disconnects electrical service, reconnection will require purchase of a Tacoma Power electrical permit, upgrade of the installation in accordance with the requirements of this section, approval of all required inspections, and payment of required fees and charges.

- B. Tacoma Power reserves the right to access Customer premises for meter reading, inspection, and testing, or for installing, removing, repairing, or replacing Tacoma Power's equipment. As part of the right to access, Tacoma Power reserves the right to de-energize equipment when necessary for maintenance. Access to Tacoma Power's equipment shall be in accordance with Section 12.06.050B of the TMC. Failure to provide access could result in disconnection.
- C. Customers must obtain a Tacoma Power electrical permit before performing any modifications to their electrical installations.
- D. Customers must report electrical Load additions or deletions via an Electrical Services Application submitted to Tacoma Power. Customers will be charged applicable labor and material fees for the repair or replacement of Tacoma Power facilities damaged due to unreported Load changes. Additionally, Customers will be responsible for the loss of revenue from inaccurate metering due to unreported electrical Load changes. The following reporting thresholds apply:
- For services ~~at or below~~less than 400 Amps, any service panel installations or upgrades~~Load changes greater than 10% of service rating.~~
 - For services ~~at or~~ above 400 Amps, Load changes greater than 105% of service rating.
- E. Tacoma Power seeks to effectively manage assets owned by Tacoma Power while balancing the fact a Customer has provided reimbursement for a specified transformer size. Underutilized transformers cause electrical losses that are ultimately paid for by all rate payers. Tacoma Power, at its sole discretion, may replace transformers that are underutilized. If within 1 year of replacement a larger transformer is required, Tacoma Power will replace the transformer with a properly sized transformer, up to and including the original size at no cost to the customer.
- E.F. Constructing permanent structures beneath Tacoma Power owned secondary service lines, primary overhead electrical distribution lines, transmission lines, or above buried primary distribution lines is prohibited. State and NESC codes require clearance between structures and electrical lines. Contact New Services Engineering to obtain Tacoma

Formatted: Indent: Left: 1.33", No bullets or numbering

Tacoma Power

CUSTOMER SERVICE POLICY

Power facility voltages for clearance calculations.

F.G. Primary Line Extensions

1. All new primary line extensions of 15 kV and less within the Tacoma city limits must be underground for undeveloped properties presently platted or new plats of undeveloped properties set forth in City Council Resolution No. 19022 adopted January 31, 1967, or related amendatory or superseding resolutions. Primary line extension within any other cities or towns that are served by Tacoma Power must comply with the ordinance of the respective cities. When the proposed development is outside the urban growth area of any

Tacoma Power

CUSTOMER SERVICE POLICY

city in this state, Tacoma Power may exercise its discretion to allow the primary system to be overhead.

2. The Customer must prepay all costs before any construction by Tacoma Power. Payments for primary line extensions will be made in accordance with Tacoma Power's Transmission & Distribution procedures and the Letter of Agreement between Tacoma Power and the Customer or Developer.
3. Refunds will be made to Customers for new permanent services added to a primary extension or a portion of the extension within a three-year period after completion of the primary extension. Refunds will be based on the payments made to Tacoma Power, per Section 2.5.F.2 Refunds shall be requested in writing by the Customer within six months of the addition of a new permanent service connected to the extension. Cumulative refunds will not exceed the Customer's initial investment in the primary extension. Refunds for primary line extensions will be calculated in accordance with Tacoma Power's Transmission & Distribution procedures.

G.H. Some equipment, particularly but not solely limited to heat pumps, motors and welders, can cause voltage and current fluctuations that are detrimental to the safe and efficient operation of electrical systems. The Customer is responsible ~~to ensure for~~ ensuring that proper safeguards exist ~~to ensure so~~ that operating any plant or equipment will not cause abnormal voltage fluctuations, overloading, short circuits, ground faults, low voltage, cause damage, or improper operation of Tacoma Power's or other Customer's operations or equipment.

1. If abnormal fluctuations or damage to equipment is detected, Tacoma Power may require that corrective actions be taken at the Customer's expense. If the damages to others are substantial, the electrical service to the offending Customer may be disconnected until corrective action is taken.
2. ~~The Customer causing power quality problems shall~~ will be solely liable for any damages incurred by Tacoma Power and/or other Customers ~~caused by his/her power quality problems.~~
3. Customers shall meet Tacoma Power's voltage flicker limits, which apply to motor and other Loads, as specified in Tacoma Power's Customer Requirements – Voltage Flicker Limit Standard -- provided on Tacoma Power's web site. Electrical Construction Standards - Tacoma Public Utilities (mytpu.org).

CUSTOMER SERVICE POLICY

2.6 LIMITATIONS

Tacoma Power is not responsible for losses or expenses directly or indirectly caused by power disturbances, including but not limited to business or production losses or any damage to Customer equipment. It is the Customer's responsibility to provide and maintain power-conditioning devices to protect sensitive electric Loads.

3.0 TEMPORARY SERVICE

Upon receiving a Customer request for Temporary Service, Tacoma Power will determine availability, charges, and service requirements. The Customer shall pay for Temporary Service prior to installation. Temporary Service is considered to be less than one year in duration.

4.0 SHORT-TERM SERVICE CONNECTIONS

Short-term service connections for Christmas tree lots, fireworks stands, and other comparable short-term activities are available. Customers requesting such service shall ~~obtain~~submit a permit application online at TPU Online Permitting Tacoma Public Utilities Online Permitting from the Electrical Inspection Office and shall pay for all charges in advance, including the cost of energy, service installation, removal, and electrical permit fees.

Additional charges will be assessed if a transformer installation is required. Upon the Customer's request and with Tacoma Power's approval, service may be furnished from either an overhead or an underground primary system.

5.0 SINGLE-FAMILY DWELLING UNITS, MOBILE HOMES, AND DUPLEXES

For the purpose of these Policies, single-family ~~d~~Dwelling ~~u~~Units (with the exception of duplexes) that share a common wall or built under a common roof, shall be subject to Section 6.0 and not Section 5.0. Unless overhead service is reviewed and approved by the New Service Engineering group, Newly constructed single family dwelling units shall be served underground. A request for ~~review~~exception shall may be made ~~in writing~~by submitting a New Service application to the Tacoma Power New Service Engineering ~~group~~ via our webpage.

A. Underground Service

1. For underground Secondary Service, the Customer will be required to:
 - a. Furnish the trench; install conduit(s) and cable(s) and backfill the trench.

Tacoma Power

CUSTOMER SERVICE POLICY

- b. After underground Secondary Service has been installed and energized, Tacoma Power will own and maintain the Ssecondary Sservice up to the Customer's Service Point.
 - o For residential services with an SSB installed, the SSB is the Customer's Service Point.
 - o For other legacy residential services with no SSB, the property line is the Customer's Service Point. When possible and in conjunction with the an outage repair, Tacoma Power will install an SSB at the property line.
- 2. Tacoma Power will not be responsible for the cost of replacing or repairing the Secondary Service wires, data wires, and conduits in the event wires or conduits have been damaged by dig-ins or other actions taken by or on behalf of the Customer and beyond the control of Tacoma Power. Tacoma Power personnel shall not make permanent repairs to Secondary Service wires and conduits beyond the Customer Service Point.

B. Overhead Service

- 1. Tacoma Power will furnish, install, and maintain the overhead Ssecondary Sservice wire up to the Customer's Service Point. For properties containing multiple structures, the first structure, strike, or mast connected to the Ssecondary Sservice wire shall be the Service Point.
- 2. ~~However,~~ Tacoma Power will not be responsible for the cost of replacing or repairing the Secondary Service wires and data wires in the event the wires have been damaged by actions taken by or on behalf of the Customer and beyond the control of Tacoma Power.
- 3. The Customer will be responsible for trimming and removing trees and other vegetation away from the Overhead Service wire(s) on the Customer's property.

6.0 MULTI-FAMILY, COMMERCIAL, AND INDUSTRIAL SERVICES

- A. Customers who require an electrical distribution system shall sign a Letter of Agreement with Tacoma Power's New Services Engineering Office and pay the appropriate construction charges prior to construction.
- B. Secondary Service
 - 1. Underground
 - a. The Customer will be required to furnish and install civil and electrical

Tacoma Power

CUSTOMER SERVICE POLICY

systems associated with underground Ssecondary Sservice in accordance with Tacoma Power Standards.

- b. All secondary conductors shall be installed before the transformer is set in place. The Customer shall pay for crew labor costs for removing the transformer to pull the secondary conductors.
- c. Tacoma Power will make all secondary connections at the transformer or SSB.
- d. In the event of an Underground Service failure, the Customer will be responsible for replacing the Secondary Service wires, data wires, and the conduits from the Customer's service equipment to the SSB or transformer.

2. Overhead

- a. Tacoma Power will furnish, install, and maintain the Overhead Service wire.
- b. The Customer will be responsible to trim or remove trees and other vegetation away from the Overhead Service wire on Customer'shis/her property.

C. The Customer will be solely responsible for the cost of replacing or repairing the Ssecondary Sservice wires or data wires in the event said wires have been damaged by causes beyond the control of Tacoma Power's primary voltage system.

- 1. All primary voltage system (PVS) designs must be approved by an Electrical Engineer licensed in the State of Washington prior to submittal to Tacoma Power for plan review.
- 2. The Customer shall install and maintain at their cost the transformer vault(s), junction vault(s), walk-in vault(s), and transformer guard posts in accordance with current Tacoma Power Standards and meet any additional requirements Tacoma Power deems necessary. Installation work must be inspected by Tacoma Power. Maintenance work shall be coordinated with Tacoma Power.
- 3. At the discretion of Tacoma Power, civil systems such as trenches, conduit, Vaults, and structures such as slabs, junction boxes, guard posts, metering apparatus for PVS may be installed either by the Customer or Tacoma Power at the Customer's expense.
- 4. Customer-installed civil systems for PVS shall be installed by a qualified

Tacoma Power

CUSTOMER SERVICE POLICY

electrical contractor licensed in the State of Washington under RCW 19.28 and in accordance with current Tacoma Power Standards and any additional requirements Tacoma Power deems necessary. A Tacoma Power construction inspector shall inspect the installation.

5. The Customer shall pay for all charges associated with each new or revised service, including equipment installed by Tacoma Power, prior to any construction by Tacoma Power.
6. Tacoma Power will install the PVS cable and make both the primary and secondary transformer terminations.
7. Tacoma Power will own and maintain the primary conduits, cable, and transformers except Customer-owned primary equipment.

D. Electrical Service to high rise buildings (over 20 floors)

1. Developers of high-rise buildings shall make provisions for transformer rooms at approximately 20 floor intervals in accordance with current Tacoma Power Standards.
2. Special requirements apply to primary power cable routing and transformer room designs. The building design team must work closely with Tacoma Power engineering to arrive at an acceptable final power system design. Up to 18 months lead time for design coordination is required. Once the utility design is complete, then a construction schedule will be provided that includes the delivery time for long lead-time materials. Engineering and material deposits will be required.
3. Unless otherwise established by Tacoma Power's Engineering Office, the power system will be owned and operated by Tacoma Power. An access agreement will be required between the property owner and Tacoma Power to govern access, operation, maintenance, or replacement of equipment. A transportation agreement to install and service the transformers, equipment, and power cables will be required between Tacoma Power and the property owner.

7.0 RESIDENTIAL DEVELOPMENTS PRIMARY VOLTAGE SYSTEM

- A. Underground primary systems in residential developments shall conform to current Tacoma Power requirements. ~~The Customer shall pay for all Tacoma Power installed equipment, except transformers, prior to any construction by Tacoma Power.~~

Tacoma Power

CUSTOMER SERVICE POLICY

- B. A developer who requires an electrical distribution system shall sign a Letter of Agreement with Tacoma Power's New Services Engineering Office and pay the appropriate construction charges prior to construction by Tacoma Power.

CUSTOMER SERVICE POLICY

- C. These policies will cover the installation of the electrical primary system and the secondary service to the corner of the lot closest to the transformer. Extending the secondary service run, when requested by the developer or property owner, shall be considered to be of special benefit to the property served, and construction charges shall be assessed in accordance with Tacoma Power policies.

8.0 RESIDENTIAL DEVELOPMENTS BY LOCAL IMPROVEMENT DISTRICT

- A. The Local Improvement District (L.I.D.) policy of Tacoma Power is authorized pursuant to Washington State law (Title 35, RCW) for projects initiated by property owners within a specific geographic area to accomplish a specific improvement project in cooperation with Tacoma Power.
- B. Installation of the electrical primary underground system shall not begin until the Customer meets the following conditions:
 - 1. All roadways shall conform to current Tacoma Power standards. Within the Tacoma city limits, all rights-of-way shall be cleared in accordance with standards of the City of Tacoma.
 - 2. Property surveys, including setting and maintaining of front lot corners, must be completed.
 - 3. Installation of all other underground facilities that are not to be included in a common trench with the electrical system (water, sewer, storm, etc.) must be completed.

9.0 OVERHEAD-TO-UNDERGROUND CONVERSION BY L.I.D.

- A. Converting existing overhead primary electrical distribution systems to underground can be accomplished when technically and economically feasible. Pursuant to RCW 35, conversion can be financed by an L.I.D. Converting power lines above 15 kV is beyond the scope of this policy.
- B. Parties in the City of Tacoma interested in initiating an L.I.D. to convert existing overhead distribution lines to underground distribution lines, should contact Tacoma Department of Public Works, Engineering Division, L.I.D Administrator.
- C. Tacoma Power may require a deposit to cover the actual expenses associated with initial engineering work. Any unused portions of the deposit will be applied toward the project cost if the L.I.D. is formed or returned to the parties if the proposed L.I.D. is not formed.

Tacoma Power

CUSTOMER SERVICE POLICY

D. Tacoma Power contributions to L.I.D. projects will be as follows:

1. Residential L.I.D.s:

- a. Seventy percent of the total cost of converting the existing overhead primary electrical ~~d~~Distribution system to underground shall be provided by assessments against the property owners within the L.I.D. Assessments will be determined in accordance with all applicable Washington State laws.
- b. Tacoma Power will provide 30 percent of the total cost of converting the existing overhead primary electrical distribution system to underground.

2. Commercial L.I.D.s: One hundred percent of the total cost of converting the existing overhead primary electrical ~~d~~Distribution system to underground shall be provided by assessments against the property owners within the L.I.D. Assessments will be determined in accordance with all applicable Washington State laws.

E. Distribution overhead to underground conversion projects must be of a minimum practical size; at least one block or 850 feet. The utility shall determine the practical limit where a block is defined by a non-alley paved street. Projects should include crossing to the far side of non-alley paved streets. Where applicable, practical, and financially efficient, and if distribution power infrastructure exists on both sides of the street, then infrastructure on both sides of the street shall be converted. Location of termination poles incorporating underground to overhead transitions will be determined by the utility. Said termination poles will be located near intersections where practicable.

F. Any charges made against the L.I.D. for undergrounding Secondary Services and data conduit, telephone, fire alarm, cable TV, and street lighting circuits will not be included in the L.I.D. These charges will be allocated per existing laws and franchise agreements.

G. Converting Secondary Service on private property is not included in the L.I.D. The Customer must supply and install the secondary conductor and conduit from the meter to the SSB.

H. ~~If the owner of any structure or improvement served from the existing overhead electric facilities fails to convert the service lines to underground from such overhead facilities, Tacoma Power retains the right to disconnect and remove the electric service in accordance with notice and timelines set forth in RCW 35.96.050. Installation of the electrical primary underground system shall not begin until all L.I.D. participants have installed conduit on their respective property.~~

CUSTOMER SERVICE POLICY

10.0 PREPAID OVERHEAD-TO-UNDERGROUND PRIMARY LINE CONVERSION

- A. With the prior approval of Tacoma Power, an overhead distribution line may be converted to underground at the expense of the Customer. The Customer will be required to designate a representative for the project, collect all costs associated with converting the primary line from the project participants, and pay Tacoma Power in advance of any engineering and construction scheduling.
- B. Distribution overhead to underground conversion projects must be of a minimum practical size; at least one block or 850 feet. The utility shall determine the practical limit where a block is defined by a non-alley paved street. Projects should include crossing to the far side of non-alley paved streets. Where applicable, practical, and financially efficient, and if distribution power infrastructure exists on both sides of the street, then infrastructure on both sides of the street shall be converted. Location of termination poles incorporating underground to overhead transitions will be determined by the utility. Said termination poles will be located near intersections where practicable.
- C. Any costs for undergrounding Ssecondary Sservices and data conduit, telephone, fire alarm, cable TV, and street lighting circuits will not be included when determining the amount to be paid by Tacoma Power. These costs will be provided by the Developer or Commercial Customer per existing laws and franchise agreements.
- D. Converting Ssecondary Sservice on private property is the sole financial responsibility of the Developer or Commercial Customer. The Customer must supply and install the secondary conductor and conduit from the meter to the secondary service box.

11.0 MOBILE AND FACTORY-BUILT HOME DEVELOPMENTS

The developer of a mobile home or factory-built home development will contact Tacoma Power's New Services Engineering Office for specifications, agreements, and applicable Tacoma Power requirements.

For underground services, the Customer Service Point is located at the first SSB on which service enters private property (park property). For services without an SSB, the location shall be at the private property (park property) line. For further guidance, refer to Section 5.0.

CUSTOMER SERVICE POLICY

12.0 COMMERCIAL AND INDUSTRIAL PRIMARY-METERED SERVICE (12.5 kV and 13.8 kV)

- A. Ownership of primary-metered service: With the approval of Tacoma Power primary metered service can be obtained as follows:

Customer-owned equipment: The Customer shall furnish, install, own, and maintain primary equipment, including service cables, simultaneous service disconnect switch, service transformer(s), and connection to the load side of the metering current transformers, in accordance with the Electrical Code of the City of Tacoma, the NEC, and applicable city and State codes. The Service Point shall be located at the connection point of the service conductor to the load side of the metering current transformer.

1. Tacoma Power-owned equipment: Tacoma Power may consent to furnish, install, own, and/or maintain primary metered equipment, including service cables, simultaneous service disconnect switch, transformers, and all connections at the metering current transformers and power transformer(s), in accordance with Tacoma Power Standards and design criteria. Electric rates and charges will take into account Tacoma Power's additional cost incurred in this alternative.
2. Customer-owned primary equipment as it relates to primary metering, attached to Tacoma Power owned or jointly owned poles, shall be the responsibility of the Customer to move, remove or extend said equipment within 60 days of notification by Tacoma Power. The Customer is responsible for all associated costs of Customer-owned equipment. Tacoma Power is not a licensed electrical contractor within the State of Washington. As such, Tacoma Power does not have the ability to install, remove, extend, maintain, or replace Customer-owned equipment to include Customer primary voltage equipment.

- B. Customers owning primary voltage equipment may be allowed to transfer ownership and/or control of some or all of the equipment to Tacoma Power to own, operate, and/or maintain. Upon request by the Customer and on a case-by-case basis, Tacoma Power will review Customer-owned systems. Acceptance of ownership and/or control of such systems will be at Tacoma Power's sole discretion and will depend upon the system and equipment meeting current Tacoma Power Standards and design criteria and a determination that other Customers will be economically unharmed by such action. After transferring ownership and/or control of primary voltage equipment to Tacoma Power, Customers would not be eligible for any applicable rate discount for ownership and maintenance of primary voltage equipment.

Tacoma Power

CUSTOMER SERVICE POLICY

- C. Due to fire department safety concerns regarding two or more power sources to a building, Tacoma Power will not provide additional service to any building served with a primary-metered service. Multiple-metered service may be provided to a site that has detached buildings or structures.

13.0 METERS

- A. All metering shall comply with Tacoma Power Standards. Customers should contact Tacoma Power's New Services Engineering and Electrical Inspection Offices for standards governing meter and metering transformer installations. The Electrical Inspection Office, in coordination with Tacoma Power's Meter/Relay Shop will specify and approve meter installations in accordance with current Tacoma Power Standards, the NEC, and the Electrical Code of the City of Tacoma. Disconnects, if used, shall be situated between the meter enclosure and the Customer's breaker panel.

Each newly constructed or updated ~~d~~Dwelling ~~u~~Unit shall be independently metered by Tacoma Power per the Electrical Code of the City of Tacoma. Properties with multiple dwelling structures shall place the meter socket on the dwelling structure being served. Multiple meters may be placed on a single Dwelling Unit if associated Dwelling Units share a common wall(s) or are vertically stacked. Customer--owned meter poles may be permitted at the discretion of Tacoma Power, see 13.2 below.

- B. All metering equipment provided by Tacoma Power to serve a Customer shall remain the property of Tacoma Power. All metering equipment furnished by the Customer (including enclosures, cabinets, conduits, and meter sockets) shall remain the property of the Customer. Tacoma Power's Electrical Service and responsibility extend from Tacoma Power's system up to, but not beyond, the Service Point as determined by New Services Engineering.
- C. For multiple-metered locations, meter sockets must be permanently and legibly marked and maintained with the permanent service address on the exterior so that it is visible in accordance with the NEC. The property owner is responsible for ensuring that meter socket markings accurately indicate the locations being billed.
 - 1. If meter sockets are incorrectly marked ~~so that~~resulting in a Customer ~~is~~being billed for another Customer's use (cross-billed), Tacoma Power will determine correct billing quantities for the cross-metered Customers. Tacoma Power will work with the

CUSTOMER SERVICE POLICY

property owner to ensure metering is correctly marked.

- 2. Tacoma Power will notify the property owner of the least-cost method for cross-metered revenue recovery.

~~D.~~ When additions or alterations are made that require the relocation of a meter, the Customer ~~shall~~^{will} relocate the meter in accordance with current Tacoma Power Standards and the NEC at ~~Customer's~~^{his or her} expense. The Customer must obtain an electrical wiring permit from the Tacoma Power Electrical Inspection Office before starting the work.

D.

E. The meter location shall not be concealed by materials of any kind and must be readily accessible at all times. If the Customer blocks a clear path to the meter, or if the meter is subject to damage because of its location, the Customer may be required, at their expense, to provide a new and suitable meter location and make the necessary wiring changes.

Formatted: List Paragraph, Indent: Left: 0.83", Right: 0.33", Tab stops: 0.83", Left

Formatted: Font: 12 pt

F. Tacoma Power reserves the right to refuse installation of a Tacoma Power-owned meter into a device which is intended to be installed between a meter base, meeting Tacoma Power's Customer requirement, and the Tacoma Power-owned meter (commonly referred to as a meter socket adaptor or MSA). This includes, but is not limited to, surge protection devices and generator collar devices. When such devices are approved for installation, it shall not be on a ringless type meter base. Installation of multiple (stacked) meter socket adaptors is not permitted.

13.1 SUB-METERING

A. Each newly constructed or updated dwelling unit shall be independently metered by Tacoma Power per the Electrical Code of the City of Tacoma.

Formatted: Font: 12 pt

Additional non-dwelling unit metering facilities may be installed on the load side of the Customer's billing meter(s) at the Customer's expense under the following conditions:

Formatted: Font: 12 pt

- 1. There are no adverse impacts to Tacoma Power or other Customers.
- 2. All materials, devices, appliances, and equipment not exempted in Chapter 19.28 RCW must be tested or field-evaluated by a testing laboratory accredited by the State Department of Labor and Industries. Installation of the equipment shall be in accordance with the NEC and Tacoma Power Standards.

CUSTOMER SERVICE POLICY

3. If Customer-owned metering is used to apportion the cost of power at the billing meter(s) between the Customer's tenants, only the cost of power at the billing meter(s) plus a nominal administrative fee may be collected solely for the recovery of the cost of power at the billing meter(s). The nominal administrative fee shall not exceed 10 percent of the monthly electric utility billing amount for each tenant, or \$5.00 per month, whichever is less. Revenue so collected from tenants by the Customer will not be considered in violation of TMC, Section 12.06.120, "Resale of Electric Energy Prohibited". Beyond enforcement of these restrictions, Tacoma Power has no role in investigating or resolving private Customer/tenant billing administration disputes.
- B. If a sub-metering site is found to be causing damage to Tacoma Power or its Customers, service to the offending Customer may be suspended until corrective action is taken.

13.2 METER ON PRIVATE POLE

- A. If New Services Engineering determines Underground Service is not practical, Tacoma Power Standards will allow a meter pole for Overhead Service to be installed not greater than 150 feet from the Tacoma Power pole when the electrical load can be accommodated.
- B. The property owner shall be responsible to permanently and legibly mark and maintain the permanent service address on the meter socket so that it is visible in accordance with the NEC.
- C. The property owner, at their cost, is responsible to install, maintain, and replace the service pole and associated service equipment.

13.3 METERING TRANSFORMER MINIMUM RATING REQUIREMENTS

When a single service is metered through current transformers, and the minimum demand as determined by Tacoma Power during a 12-month period is less than 10 percent of the current transformer nameplate rating, the Customer may be required, at ~~the Customer's~~ his or her own expense, to replace the existing current transformers with smaller current transformers provided by Tacoma Power. Such a change shall not be required if the Customer can show, to Tacoma Power's satisfaction, that the load will always exceed the 10 percent minimum during the next 12 months. For single-phase services with a load of 320 amperes or less, Tacoma Power may require that the Customer provide and install a socket for a self-contained meter.

CUSTOMER SERVICE POLICY

13.4 TOTALIZED AND INTERVAL DATA METERING

Totalized metering is defined as the totaling of consumption measured on multiple meters by feeding the output of the ~~individual contributing~~ meters into ~~one Tacoma Public Utilities' billing system~~ master meter, which totals the consumption.

Where a Customer has multiple services feeding buildings and equipment at one site, Tacoma Power may provide totalized metering when requested. Technical specifications shall be developed and approved by Tacoma Power's New Services Engineering and Meter/Relay groups.

For totalized and/or commercial/industrial interval data metering, the Customer will be required to pay in advance for all special metering equipment, communications infrastructure and connections for remote data collection, labor and materials for installation, and any additional ongoing maintenance costs.

13.5 PULSES

Upon request, Tacoma Power will provide Customers with pulses from the billing meter in accordance with current Tacoma Power Standards. The pulsing equipment will be integral to the electric meter and will require meter replacement to implement this service. The Customer shall reimburse Tacoma Power for all costs required to provide pulses.

13.6 METER TAMPERING AND POWER DIVERSION

Tacoma Power will require the Customer to pay costs incurred to investigate meter tampering, power diversion, or other improper action taken by the Customer or others. If Tacoma Power equipment is damaged as a result of meter tampering, power diversion, or other actions taken by the Customer or others, the Customer is presumed to be responsible for the damages, and unless there is clear evidence to the contrary, shall be held responsible for payment of all estimated power consumption and costs incurred to replace or repair the equipment as per RCW 80.28.240.

13.7 CUSTOMER-REQUESTED METER TEST

Upon Customer request, Tacoma Power will test the billing meter one time at no charge. Tacoma Power will assess a charge for all additional tests requested within two years of an earlier request. If the meter is found to be more than two percent inaccurate, all charges assessed for the most recent

CUSTOMER SERVICE POLICY

test will be refunded.

14.0 CUSTOMER-OWNED GENERATION – UTILITY INTERCONNECTION

Customer-owned generation is defined as generation owned and operated by the Customer that is connected directly to Tacoma Power's electrical system through Tacoma Power's metering.

- A. All emergency and legally required standby generation installations must comply with Chapter 7 of the NEC and must be inspected by Tacoma Power's Electrical Inspectors. New Services Engineering Office can be contacted for assistance.
- B. Customers may interconnect with Tacoma Power pursuant to Tacoma Power Standards and design requirements, which must include approved electrical load transfer equipment. The facilities and operational requirements associated with interconnection to Tacoma Power's Transmission and Distribution system are governed by the following requirements:
 - 1. Tacoma Power's Technical Connection Requirements govern generators larger than 100 kW. Sales of electrical energy to Tacoma Power may be subject to successful negotiation of a contract with Tacoma Power subject to the approval of the contract by the Public Utility Board.
 - 2. Tacoma Power's Net Metering Requirements govern interconnection requirements that apply to any Customer-owned generation facility with a capacity not greater than 100 kW.
- C. Small generators intended solely as a back-up power supply must have an Electrical Inspection Department approved protection switch or panel to prevent power from feeding into Tacoma Power's distribution system.
- D. Connecting Customer-owned generation to network systems is limited by the Institute of Electrical and Electronics Engineers (IEEE) 1547. Tacoma Power's Central Business District Engineering must pre-approve all installations in the downtown area and at area hospitals.

15.0 PUBLIC AGENCY REQUESTED INSPECTIONS

Tacoma Power will require a property owner to pay all costs incurred for the inspection of electrical installations of such owner's buildings or other structures when such inspection has been requested by applicable city, State and/or Federal authorities investigating suspected unlawful conditions or activity upon the owner's property and the inspection confirms electrical code violations. The cost assessed for the time spent inspecting, permit fees required to make repairs, and any penalty

Tacoma Power

CUSTOMER SERVICE POLICY

fees shall be assessed per TMC12.06A. Where electrical service has been disconnected, reconnection will require the purchase of a Tacoma Power electrical permit, upgrade of the installation in accordance with current Tacoma Power Standards, the Electrical Code of the City of Tacoma, the NEC, applicable city and state codes, payment of required fees and charges, and approval of all required inspections.

16.0 SCHEDULED SERVICE DISCONNECTS AND RECONNECTS

- A. Residential: Prior to scheduling a disconnect, all necessary electrical permits must be granted and any associated fees paid. Disconnects must be scheduled 10 business days prior to the requested disconnect date.
- B. Commercial: Prior to scheduling a disconnect, all necessary electrical permits must be granted, any associated fees paid, and commercial disconnect/reconnect form submitted. Tacoma Power Engineers will be required to review all forms submitted prior to scheduling of disconnect. Disconnects must be scheduled 10 business days prior to the requested disconnect date.
- C. All Customers will receive one free service drop (disconnect) for non-electrical work, per service, each calendar year. Additional drops will be charged the disconnect/reconnect fee.
- D. Rescheduling of a service disconnect or reconnect less than one business day in advance of the scheduled date will require a late cancellation fee be paid before a revised date will be scheduled. The amount paid shall be in the amount of one-half the current disconnect/reconnect fee for each disconnect or reconnect rescheduled.

Formatted: Indent: Left: 0"

17.0 NEW OR MODIFIED SERVICE FEES

Fixed fees for the construction of new or modified service connections shall be paid in advance by the owner or applicant. Each fixed fee is intended to recover the actual cost of time, material, equipment, and administrative expenses incurred by Tacoma Power. Fixed fees in Table A are based on the estimated historical average cost of similar, routine construction activities and includes administrative fees. Applicable state or local taxes incurred by Tacoma Power will be applied to total cost. When new or modified service connections are not similar to those of Table A, the service connection charge will be based upon estimated costs incurred by Tacoma Power including all administration fees overhead and taxes.

Tacoma Power
CUSTOMER SERVICE POLICY

Tacoma Power

CUSTOMER SERVICE POLICY

Table A

Fee Description	Current	Effective 4/1/2026	Effective 4/1/2027
Connect New 200A Service to an Existing SSB	\$551.00	\$594.00	\$627.00
Install and Connect New 200A Service and SSB to Existing Transformer	\$3,132.00		
Connect New 200A, Single-Phase Service to Existing Overhead Secondary	\$1,441.00	\$1,103.00	\$1,160.00
Connect New 320A, Single-Phase Service to Existing Overhead Secondary	\$1,486.00	\$1,170.00	\$1,233.00
Connect New 200A, Three-Phase Service to Existing Overhead Secondary	\$1,696.00	\$1,543.00	\$1,644.00
Connect 200A, Single-Phase Temporary Service to Existing Overhead Secondary or SSB	\$427.00	\$720.00	\$752.00
Install New 200A Service, SSB, Conduit, and Wire to Existing Power Pole	\$4,032.00		
Install New 320A Service, SSB, Conduits, and Wire to Existing Power Pole	\$4,120.00		
Install New 200A Service and Wire to Existing Power Pole in Customer-Provided Conduit	\$3,012.00	\$3,540.00	\$3,692.00
Connect Street Light Circuit to Overhead or Underground Secondary Service	\$395.00	\$417.00	\$432.00
Connect Cable/DSL Service to Overhead or Underground Secondary Service	\$395.00	\$417.00	\$432.00
Service Line Disconnect /& Reconnect Fee	\$307.00	\$617.00	\$638.00
Meter Pull/Reset, Meter Trip Fee Meter Crew Fee	\$125.00	\$160.00	\$165.00

Tacoma Power

CUSTOMER SERVICE POLICY

Install Communications Conduits in addition to Power Conduits while Installing an SSB	\$177.00		
Upgrade existing overhead transformer	\$1,000		
200 Amp Meter Fee – New		\$178.00	\$196.00
320 Amp Meter Fee – New		\$214.00	\$235.00
320 Amp Meter Fee – Upgrade		\$142.00	\$150.00
Application Fee	\$50.00	\$85.00	\$89.00
Transformer Overhead Single-Phase 200A		\$626.00	\$726.00
Transformer Overhead Single-Phase 320A		\$1,001.00	\$1,161.00
Transformer OH Single-Phase 320A - Upgrade		\$375.00	\$435.00
Transformer Underground Single-Phase 200A		\$1,384.00	\$1,734.00
Transformer Underground Single-Phase 320A		\$2,215.00	\$2,774.00
Transformer UG Single-Phase 320A - Upgrade		\$831.00	\$1,040.00